

Table T9. Occurrences of selected benthic foraminifer taxa, Site 1262. (Continued on next three pages.)

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Abundance	Preservation	Paleodepth	<i>Abyssammina poagi</i>	<i>Abyssammina quadrata</i>	<i>Alabamina dissonata</i>	<i>Alabamina weddellensis</i>	<i>Ammodiscus</i> sp.	<i>Angulogerina szajinochae</i>	<i>Anomalinoides acutus</i>	<i>Anomalinoides praecutus</i> group	<i>Anomalinoides spissiformis</i>	<i>Aragonia aragonensis</i>	<i>Aragonia velascoensis</i>	<i>Bathyiphon</i> sp.	<i>Bolivinoides</i> sp. (small)	<i>Bulimina kugleri</i>	<i>Bulimina semicostata</i>	<i>Bulimina simplex</i>	<i>Bulimina thanetensis</i>	<i>Bulimina trinitatis</i>	<i>Bulimina velascoensis</i>	<i>Buliminella</i> spp.	
208-																										
1262B-1H-1, 0–2	0.00	0.00	F E	LA					x																	
1262B-1H-CC	6.86	6.86	F G	LA					x																	
1262A-1H-CC	9.97	16.01	F G	LA					x																	
1262A-2H-CC	19.42	25.73	F G	LA					x																	
1262A-3H-CC	28.41	35.72	F G	LA					x																	
1262A-4H-CC	38.52	46.03	C M	LA					x																	
1262A-5H-CC	47.87	56.83	B	?																						
1262A-6H-CC	57.61	68.36	B	?																						
1262A-7H-CC	66.73	78.12	C P	DT												x										
1262B-9H-CC	77.07	83.94	B	?																					x	
1262A-8H-CC	73.93	87.97	C M	DT	x x x						x x							x	x	x						
1262B-10H-CC	86.71	94.13	F G	LA	x x x						x x x							x	x	x	x					
1262A-9H-CC	85.63	100.84	F M	LA	x x						x x x															
1262B-11H-CC	95.39	104.97	R G	LA	x x x						x x x															
1262A-10H-CC	95.29	111.40	R G	LA	x x				x		x x							x	x	x				x*		
1262B-12H-CC	105.05	115.69	R G	LA	x x						x x							x	x	x	x					
1262C-2H-6, 35–36	107.35	117.14	C G	LA	xx x						x x x											x	x			
1262A-11H-CC	104.24	120.29	R G	LA	x x						x x x															
1262B-13H-CC	114.07	125.04	R G	LA	x x						x x x															
1262A-12H-CC	114.06	130.67	R G	LA	x x						x x x															
1262C-4H-CC	126.90	132.41	F G	LA	x x						x x x															
1262B-14H-CC	124.34	136.23	R G	LA	x x						x x x															
1262A-13H-4, 140–150	119.90	138.01	R G	LA	x xx						x x x															
1262A-13H-6, 46–47	120.46	138.57	R G	LA	x x						x x x															
1262A-13H-5, 94–95	120.94	139.05	R G	LA	x x						x x x							x	x	x	x					
1262A-13H-5, 138–139	121.38	139.49	R G	LA	x x						x x x							x	x	x	x					
1262A-13H-6, 4–5	121.54	139.65	R G	LA	x x						x x x							x	x	x	x					
1262A-13H-6, 19–20	121.69	139.80	C G	LA	xx xx						x x x							x	x	x	x					
1262A-13H-6, 30–31	121.80	139.91	R G	LA	x x						x x x							x	x	x	x*					
1262A-13H-6, 43–44	121.93	140.04	B	?																						
1262A-13H-6, 57–58	122.07	140.18	F G	LA	x x						x x							x	x	x	x					
1262A-13H-6, 95–96	122.45	140.56	F G	LA	x x						x x							x	x	x	x				x	
1262A-13H-CC	123.97	142.08	F M	LA	x x				x		x x															
1262C-5H-CC	131.83	144.06	C G	LA	x x				x		x x							x	x	x	x			x x		
1262B-15H-CC	133.84	146.16	R G	LA	x x				x		x x							x	x	x	x			x x		
1262A-14H-CC	132.71	151.93	F G	LA	x x				x		x x							x	x	x	x			x x		
1262B-16H-CC	143.79	156.65	F G	LA	x x				x		x x							x	x	x	x			x x		
1262A-15H-CC	141.79	161.95	F G	LA	x x				x		x x							x	x	x	x			x x		
1262B-17H-CC	152.61	166.23	F G	LA/UA														x	x	x	x			x x		
1262A-16H-CC	152.53	173.49	A P	DT														x	x	x	x			x x		
1262C-9H-1, 147–149	159.97	173.79	C M	DT	x													x	x	x	x			x x		
1262B-18H-CC	162.89	177.98	F G	LA/UA	x x													x	x	x	x			x x		
1262A-17H-CC	161.97	182.36	A P	DT					x		x x x							x	x	x	x			x x		
1262B-19H-CC	172.07	188.16	R G	LA/UA					x		x x x							x	x	x	x			x x		
1262B-20H-CC	181.46	198.79	F G	UA					x		x x x							x	x	x	x			x x		
1262B-21H-CC	190.55	210.49	F G	UA					x		x x x							x	x	x	x			x x		
1262C-12H-CC	193.25	212.03	F G	UA					x		x x x							x	x	x	x			x x		
1262B-22H-4, 134–135	195.51	216.50	F G	UA					x		x x x							x	x	x	x			x x		
1262B-22H-CC	200.76	221.75	F G	UA					x		x x x							x	x	x	x			x x		
1262C-13H-CC	203.69	224.73	R G	UA					x		x x x							x	x	x	x			x x		
1262B-23H-CC	209.60	232.78	F G	UA					x		x x x							x	x	x	x			x x		
1262C-14H-CC	212.96	236.38	R G	UA					x		x x x							x	x	x	x			x x		

Notes: Abundance: A = abundant, C = common, F = few, R = rare, B = barren. Preservation: E = excellent, G = good, M = moderate, P = poor. Paleodepth: LA = lower abyssal, DT = downslope transport, UA = upper abyssal, ? = unknown. x = present, xx = dominant species, * = reworked.

Table T9 (continued).

SHIPBOARD SCIENTIFIC PARTY CHAPTER 3, SITE 1262

Table T9 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Abundance	Preservation	Paleodepth	<i>Gyroidinoides globosus</i>	<i>Gyroidinoides quadratus</i>	<i>Gyroidinoides spp.</i>	<i>Homosina spp.</i>	<i>Laevidentalina spp.</i>	<i>Lenticulina spp.</i>	<i>Massonella oxyconca</i>	<i>Melonis spp.</i>	<i>Miliolids</i>	<i>Nonion havanense</i>	<i>Nuttallimella umbonifera</i>	<i>Nuttallimella truemppi</i>	<i>Nuttallimella coronula</i>	<i>Nuttallimella florealis</i>	<i>Nuttallimella spp.</i>	Oridorsalis umbonatus	Osangularia cordierana	Paralabamina spp.	Polymorphinid taxa	Pleurostomellid taxa	
1262B-1H-1, 0–2	0.00	0.00	F	E	LA											x					x	x				
1262B-1H-CC	6.86	6.86	F	G	LA											x	x	x			x	x				
1262A-1H-CC	9.97	16.01	F	G	LA											x	x	x	xx		x	x		x	x	
1262A-2H-CC	19.42	25.73	F	G	LA		x		x							x	x	x	xx		x	x		x	x	
1262A-3H-CC	28.41	35.72	F	G	LA		x		x							x	x	x	xx		x	x		x	x	
1262A-4H-CC	38.52	46.03	C	M	LA		x		x							x	x	x	xx		x	x		x	x	
1262A-5H-CC	47.87	56.83	B	?					x								x									
1262A-6H-CC	57.61	68.36	B	?																						
1262A-7H-CC	66.73	78.12	C	P	DT		x		x		x					x	xx									
1262B-9H-CC	77.07	83.94	B	?																						
1262A-8H-CC	73.93	87.97	C	M	DT		x	x	x		x					x	x	xx								
1262B-10H-CC	86.71	94.13	F	G	LA		x	x	x	x	x					x	x	x								
1262A-9H-CC	85.63	100.84	F	M	LA		x	x	x	x	x					x	xx									
1262B-11H-CC	95.39	104.97	R	G	LA		x	x	x	x	x					x	x	x			x	x		x	x	
1262A-10H-CC	95.29	111.40	R	G	LA		x	x	x	x	x					x	x	x			x	x		x	x	
1262B-12H-CC	105.05	115.69	R	G	LA		x	x	x	x	x					x	x	xx								
1262C-2H-6, 35–36	107.35	117.14	C	G	LA		x									x	x	x								
1262A-11H-CC	104.24	120.29	R	G	LA		x		x		x					x	x	x								
1262B-13H-CC	114.07	125.04	R	G	LA		x		x		x					x	x	x								
1262A-12H-CC	114.06	130.67	R	G	LA		x		x		x					x	x	x								
1262C-4H-CC	126.90	132.41	F	G	LA				x							x	x	x								
1262B-14H-CC	124.34	136.23	R	G	LA				x							x	x	x								
1262A-13H-4, 140–150	119.90	138.01	R	G	LA		x		x							x	xx	x								
1262A-13H-5, 46–47	120.46	138.57	R	G	LA		x		x							x	x	x								
1262A-13H-5, 94–95	120.94	139.05	R	G	LA		x		x							x	xx	x								
1262A-13H-5, 138–139	121.38	139.49	R	G	LA		x		x							x	x	x								
1262A-13H-6, 4–5	121.54	139.65	R	G	LA		x		x							x	xx	x								
1262A-13H-6, 19–20	121.69	139.80	C	G	LA		x		x							x	xx	x								
1262A-13H-6, 30–31	121.80	139.91	R	G	LA											x	x	x								
1262A-13H-6, 43–44	121.93	140.04	B	?																						
1262A-13H-6, 57–58	122.07	140.18	F	G	LA		x		x		x					x	x									
1262A-13H-6, 95–96	122.45	140.56	F	G	LA		x		x		x					x	x	x								
1262A-13H-CC	123.97	142.08	F	M	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262C-5H-CC	131.83	144.06	C	G	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-15H-CC	133.84	146.16	R	G	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262A-14H-CC	132.71	151.93	F	G	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-16H-CC	143.79	156.65	F	G	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262A-15H-CC	141.79	161.95	F	G	LA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-17H-CC	152.61	166.23	F	G	LA/UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262A-16H-CC	152.53	173.49	A	P	DT	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262C-9H-1, 147–149	159.97	173.79	C	M	DT	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-18H-CC	162.89	177.98	F	G	LA/UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262A-17H-CC	161.97	182.36	A	P	DT	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-19H-CC	172.07	188.16	R	G	LA/UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-20H-CC	181.46	198.79	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-21H-CC	190.55	210.49	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262C-12H-CC	193.25	212.03	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-22H-4, 134–135	195.51	216.50	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-22H-CC	200.76	221.75	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262C-13H-CC	203.69	224.73	R	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262B-23H-CC	209.60	232.78	F	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	
1262C-14H-CC	212.96	236.38	R	G	UA	x	x	x	x	x	x		x			x	x	x		x	x	x	x	x	x	

Table T9 (continued).

Hole, core, section, interval (cm)	Depth (mbsf)	Depth (mcd)	Abundance	Preservation	Paleodepth	<i>Prabubilimina reussi</i>	<i>Pullenia coryelli</i>	<i>Pullenia cretacea</i>	<i>Pullenia</i> spp.	<i>Quadratubilimina</i> sp.	<i>Rectobilimina carpentierae</i>	<i>Rhizammina</i> spp.	<i>Siphogenerinoides brevispinosa</i>	<i>Siphotextularia catenulata</i>	<i>Spiroplectammina dentata</i>	<i>Spiroplectammina spectabilis</i>	<i>Stainforthia complanata</i>	<i>Stensiocina beccariiformis</i>	<i>Stilostomellid</i> taxa	<i>Tappanina selensis</i>	<i>Tritaxia havanensis</i>	<i>Trochammina globigeriniformis</i>	Unilocular taxa	<i>Uvigerina</i> spp.	<i>Vulvulina spinosa</i>
1262B-1H-1, 0–2	0.00	0.00	F	E	LA				x												x	x			
1262B-1H-CC	6.86	6.86	F	G	LA				x												x	x	x		
1262A-1H-CC	9.97	16.01	F	G	LA				x														x		
1262A-2H-CC	19.42	25.73	F	G	LA				x															x	
1262A-3H-CC	28.41	35.72	F	G	LA				x															x	
1262A-4H-CC	38.52	46.03	C	M	LA				x													x	x	x	
1262A-5H-CC	47.87	56.83	B		?																				
1262A-6H-CC	57.61	68.36	B		?																				
1262A-7H-CC	66.73	78.12	C	P	DT				x												x	x	x		
1262B-9H-CC	77.07	83.94	B		?																		x	x	
1262A-8H-CC	73.93	87.97	C	M	DT																			x	
1262B-10H-CC	86.71	94.13	F	G	LA																x	x	x	x	
1262A-9H-CC	85.63	100.84	F	M	LA																x	x	x	x	
1262B-11H-CC	95.39	104.97	R	G	LA																x	x	x	x	
1262A-10H-CC	95.29	111.40	R	G	LA																x	x	x	x	
1262B-12H-CC	105.05	115.69	R	G	LA																x	x	x	x	
1262C-2H-6, 35–36	107.35	117.14	C	G	LA																				
1262A-11H-CC	104.24	120.29	R	G	LA																x	x	x	x	
1262B-13H-CC	114.07	125.04	R	G	LA																x	x	x	x	
1262A-12H-CC	114.06	130.67	R	G	LA																x	x	x	x	
1262C-4H-CC	126.90	132.41	F	G	LA																x	x	x	x	
1262B-14H-CC	124.34	136.23	R	G	LA																x	x	x	x	
1262A-13H-4, 140–150	119.90	138.01	R	G	LA																x	x	x	x	
1262A-13H-5, 46–47	120.46	138.57	R	G	LA																x	x	x	x	
1262A-13H-5, 94–95	120.94	139.05	R	G	LA																x	x	x	x	
1262A-13H-5, 138–139	121.38	139.49	R	G	LA																x	x	x	x	
1262A-13H-6, 4–5	121.54	139.65	R	G	LA																x	x	x	x	
1262A-13H-6, 19–20	121.69	139.80	C	G	LA																x	x	x	x	
1262A-13H-6, 30–31	121.80	139.91	R	G	LA																x	x	x	x	
1262A-13H-6, 43–44	121.93	140.04	B		?																				
1262A-13H-6, 57–58	122.07	140.18	F	G	LA				x												x	x	x	x	
1262A-13H-6, 95–96	122.45	140.56	F	G	LA				x												x	x	x	x	
1262A-13H-CC	123.97	142.08	F	M	LA				x												x	x	x	x	
1262C-5H-CC	131.83	144.06	C	G	LA				x											x	x	x	x		
1262B-15H-CC	133.84	146.16	R	G	LA				x											x	x	x	x		
1262A-14H-CC	132.71	151.93	F	G	LA				x											x	x	x	x		
1262B-16H-CC	143.79	156.65	F	G	LA				x											x	x	x	x		
1262A-15H-CC	141.79	161.95	F	G	LA															x	x	x	x		
1262B-17H-CC	152.61	166.23	F	G	LA/UA				x											x	x	x	x		
1262A-16H-CC	152.53	173.49	A	P	DT				x											x	x	x	x		
1262C-9H-1, 147–149	159.97	173.79	C	M	DT				x											x	x	x	x		
1262B-18H-CC	162.89	177.98	F	G	LA/UA				x											x	x	x	x		
1262A-17H-CC	161.97	182.36	A	P	DT				x											x	x	x	x		
1262B-19H-CC	172.07	188.16	R	G	LA/UA				x											x	x	x	x		
1262B-20H-CC	181.46	198.79	F	G	UA															x	x	x	x		
1262B-21H-CC	190.55	210.49	F	G	UA															x	x	x	x		
1262C-12H-CC	193.25	212.03	F	G	UA				x											x	x	x	x		
1262B-22H-4, 134–135	195.51	216.50	F	G	UA				x											x	x	x	x		
1262B-22H-CC	200.76	221.75	F	G	UA				x											x	x	x	x		
1262C-13H-CC	203.69	224.73	R	G	UA				x	x	x									x	x	x	x		
1262B-23H-CC	209.60	232.78	F	G	UA				x	x	x									x	x	x	x		
1262C-14H-CC	212.96	236.38	R	G	UA				x	x	x									x	x	x	x		