

<b>U1353 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1353	B	1	H	1	1.50	1.50	0.00	1.50	deepest hole	
317	U1353	B	1	H	2	1.50	1.50	1.50	3.00	deepest hole	
317	U1353	B	1	H	3	1.50	1.50	3.00	4.50	deepest hole	
317	U1353	B	1	H	4	1.50	1.50	4.50	6.00	deepest hole	
317	U1353	B	1	H	5	1.00	1.00	6.00	7.00	deepest hole	
317	U1353	B	1	H	6	0.70	0.70	7.00	7.70	deepest hole	
317	U1353	B	1	H	CC	0.29	0.29	7.70	7.99	deepest hole	
317	U1353	B	2	H	1	1.50	1.50	8.00	9.50	deepest hole	
317	U1353	B	2	H	2	1.50	1.50	9.50	11.00	deepest hole	
317	U1353	B	2	H	3	1.50	1.50	11.00	12.50	deepest hole	
317	U1353	B	2	H	4	1.27	1.27	12.50	13.77	deepest hole	
317	U1353	B	2	H	5	1.33	1.33	13.77	15.10	deepest hole	
317	U1353	B	2	H	6	1.24	1.24	15.10	16.34	deepest hole	
317	U1353	B	2	H	7	0.56	0.56	16.34	16.90	deepest hole	
317	U1353	B	3	H	1	1.50	1.50	17.00	18.50	deepest hole	
317	U1353	B	3	H	2	1.50	1.50	18.50	20.00	deepest hole	
317	U1353	B	3	H	3	1.50	1.50	20.00	21.50	deepest hole	
317	U1353	B	3	H	4	1.50	1.50	21.50	23.00	deepest hole	
317	U1353	B	3	H	5	1.50	1.50	23.00	24.50	deepest hole	
317	U1353	B	3	H	6	1.00	1.00	24.50	25.50	deepest hole	
317	U1353	B	3	H	7	0.56	0.56	25.50	26.06	deepest hole	
317	U1353	B	3	H	CC	0.05	0.05	26.06	26.11	deepest hole	
317	U1353	B	4	H	1	1.00	1.00	26.00	27.00	deepest hole	
317	U1353	B	4	H	2	0.67	0.67	27.00	27.67	deepest hole	
317	U1353	B	5	H	1	1.28	1.28	27.70	28.98	deepest hole	
317	U1353	B	5	H	2	1.30	1.30	28.98	30.28	deepest hole	
317	U1353	B	5	H	3	1.23	1.23	30.28	31.51	deepest hole	
317	U1353	B	5	H	4	1.26	1.26	31.51	32.77	deepest hole	
317	U1353	B	5	H	5	1.26	1.26	32.77	34.03	deepest hole	
317	U1353	B	5	H	6	1.50	1.50	34.03	35.53	deepest hole	
317	U1353	B	5	H	CC	0.05	0.05	35.53	35.58	deepest hole	
317	U1353	B	6	H	1	1.50	1.50	35.20	36.70	deepest hole	
317	U1353	B	6	H	2	1.50	1.50	36.70	38.20	deepest hole	
317	U1353	B	6	H	3	1.50	1.50	38.20	39.70	deepest hole	
317	U1353	B	6	H	4	1.50	1.50	39.70	41.20	deepest hole	
317	U1353	B	6	H	5	1.10	1.10	41.20	42.30	deepest hole	
317	U1353	B	6	H	6	0.60	0.60	42.30	42.90	deepest hole	
317	U1353	B	6	H	CC	0.30	0.30	42.90	43.20	deepest hole	
317	U1353	B	7	H	1	1.50	1.50	43.20	44.70	deepest hole	
317	U1353	B	7	H	2	1.50	1.50	44.70	46.20	deepest hole	
317	U1353	B	7	H	3	1.50	1.50	46.20	47.70	deepest hole	
317	U1353	B	7	H	4	0.96	0.96	47.70	48.66	deepest hole	
317	U1353	B	7	H	CC	0.30	0.30	48.66	48.96	deepest hole	
317	U1353	B	8	H	1	1.50	1.50	48.90	50.40	deepest hole	
317	U1353	B	8	H	2	1.50	1.50	50.40	51.90	deepest hole	
317	U1353	B	8	H	3	1.50	1.50	51.90	53.40	deepest hole	
317	U1353	B	8	H	4	1.50	1.50	53.40	54.90	deepest hole	

<b>U1353 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1353	B	8	H	5	1.00	1.00	54.90	55.90	deepest hole	
317	U1353	B	8	H	6	0.70	0.70	55.90	56.60	deepest hole	
317	U1353	B	8	H	CC	0.29	0.29	56.60	56.89	deepest hole	
317	U1353	B	9	H	1	1.50	1.50	56.80	58.30	deepest hole	
317	U1353	B	9	H	2	1.50	1.50	58.30	59.80	deepest hole	
317	U1353	B	9	H	3	1.50	1.50	59.80	61.30	deepest hole	
317	U1353	B	9	H	4	0.60	0.60	61.30	61.90	deepest hole	
317	U1353	B	10	H	1	1.50	1.50	62.00	63.50	deepest hole	
317	U1353	B	10	H	2	1.50	1.50	63.50	65.00	deepest hole	
317	U1353	B	10	H	3	1.50	1.50	65.00	66.50	deepest hole	
317	U1353	B	10	H	4	1.00	1.00	66.50	67.50	deepest hole	
317	U1353	B	11	H	1	1.50	1.50	67.60	69.10	deepest hole	
317	U1353	B	11	H	2	1.50	1.50	69.10	70.60	deepest hole	
317	U1353	B	11	H	3	1.50	1.50	70.60	72.10	deepest hole	
317	U1353	B	11	H	4	0.84	0.84	72.10	72.94	deepest hole	
317	U1353	B	11	H	CC	0.25	0.25	72.94	73.19	deepest hole	
317	U1353	B	12	H	1	1.01	1.01	73.20	74.21	deepest hole	Disturbed, Liner Patch
317	U1353	B	12	H	2	0.97	0.97	74.21	75.18	deepest hole	Disturbed, Liner Patch
317	U1353	B	12	H	3	1.45	1.45	75.18	76.63	deepest hole	Disturbed, Liner Patch
317	U1353	B	12	H	4	1.50	1.50	76.63	78.13	deepest hole	Extruded on rigfloor and rsectioned
317	U1353	B	12	H	5	1.46	1.46	78.13	79.59	deepest hole	
317	U1353	B	12	H	6	0.53	0.53	79.59	80.12	deepest hole	
317	U1353	B	14	X	CC	0.51	0.51	80.20	80.71	deepest hole	
317	U1353	B	16	X	CC	0.25	0.25	97.00	97.25	deepest hole	
317	U1353	B	17	H	CC	0.25	0.25	106.60	106.85	deepest hole	
317	U1353	B	18	X	1	1.45	1.45	106.60	108.05	deepest hole	
317	U1353	B	18	X	CC	0.44	0.44	108.05	108.49	deepest hole	
317	U1353	B	19	H	1	0.83	0.83	111.20	112.03	deepest hole	
317	U1353	B	19	H	2	1.15	1.15	112.03	113.18	deepest hole	
317	U1353	B	19	H	3	1.50	1.50	113.18	114.68	deepest hole	
317	U1353	B	19	H	4	1.50	1.50	114.68	116.18	deepest hole	
317	U1353	B	19	H	5	0.86	0.86	116.18	117.04	deepest hole	
317	U1353	B	20	H	1	1.07	1.07	117.20	118.27	deepest hole	
317	U1353	B	20	H	2	0.89	0.89	118.27	119.16	deepest hole	
317	U1353	B	21	H	1	1.01	1.01	119.20	120.21	deepest hole	
317	U1353	B	21	H	2	0.95	0.95	120.21	121.16	deepest hole	
317	U1353	B	23	H	1	1.30	1.30	130.40	131.70	deepest hole	
317	U1353	B	23	H	2	1.50	1.50	131.70	133.20	deepest hole	
317	U1353	B	23	H	3	1.50	1.50	133.20	134.70	deepest hole	
317	U1353	B	23	H	4	1.01	1.01	134.70	135.71	deepest hole	
317	U1353	B	24	H	1	0.46	0.46	135.40	135.86	deepest hole	
317	U1353	B	24	H	2	1.50	1.50	135.86	137.36	deepest hole	
317	U1353	B	24	H	3	0.42	0.42	137.36	137.78	deepest hole	
317	U1353	B	24	H	4	0.98	0.98	137.78	138.76	deepest hole	Disturbed.
317	U1353	B	24	H	5	0.91	0.91	138.76	139.67	deepest hole	Disturbed.
317	U1353	B	24	H	CC	0.05	0.05	139.67	139.72	deepest hole	
317	U1353	B	25	H	1	1.30	1.30	140.40	141.70	deepest hole	

<b>U1353 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1353	B	25	H	2	0.95	0.95	141.70	142.65	deepest hole	
317	U1353	B	25	H	CC	0.26	0.26	142.65	142.91	deepest hole	
317	U1353	B	26	H	1	1.50	1.50	142.40	143.90	deepest hole	Disturbed, shattered liner
317	U1353	B	26	H	2	1.31	1.31	143.90	145.21	deepest hole	Disturbed, shattered liner
317	U1353	B	26	H	3	0.85	0.85	145.21	146.06	deepest hole	Disturbed, shattered liner.
317	U1353	B	26	H	4	1.33	1.33	146.06	147.39	deepest hole	Disturbed, shattered liner.
317	U1353	B	27	H	1	0.57	0.57	147.40	147.97	deepest hole	Shattered
317	U1353	B	27	H	2	1.09	1.09	147.97	149.06	deepest hole	Shattered.
317	U1353	B	27	H	3	0.62	0.62	149.06	149.68	deepest hole	Shattered.
317	U1353	B	28	H	1	1.50	1.50	149.40	150.90	deepest hole	
317	U1353	B	28	H	2	1.30	1.30	150.90	152.20	deepest hole	
317	U1353	B	28	H	3	0.75	0.75	152.20	152.95	deepest hole	
317	U1353	B	29	H	1	0.94	0.94	153.00	153.94	deepest hole	Shattered.
317	U1353	B	29	H	2	0.52	0.52	153.94	154.46	deepest hole	Shattered.
317	U1353	B	29	H	3	0.42	0.42	154.46	154.88	deepest hole	Shattered.
317	U1353	B	29	H	4	0.74	0.74	154.88	155.62	deepest hole	Shattered.
317	U1353	B	29	H	5	1.16	1.16	155.62	156.78	deepest hole	Shattered.
317	U1353	B	29	H	6	0.80	0.80	156.78	157.58	deepest hole	Shattered.
317	U1353	B	29	H	CC	0.53	0.53	157.58	158.11	deepest hole	Shattered.
317	U1353	B	30	H	1	1.18	1.18	158.10	159.28	deepest hole	Shattered.
317	U1353	B	30	H	2	1.50	1.50	159.28	160.78	deepest hole	Shattered.
317	U1353	B	30	H	3	0.58	0.58	160.78	161.36	deepest hole	Shattered.
317	U1353	B	31	X	CC	0.22	0.22	161.40	161.62	deepest hole	
317	U1353	B	33	H	1	0.44	0.44	173.60	174.04	deepest hole	Disturbed.
317	U1353	B	33	H	2	1.50	1.50	174.04	175.54	deepest hole	Disturbed.
317	U1353	B	33	H	3	1.46	1.46	175.54	177.00	deepest hole	Disturbed.
317	U1353	B	34	H	1	1.50	1.50	177.00	178.50	deepest hole	
317	U1353	B	34	H	2	1.50	1.50	178.50	180.00	deepest hole	
317	U1353	B	34	H	3	1.00	1.00	180.00	181.00	deepest hole	
317	U1353	B	34	H	4	0.79	0.79	181.00	181.79	deepest hole	
317	U1353	B	35	H	1	0.60	0.60	181.90	182.50	deepest hole	
317	U1353	B	36	H	1	1.50	1.50	182.60	184.10	deepest hole	
317	U1353	B	36	H	2	1.50	1.50	184.10	185.60	deepest hole	
317	U1353	B	36	H	3	1.50	1.50	185.60	187.10	deepest hole	
317	U1353	B	36	H	4	0.69	0.69	187.10	187.79	deepest hole	
317	U1353	B	37	H	1	0.53	0.53	187.80	188.33	deepest hole	
317	U1353	B	37	H	2	1.45	1.45	188.33	189.78	deepest hole	
317	U1353	B	37	H	3	0.28	0.28	189.78	190.06	deepest hole	
317	U1353	B	38	H	1	1.45	1.45	190.10	191.55	deepest hole	
317	U1353	B	38	H	2	1.10	1.10	191.55	192.65	deepest hole	
317	U1353	B	38	H	CC	0.36	0.36	192.65	193.01	deepest hole	
317	U1353	B	39	H	1	1.06	1.06	193.00	194.06	deepest hole	Extruded on rigfloor
317	U1353	B	39	H	2	1.00	1.00	194.06	195.06	deepest hole	
317	U1353	B	39	H	3	0.73	0.73	195.06	195.79	deepest hole	Disturbed
317	U1353	B	39	H	CC	0.64	0.64	195.79	196.43	deepest hole	
317	U1353	B	40	H	1	1.53	1.53	196.40	197.93	deepest hole	
317	U1353	B	40	H	2	1.50	1.50	197.93	199.43	deepest hole	

<b>U1353 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1353	B	40	H	3	0.47	0.47	199.43	199.90	deepest hole	
317	U1353	B	40	H	4	1.50	1.50	199.90	201.40	deepest hole	
317	U1353	B	41	H	1	1.11	1.11	201.40	202.51	deepest hole	
317	U1353	B	41	H	CC	0.33	0.33	202.51	202.84	deepest hole	
317	U1353	B	42	H	1	0.86	0.86	202.90	203.76	deepest hole	Disturbed
317	U1353	B	42	H	2	1.22	1.22	203.76	204.98	deepest hole	Highly Disturbed
317	U1353	B	43	H	1	1.27	1.27	205.00	206.27	deepest hole	
317	U1353	B	44	X	CC	0.17	0.17	206.30	206.47	deepest hole	
317	U1353	B	45	H	1	1.50	1.50	216.10	217.60	deepest hole	
317	U1353	B	45	H	2	1.50	1.50	217.60	219.10	deepest hole	
317	U1353	B	45	H	3	1.00	1.00	219.10	220.10	deepest hole	
317	U1353	B	45	H	4	0.65	0.65	220.10	220.75	deepest hole	
317	U1353	B	46	H	1	0.26	0.26	220.80	221.06	deepest hole	Disturbed, extruded on rig floor.
317	U1353	B	46	H	2	1.50	1.50	221.06	222.56	deepest hole	Disturbed, extruded on rig floor.
317	U1353	B	46	H	3	1.50	1.50	222.56	224.06	deepest hole	Disturbed, extruded on rig floor.
317	U1353	B	46	H	4	1.36	1.36	224.06	225.42	deepest hole	Disturbed, extruded on rig floor.
317	U1353	B	46	H	CC	0.39	0.39	225.42	225.81	deepest hole	
317	U1353	B	47	H	1	0.35	0.35	225.80	226.15	deepest hole	Disturbed.
317	U1353	B	47	H	2	1.03	1.03	226.15	227.18	deepest hole	Disturbed.
317	U1353	B	47	H	3	1.50	1.50	227.18	228.68	deepest hole	Disturbed.
317	U1353	B	48	H	1	1.36	1.36	228.80	230.16	deepest hole	
317	U1353	B	48	H	2	1.10	1.10	230.16	231.26	deepest hole	
317	U1353	B	48	H	3	0.82	0.82	231.26	232.08	deepest hole	
317	U1353	B	50	X	CC	0.31	0.31	233.40	233.71	deepest hole	
317	U1353	B	51	H	1	0.50	0.50	240.90	241.40	deepest hole	
317	U1353	B	51	H	2	1.50	1.50	241.40	242.90	deepest hole	
317	U1353	B	52	H	1	1.50	1.50	242.90	244.40	deepest hole	
317	U1353	B	52	H	2	0.66	0.66	244.40	245.06	deepest hole	
317	U1353	B	53	H	1	0.73	0.73	245.10	245.83	deepest hole	
317	U1353	B	54	H	1	1.01	1.01	245.80	246.81	deepest hole	
317	U1353	B	54	H	2	1.50	1.50	246.81	248.31	deepest hole	
317	U1353	B	55	H	1	0.34	0.34	248.30	248.64	deepest hole	
317	U1353	B	55	H	2	1.50	1.50	248.64	250.14	deepest hole	
317	U1353	B	56	H	1	1.43	1.43	250.20	251.63	deepest hole	
317	U1353	B	57	H	1	1.10	1.10	251.60	252.70	deepest hole	
317	U1353	B	57	H	2	0.80	0.80	252.70	253.50	deepest hole	
317	U1353	B	57	H	CC	0.05	0.05	253.50	253.55	deepest hole	
317	U1353	B	58	H	1	1.23	1.23	253.60	254.83	deepest hole	
317	U1353	B	59	H	1	1.14	1.14	254.90	256.04	deepest hole	
317	U1353	B	60	H	1	1.43	1.43	256.10	257.53	deepest hole	
317	U1353	B	60	H	CC	0.21	0.21	257.53	257.74	deepest hole	
317	U1353	B	61	X	CC	0.42	0.42	257.70	258.12	deepest hole	
317	U1353	B	62	X	CC	0.29	0.29	263.20	263.49	deepest hole	
317	U1353	B	63	X	1	0.85	0.85	269.60	270.45	deepest hole	
317	U1353	B	63	X	CC	0.51	0.51	270.45	270.96	deepest hole	
317	U1353	B	64	X	1	0.52	0.52	279.20	279.72	deepest hole	
317	U1353	B	64	X	CC	0.41	0.41	279.72	280.13	deepest hole	

<b>U1353 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
317	U1353	B	65	X	1	1.16	1.16	288.80	289.96	deepest hole	
317	U1353	B	65	X	CC	0.47	0.47	289.96	290.43	deepest hole	
317	U1353	B	66	X	1	1.10	1.10	298.40	299.50	deepest hole	
317	U1353	B	66	X	2	0.51	0.51	299.50	300.01	deepest hole	
317	U1353	B	66	X	CC	0.37	0.37	300.01	300.38	deepest hole	
317	U1353	B	67	X	CC	0.32	0.32	308.00	308.32	deepest hole	
317	U1353	B	68	X	1	1.04	1.04	317.60	318.64	deepest hole	
317	U1353	B	68	X	CC	0.48	0.48	318.64	319.12	deepest hole	
317	U1353	B	69	X	1	0.60	0.60	327.20	327.80	deepest hole	
317	U1353	B	70	X	CC	0.58	0.58	336.80	337.38	deepest hole	
317	U1353	B	71	X	1	1.11	1.11	346.00	347.11	deepest hole	
317	U1353	B	72	X	CC	0.39	0.39	355.60	355.99	deepest hole	
317	U1353	B	73	X	1	0.49	0.49	365.20	365.69	deepest hole	
317	U1353	B	74	X	CC	0.24	0.24	374.80	375.04	deepest hole	
317	U1353	B	75	X	1	0.72	0.72	384.40	385.12	deepest hole	
317	U1353	B	75	X	CC	0.05	0.05	385.12	385.17	deepest hole	
317	U1353	B	76	X	CC	0.28	0.28	394.00	394.28	deepest hole	
317	U1353	B	78	X	1	0.57	0.57	413.20	413.77	deepest hole	
317	U1353	B	79	X	CC	0.49	0.49	422.80	423.29	deepest hole	
317	U1353	B	80	X	CC	0.38	0.38	432.30	432.68	deepest hole	
317	U1353	B	81	X	CC	0.37	0.37	441.90	442.27	deepest hole	
317	U1353	B	83	X	CC	0.20	0.20	461.10	461.30	deepest hole	
317	U1353	B	85	X	CC	0.39	0.39	480.30	480.69	deepest hole	
317	U1353	B	86	X	CC	0.36	0.36	489.90	490.26	deepest hole	
317	U1353	B	87	X	CC	0.21	0.21	500.00	500.21	deepest hole	
317	U1353	B	88	X	1	0.60	0.60	509.60	510.20	deepest hole	
317	U1353	B	88	X	CC	0.37	0.37	510.20	510.57	deepest hole	
317	U1353	B	89	X	CC	0.11	0.11	518.60	518.71	deepest hole	
317	U1353	B	90	X	1	0.34	0.34	528.20	528.54	deepest hole	
317	U1353	B	90	X	CC	0.38	0.38	528.54	528.92	deepest hole	
317	U1353	B	91	X	CC	0.38	0.38	537.50	537.88	deepest hole	
317	U1353	B	92	X	CC	0.23	0.23	547.10	547.33	deepest hole	
317	U1353	B	93	X	1	0.65	0.65	556.60	557.25	deepest hole	
317	U1353	B	94	X	CC	0.26	0.26	566.20	566.46	deepest hole	
317	U1353	B	95	X	1	0.67	0.67	575.80	576.47	deepest hole	
317	U1353	B	96	X	1	0.51	0.51	585.40	585.91	deepest hole	
317	U1353	B	97	X	CC	0.25	0.25	595.00	595.25	deepest hole	
317	U1353	B	98	X	CC	0.05	0.05	604.60	604.65	deepest hole	