

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	D	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50		accommodates splice	
321	U1337	D	1	H	2	1.50	1.50	1.50	3.00	1.50	3.00	0.00	accommodates splice	
321	U1337	D	1	H	3	1.50	1.50	3.00	4.50	3.00	4.50	0.00	accommodates splice	
321	U1337	D	1	H	4	1.50	1.50	4.50	6.00	4.50	6.00	0.00	accommodates splice	
321	U1337	D	1	H	5	1.00	1.00	6.00	7.00	6.00	7.00	0.00	accommodates splice	
321	U1337	B	2	H	1	1.50	1.50	10.50	12.00	6.94	8.44	-0.06	accommodates splice	
321	U1337	B	2	H	2	1.50	1.50	12.00	13.50	8.44	9.94	0.00	accommodates splice	
321	U1337	B	2	H	3	1.50	1.50	13.50	15.00	9.94	11.44	0.00	accommodates splice	
321	U1337	D	2	H	3	1.50	1.50	11.00	12.50	11.59	13.09	0.15	accommodates splice	
321	U1337	D	2	H	4	1.50	1.50	12.50	14.00	13.09	14.59	0.00	accommodates splice	
321	U1337	D	2	H	5	1.50	1.50	14.00	15.50	14.59	16.09	0.00	accommodates splice	
321	U1337	D	2	H	6	1.10	1.10	15.50	16.60	16.09	17.19	0.00	accommodates splice	
321	U1337	D	3	H	1	1.50	1.50	17.50	19.00	18.94	20.44	1.75	accommodates splice	
321	U1337	D	3	H	2	1.50	1.50	19.00	20.50	20.44	21.94	0.00	accommodates splice	
321	U1337	D	3	H	3	1.50	1.50	20.50	22.00	21.94	23.44	0.00	accommodates splice	
321	U1337	D	3	H	4	1.50	1.50	22.00	23.50	23.44	24.94	0.00	accommodates splice	
321	U1337	D	3	H	5	1.50	1.50	23.50	25.00	24.94	26.44	0.00	accommodates splice	
321	U1337	D	3	H	6	1.00	1.00	25.00	26.00	26.44	27.44	0.00	accommodates splice	
321	U1337	D	3	H	7	0.96	0.96	26.00	26.96	27.44	28.40	0.00	accommodates splice	
321	U1337	D	3	H	CC	0.28	0.28	26.96	27.24	28.40	28.68	0.00	accommodates splice	
321	U1337	D	4	H	1	1.50	1.50	27.00	28.50	29.43	30.93	0.75	accommodates splice	
321	U1337	D	4	H	2	1.50	1.50	28.50	30.00	30.93	32.43	0.00	accommodates splice	
321	U1337	D	4	H	3	1.50	1.50	30.00	31.50	32.43	33.93	0.00	accommodates splice	
321	U1337	D	4	H	4	1.50	1.50	31.50	33.00	33.93	35.43	0.00	accommodates splice	
321	U1337	D	4	H	5	1.50	1.50	33.00	34.50	35.43	36.93	0.00	accommodates splice	
321	U1337	D	4	H	6	1.14	1.14	34.50	35.64	36.93	38.07	0.00	accommodates splice	
321	U1337	D	4	H	CC	0.06	0.06	35.64	35.70	38.07	38.13	0.00	accommodates splice	
321	U1337	A	5	H	5	1.50	1.50	40.00	41.50	38.70	40.20	0.57	accommodates splice	
321	U1337	D	5	H	1	1.50	1.50	36.50	38.00	40.05	41.55	-0.15	accommodates splice	
321	U1337	D	5	H	2	1.50	1.50	38.00	39.50	41.55	43.05	0.00	accommodates splice	
321	U1337	D	5	H	3	1.50	1.50	39.50	41.00	43.05	44.55	0.00	accommodates splice	
321	U1337	D	5	H	4	1.50	1.50	41.00	42.50	44.55	46.05	0.00	accommodates splice	
321	U1337	D	5	H	5	1.50	1.50	42.50	44.00	46.05	47.55	0.00	accommodates splice	
321	U1337	D	5	H	6	1.20	1.20	44.00	45.20	47.55	48.75	0.00	accommodates splice	
321	U1337	D	5	H	7	1.07	1.07	45.20	46.27	48.75	49.82	0.00	accommodates splice	
321	U1337	D	5	H	CC	0.17	0.17	46.27	46.44	49.82	49.99	0.00	accommodates splice	
321	U1337	A	6	H	6	1.50	1.50	51.00	52.50	50.83	52.33	0.84	accommodates splice	
321	U1337	D	6	H	1	1.50	1.50	46.00	47.50	51.25	52.75	-1.08	accommodates splice	
321	U1337	D	6	H	2	1.50	1.50	47.50	49.00	52.75	54.25	0.00	accommodates splice	
321	U1337	D	6	H	3	1.50	1.50	49.00	50.50	54.25	55.75	0.00	accommodates splice	
321	U1337	D	6	H	4	1.50	1.50	50.50	52.00	55.75	57.25	0.00	accommodates splice	
321	U1337	D	6	H	5	1.50	1.50	52.00	53.50	57.25	58.75	0.00	accommodates splice	
321	U1337	D	6	H	6	0.54	0.54	53.50	54.04	58.75	59.29	0.00	accommodates splice	
321	U1337	D	6	H	7	0.73	0.73	54.04	54.77	59.29	60.02	0.00	accommodates splice	
321	U1337	D	6	H	8	0.48	0.48	54.77	55.25	60.02	60.50	0.00	accommodates splice	
321	U1337	D	6	H	CC	0.03	0.03	55.25	55.28	60.50	60.53	0.00	accommodates splice	
321	U1337	B	7	H	1	1.50	1.50	58.00	59.50	59.39	60.89	-1.14	accommodates splice	
321	U1337	D	7	H	1	1.50	1.50	55.50	57.00	61.89	63.39	1.00	accommodates splice	
321	U1337	D	7	H	2	1.50	1.50	57.00	58.50	63.39	64.89	0.00	accommodates splice	
321	U1337	D	7	H	3	1.50	1.50	58.50	60.00	64.89	66.39	0.00	accommodates splice	
321	U1337	D	7	H	4	1.50	1.50	60.00	61.50	66.39	67.89	0.00	accommodates splice	
321	U1337	D	7	H	5	1.50	1.50	61.50	63.00	67.89	69.39	0.00	accommodates splice	
321	U1337	D	7	H	6	1.10	1.10	63.00	64.10	69.39	70.49	0.00	accommodates splice	
321	U1337	D	7	H	7	0.83	0.83	64.10	64.93	70.49	71.32	0.00	accommodates splice	
321	U1337	D	7	H	CC	0.26	0.26	64.93	65.19	71.32	71.58	0.00	accommodates splice	
321	U1337	D	8	H	1	1.50	1.50	65.00	66.50	71.93	73.43	0.35	accommodates splice	
321	U1337	D	8	H	2	1.50	1.50	66.50	68.00	73.43	74.93	0.00	accommodates splice	
321	U1337	D	8	H	3	1.50	1.50	68.00	69.50	74.93	76.43	0.00	accommodates splice	
321	U1337	D	8	H	4	1.50	1.50	69.50	71.00	76.43	77.93	0.00	accommodates splice	
321	U1337	D	8	H	5	1.50	1.50	71.00	72.50	77.93	79.43	0.00	accommodates splice	
321	U1337	D	8	H	6	1.04	1.04	72.50	73.54	79.43	80.47	0.00	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	D	8	H	CC	0.17	0.17	73.54	73.71	80.47	80.64	0.00	accommodates splice	
321	U1337	B	9	H	1	1.50	1.50	77.00	78.50	80.57	82.07	-0.07	accommodates splice	
321	U1337	B	9	H	2	1.50	1.50	78.50	80.00	82.07	83.57	0.00	accommodates splice	
321	U1337	D	9	H	1	1.50	1.50	74.50	76.00	82.69	84.19	-0.88	accommodates splice	
321	U1337	D	9	H	2	1.50	1.50	76.00	77.50	84.19	85.69	0.00	accommodates splice	
321	U1337	D	9	H	3	1.50	1.50	77.50	79.00	85.69	87.19	0.00	accommodates splice	
321	U1337	D	9	H	4	1.50	1.50	79.00	80.50	87.19	88.69	0.00	accommodates splice	
321	U1337	D	9	H	5	1.50	1.50	80.50	82.00	88.69	90.19	0.00	accommodates splice	
321	U1337	D	9	H	6	1.11	1.11	82.00	83.11	90.19	91.30	0.00	accommodates splice	
321	U1337	D	9	H	7	0.71	0.71	83.11	83.82	91.30	92.01	0.00	accommodates splice	
321	U1337	D	9	H	CC	0.29	0.29	83.82	84.11	92.01	92.30	0.00	accommodates splice	
321	U1337	D	10	H	1	1.50	1.50	84.00	85.50	93.79	95.29	1.49	accommodates splice	
321	U1337	D	10	H	2	1.50	1.50	85.50	87.00	95.29	96.79	0.00	accommodates splice	
321	U1337	D	10	H	3	1.50	1.50	87.00	88.50	96.79	98.29	0.00	accommodates splice	
321	U1337	D	10	H	4	1.50	1.50	88.50	90.00	98.29	99.79	0.00	accommodates splice	
321	U1337	D	10	H	5	1.50	1.50	90.00	91.50	99.79	101.29	0.00	accommodates splice	
321	U1337	D	10	H	6	1.20	1.20	91.50	92.70	101.29	102.49	0.00	accommodates splice	
321	U1337	D	10	H	7	1.01	1.01	92.70	93.71	102.49	103.50	0.00	accommodates splice	
321	U1337	D	10	H	CC	0.13	0.13	93.71	93.84	103.50	103.63	0.00	accommodates splice	
321	U1337	A	11	H	6	1.50	1.50	98.50	100.00	104.35	105.85	0.72	accommodates splice	
321	U1337	D	11	H	1	1.50	1.50	93.50	95.00	105.16	106.66	-0.69	accommodates splice	
321	U1337	D	11	H	2	1.50	1.50	95.00	96.50	106.66	108.16	0.00	accommodates splice	
321	U1337	D	11	H	3	1.50	1.50	96.50	98.00	108.16	109.66	0.00	accommodates splice	
321	U1337	D	11	H	4	1.50	1.50	98.00	99.50	109.66	111.16	0.00	accommodates splice	
321	U1337	D	11	H	5	1.50	1.50	99.50	101.00	111.16	112.66	0.00	accommodates splice	
321	U1337	D	11	H	6	1.50	1.50	101.00	102.50	112.66	114.16	0.00	accommodates splice	
321	U1337	D	11	H	7	0.78	0.78	102.50	103.28	114.16	114.94	0.00	accommodates splice	
321	U1337	D	11	H	CC	0.27	0.27	103.28	103.55	114.94	115.21	0.00	accommodates splice	
321	U1337	D	12	H	1	1.50	1.50	103.00	104.50	115.45	116.95	0.24	accommodates splice	
321	U1337	D	12	H	2	1.50	1.50	104.50	106.00	116.95	118.45	0.00	accommodates splice	
321	U1337	D	12	H	3	1.50	1.50	106.00	107.50	118.45	119.95	0.00	accommodates splice	
321	U1337	D	12	H	4	1.50	1.50	107.50	109.00	119.95	121.45	0.00	accommodates splice	
321	U1337	D	12	H	5	1.50	1.50	109.00	110.50	121.45	122.95	0.00	accommodates splice	
321	U1337	D	12	H	6	1.10	1.10	110.50	111.60	122.95	124.05	0.00	accommodates splice	
321	U1337	D	12	H	7	0.71	0.71	111.60	112.31	124.05	124.76	0.00	accommodates splice	Cracked Liner. Liner Patch
321	U1337	D	12	H	CC	0.17	0.17	112.31	112.48	124.76	124.93	0.00	accommodates splice	
321	U1337	D	13	H	1	1.50	1.50	112.50	114.00	126.81	128.31	1.88	accommodates splice	
321	U1337	D	13	H	2	1.50	1.50	114.00	115.50	128.31	129.81	0.00	accommodates splice	
321	U1337	D	13	H	3	1.50	1.50	115.50	117.00	129.81	131.31	0.00	accommodates splice	
321	U1337	D	13	H	4	1.50	1.50	117.00	118.50	131.31	132.81	0.00	accommodates splice	
321	U1337	D	13	H	5	1.50	1.50	118.50	120.00	132.81	134.31	0.00	accommodates splice	
321	U1337	D	13	H	6	1.50	1.50	120.00	121.50	134.31	135.81	0.00	accommodates splice	
321	U1337	D	13	H	7	0.76	0.76	121.50	122.26	135.81	136.57	0.00	accommodates splice	
321	U1337	B	14	H	2	1.50	1.50	126.00	127.50	136.44	137.94	-0.13	accommodates splice	
321	U1337	B	14	H	3	1.50	1.50	127.50	129.00	137.94	139.44	0.00	accommodates splice	
321	U1337	A	15	H	1	1.50	1.50	129.00	130.50	140.33	141.83	0.89	accommodates splice	
321	U1337	B	14	H	5	1.50	1.50	130.50	132.00	140.94	142.44	-0.89	accommodates splice	
321	U1337	B	14	H	6	1.50	1.50	132.00	133.50	142.44	143.94	0.00	accommodates splice	
321	U1337	D	14	H	5	1.50	1.50	128.00	129.50	143.29	144.79	-0.65	accommodates splice	
321	U1337	D	14	H	6	1.00	1.00	129.50	130.50	144.79	145.79	0.00	accommodates splice	
321	U1337	D	14	H	7	0.64	0.64	130.50	131.14	145.79	146.43	0.00	accommodates splice	
321	U1337	D	14	H	CC	0.21	0.21	131.14	131.35	146.43	146.64	0.00	accommodates splice	
321	U1337	D	15	H	1	1.50	1.50	131.50	133.00	147.95	149.45	1.31	accommodates splice	
321	U1337	D	15	H	2	1.50	1.50	133.00	134.50	149.45	150.95	0.00	accommodates splice	
321	U1337	D	15	H	3	1.50	1.50	134.50	136.00	150.95	152.45	0.00	accommodates splice	
321	U1337	D	15	H	4	1.50	1.50	136.00	137.50	152.45	153.95	0.00	accommodates splice	
321	U1337	D	15	H	5	1.50	1.50	137.50	139.00	153.95	155.45	0.00	accommodates splice	
321	U1337	D	15	H	6	1.50	1.50	139.00	140.50	155.45	156.95	0.00	accommodates splice	
321	U1337	D	15	H	7	0.82	0.82	140.50	141.32	156.95	157.77	0.00	accommodates splice	
321	U1337	D	15	H	CC	0.26	0.26	141.32	141.58	157.77	158.03	0.00	accommodates splice	
321	U1337	A	16	H	6	1.50	1.50	146.00	147.50	157.94	159.44	-0.09	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	D	16	H	1	1.50	1.50	141.00	142.50	159.15	160.65	-0.29	accommodates splice	
321	U1337	D	16	H	2	1.50	1.50	142.50	144.00	160.65	162.15	0.00	accommodates splice	
321	U1337	D	16	H	3	1.50	1.50	144.00	145.50	162.15	163.65	0.00	accommodates splice	
321	U1337	D	16	H	4	1.50	1.50	145.50	147.00	163.65	165.15	0.00	accommodates splice	
321	U1337	D	16	H	5	1.50	1.50	147.00	148.50	165.15	166.65	0.00	accommodates splice	
321	U1337	D	16	H	6	1.54	1.54	148.50	150.04	166.65	168.19	0.00	accommodates splice	
321	U1337	D	16	H	CC	0.26	0.26	150.04	150.30	168.19	168.45	0.00	accommodates splice	
321	U1337	A	17	H	6	1.50	1.50	155.50	157.00	168.91	170.41	0.46	accommodates splice	
321	U1337	D	17	H	1	1.50	1.50	150.50	152.00	169.63	171.13	-0.78	accommodates splice	
321	U1337	D	17	H	2	1.50	1.50	152.00	153.50	171.13	172.63	0.00	accommodates splice	
321	U1337	D	17	H	3	1.50	1.50	153.50	155.00	172.63	174.13	0.00	accommodates splice	
321	U1337	D	17	H	4	1.50	1.50	155.00	156.50	174.13	175.63	0.00	accommodates splice	
321	U1337	D	17	H	5	1.50	1.50	156.50	158.00	175.63	177.13	0.00	accommodates splice	
321	U1337	D	17	H	6	1.20	1.20	158.00	159.20	177.13	178.33	0.00	accommodates splice	
321	U1337	D	17	H	7	1.11	1.11	159.20	160.31	178.33	179.44	0.00	accommodates splice	
321	U1337	D	17	H	CC	0.25	0.25	160.31	160.56	179.44	179.69	0.00	accommodates splice	
321	U1337	D	18	H	1	1.50	1.50	160.00	161.50	179.94	181.44	0.25	accommodates splice	
321	U1337	D	18	H	2	1.50	1.50	161.50	163.00	181.44	182.94	0.00	accommodates splice	
321	U1337	D	18	H	3	1.50	1.50	163.00	164.50	182.94	184.44	0.00	accommodates splice	
321	U1337	D	18	H	4	1.50	1.50	164.50	166.00	184.44	185.94	0.00	accommodates splice	
321	U1337	D	18	H	5	1.50	1.50	166.00	167.50	185.94	187.44	0.00	accommodates splice	
321	U1337	D	18	H	6	1.20	1.20	167.50	168.70	187.44	188.64	0.00	accommodates splice	
321	U1337	D	18	H	7	1.04	1.04	168.70	169.74	188.64	189.68	0.00	accommodates splice	
321	U1337	D	18	H	CC	0.23	0.23	169.74	169.97	189.68	189.91	0.00	accommodates splice	
321	U1337	D	19	H	1	1.50	1.50	169.50	171.00	190.03	191.53	0.12	accommodates splice	
321	U1337	D	19	H	2	1.50	1.50	171.00	172.50	191.53	193.03	0.00	accommodates splice	
321	U1337	D	19	H	3	1.50	1.50	172.50	174.00	193.03	194.53	0.00	accommodates splice	
321	U1337	D	19	H	4	1.50	1.50	174.00	175.50	194.53	196.03	0.00	accommodates splice	
321	U1337	D	19	H	5	1.50	1.50	175.50	177.00	196.03	197.53	0.00	accommodates splice	
321	U1337	D	19	H	6	1.30	1.30	177.00	178.30	197.53	198.83	0.00	accommodates splice	
321	U1337	D	19	H	7	0.93	0.93	178.30	179.23	198.83	199.76	0.00	accommodates splice	
321	U1337	D	19	H	CC	0.22	0.22	179.23	179.45	199.76	199.98	0.00	accommodates splice	
321	U1337	D	20	H	1	1.50	1.50	179.00	180.50	199.86	201.36	-0.12	accommodates splice	
321	U1337	D	20	H	2	1.50	1.50	180.50	182.00	201.36	202.86	0.00	accommodates splice	
321	U1337	D	20	H	3	1.50	1.50	182.00	183.50	202.86	204.36	0.00	accommodates splice	
321	U1337	D	20	H	4	1.50	1.50	183.50	185.00	204.36	205.86	0.00	accommodates splice	
321	U1337	D	20	H	5	1.50	1.50	185.00	186.50	205.86	207.36	0.00	accommodates splice	
321	U1337	D	20	H	6	1.50	1.50	186.50	188.00	207.36	208.86	0.00	accommodates splice	
321	U1337	D	20	H	7	0.79	0.79	188.00	188.79	208.86	209.65	0.00	accommodates splice	
321	U1337	D	21	H	1	1.50	1.50	188.50	190.00	209.14	210.64	-0.51	accommodates splice	
321	U1337	D	20	H	CC	0.27	0.27	188.79	189.06	209.65	209.92	-0.99	accommodates splice	
321	U1337	D	21	H	2	1.50	1.50	190.00	191.50	210.64	212.14	0.72	accommodates splice	
321	U1337	D	21	H	3	1.50	1.50	191.50	193.00	212.14	213.64	0.00	accommodates splice	
321	U1337	B	21	H	4	1.50	1.50	195.50	197.00	213.63	215.13	-0.01	accommodates splice	
321	U1337	B	21	H	5	1.08	1.08	197.00	198.08	215.13	216.21	0.00	accommodates splice	
321	U1337	B	21	H	CC	0.22	0.22	198.08	198.30	216.21	216.43	0.00	accommodates splice	
321	U1337	D	22	H	3	1.50	1.50	196.50	198.00	219.11	220.61	2.68	accommodates splice	
321	U1337	D	22	H	4	1.50	1.50	198.00	199.50	220.61	222.11	0.00	accommodates splice	
321	U1337	B	22	H	2	1.50	1.50	202.00	203.50	221.91	223.41	-0.20	accommodates splice	
321	U1337	D	22	H	CC	0.26	0.26	199.50	199.76	222.11	222.37	-1.30	accommodates splice	
321	U1337	B	22	H	3	1.50	1.50	203.50	205.00	223.41	224.91	1.04	accommodates splice	
321	U1337	D	23	H	1	1.50	1.50	199.70	201.20	224.04	225.54	-0.87	accommodates splice	
321	U1337	D	23	H	2	1.50	1.50	201.20	202.70	225.54	227.04	0.00	accommodates splice	
321	U1337	D	23	H	3	1.50	1.50	202.70	204.20	227.04	228.54	0.00	accommodates splice	
321	U1337	D	23	H	4	1.50	1.50	204.20	205.70	228.54	230.04	0.00	accommodates splice	
321	U1337	D	23	H	5	1.50	1.50	205.70	207.20	230.04	231.54	0.00	accommodates splice	
321	U1337	D	23	H	6	1.50	1.50	207.20	208.70	231.54	233.04	0.00	accommodates splice	
321	U1337	B	23	H	1	1.50	1.50	210.00	211.50	232.68	234.18	-0.36	accommodates splice	
321	U1337	D	23	H	7	0.64	0.64	208.70	209.34	233.04	233.68	-1.14	accommodates splice	
321	U1337	D	23	H	CC	0.25	0.25	209.34	209.59	233.68	233.93	0.00	accommodates splice	
321	U1337	B	23	H	2	1.50	1.50	211.50	213.00	234.18	235.68	0.25	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	D	24	H	1	1.48	1.48	209.20	210.68	235.56	237.04	-0.12	accommodates splice	
321	U1337	D	24	H	2	1.50	1.50	210.68	212.18	237.04	238.54	0.00	accommodates splice	
321	U1337	D	24	H	3	1.50	1.50	212.18	213.68	238.54	240.04	0.00	accommodates splice	
321	U1337	D	24	H	4	1.20	1.20	213.68	214.88	240.04	241.24	0.00	accommodates splice	
321	U1337	D	24	H	5	0.91	0.91	214.88	215.79	241.24	242.15	0.00	accommodates splice	
321	U1337	D	24	H	6	0.96	0.96	215.79	216.75	242.15	243.11	0.00	accommodates splice	
321	U1337	D	24	H	7	1.50	1.50	216.75	218.25	243.11	244.61	0.00	accommodates splice	
321	U1337	D	25	H	1	1.50	1.50	218.70	220.20	244.52	246.02	-0.09	accommodates splice	
321	U1337	D	24	H	8	0.35	0.35	218.25	218.60	244.61	244.96	-1.41	accommodates splice	
321	U1337	D	24	H	9	0.46	0.46	218.60	219.06	244.96	245.42	0.00	accommodates splice	
321	U1337	D	24	H	CC	0.39	0.39	219.06	219.45	245.42	245.81	0.00	accommodates splice	
321	U1337	D	25	H	2	1.50	1.50	220.20	221.70	246.02	247.52	0.21	accommodates splice	
321	U1337	D	25	H	3	1.50	1.50	221.70	223.20	247.52	249.02	0.00	accommodates splice	
321	U1337	D	25	H	4	1.50	1.50	223.20	224.70	249.02	250.52	0.00	accommodates splice	
321	U1337	D	25	H	5	1.50	1.50	224.70	226.20	250.52	252.02	0.00	accommodates splice	
321	U1337	D	25	H	6	1.50	1.01	226.20	227.21	252.02	253.03	0.00	accommodates splice	
321	U1337	D	25	H	7	0.80	0.80	227.21	228.01	253.03	253.83	0.00	accommodates splice	
321	U1337	D	25	H	CC	0.28	0.28	228.01	228.29	253.83	254.11	0.00	accommodates splice	
321	U1337	D	26	H	1	1.50	1.50	228.20	229.70	254.82	256.32	0.71	accommodates splice	
321	U1337	D	26	H	2	1.50	1.50	229.70	231.20	256.32	257.82	0.00	accommodates splice	
321	U1337	D	26	H	3	1.50	1.50	231.20	232.70	257.82	259.32	0.00	accommodates splice	
321	U1337	D	26	H	4	1.50	1.50	232.70	234.20	259.32	260.82	0.00	accommodates splice	
321	U1337	D	26	H	5	1.50	1.50	234.20	235.70	260.82	262.32	0.00	accommodates splice	
321	U1337	D	26	H	6	1.00	1.00	235.70	236.70	262.32	263.32	0.00	accommodates splice	
321	U1337	D	26	H	7	0.54	0.54	236.70	237.24	263.32	263.86	0.00	accommodates splice	
321	U1337	D	26	H	CC	0.37	0.37	237.24	237.61	263.86	264.23	0.00	accommodates splice	
321	U1337	D	27	X	1	1.25	1.25	237.70	238.95	264.92	266.17	0.69	accommodates splice	
321	U1337	D	27	X	2	0.81	0.81	238.95	239.76	266.17	266.98	0.00	accommodates splice	
321	U1337	D	27	X	CC	0.20	0.17	239.76	239.93	266.98	267.15	0.00	accommodates splice	
321	U1337	A	28	X	1	1.50	1.50	251.70	253.20	271.35	272.85	4.20	accommodates splice	
321	U1337	A	28	X	2	1.50	1.50	253.20	254.70	272.85	274.35	0.00	accommodates splice	
321	U1337	D	28	H	5	1.50	1.50	247.40	248.90	274.02	275.52	-0.33	accommodates splice	
321	U1337	D	28	H	6	1.07	1.07	248.90	249.97	275.52	276.59	0.00	accommodates splice	
321	U1337	D	28	H	CC	0.17	0.17	249.97	250.14	276.59	276.76	0.00	accommodates splice	
321	U1337	D	29	H	1	1.50	1.50	248.00	249.50	276.87	278.37	0.11	accommodates splice	
321	U1337	C	12	X	6	1.42	1.42	248.00	249.42	279.66	281.08	1.29	accommodates splice	
321	U1337	C	12	X	CC	0.12	0.12	249.42	249.54	281.08	281.20	0.00	accommodates splice	
321	U1337	D	29	H	6	1.50	1.50	255.50	257.00	284.37	285.87	3.17	accommodates splice	
321	U1337	D	29	H	7	0.89	0.89	257.00	257.89	285.87	286.76	0.00	accommodates splice	
321	U1337	D	29	H	CC	0.20	0.23	257.89	258.12	286.76	286.99	0.00	accommodates splice	
321	U1337	D	30	H	1	1.50	1.50	257.50	259.00	287.44	288.94	0.45	accommodates splice	
321	U1337	A	29	X	2	1.50	1.50	262.80	264.30	289.93	291.43	0.99	accommodates splice	
321	U1337	A	29	X	3	1.50	1.50	264.30	265.80	291.43	292.93	0.00	accommodates splice	
321	U1337	A	29	X	4	1.50	1.50	265.80	267.30	292.93	294.43	0.00	accommodates splice	
321	U1337	A	29	X	5	1.50	1.50	267.30	268.80	294.43	295.93	0.00	accommodates splice	
321	U1337	A	29	X	6	1.00	1.00	268.80	269.80	295.93	296.93	0.00	accommodates splice	
321	U1337	D	30	H	7	0.74	0.74	266.10	266.84	296.04	296.78	-0.89	accommodates splice	
321	U1337	D	30	H	CC	0.20	0.25	266.84	267.09	296.78	297.03	0.00	accommodates splice	
321	U1337	A	29	X	7	0.85	0.85	269.80	270.65	296.93	297.78	-0.10	accommodates splice	
321	U1337	A	29	X	CC	0.20	0.20	270.65	270.85	297.78	297.98	0.00	accommodates splice	
321	U1337	A	30	X	1	1.50	1.50	270.80	272.30	299.26	300.76	1.28	accommodates splice	
321	U1337	A	30	X	2	1.50	1.50	272.30	273.80	300.76	302.26	0.00	accommodates splice	
321	U1337	A	30	X	3	1.50	1.50	273.80	275.30	302.26	303.76	0.00	accommodates splice	
321	U1337	A	30	X	4	1.50	1.50	275.30	276.80	303.76	305.26	0.00	accommodates splice	
321	U1337	A	30	X	5	1.50	1.50	276.80	278.30	305.26	306.76	0.00	accommodates splice	
321	U1337	A	30	X	6	1.50	1.50	278.30	279.80	306.76	308.26	0.00	accommodates splice	
321	U1337	A	30	X	7	0.48	0.48	279.80	280.28	308.26	308.74	0.00	accommodates splice	
321	U1337	A	30	X	CC	0.26	0.26	280.28	280.54	308.74	309.00	0.00	accommodates splice	
321	U1337	A	31	X	1	1.50	1.50	280.50	282.00	309.44	310.94	0.44	accommodates splice	
321	U1337	A	31	X	2	1.50	1.50	282.00	283.50	310.94	312.44	0.00	accommodates splice	
321	U1337	A	31	X	3	1.50	1.50	283.50	285.00	312.44	313.94	0.00	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	A	31	X	4	1.50	1.50	285.00	286.50	313.94	315.44	0.00	accommodates splice	
321	U1337	A	31	X	5	1.50	1.50	286.50	288.00	315.44	316.94	0.00	accommodates splice	
321	U1337	D	32	X	CC	0.32	0.32	282.20	282.52	316.51	316.83	-0.43	accommodates splice	
321	U1337	A	31	X	6	1.16	1.16	288.00	289.16	316.94	318.10	0.11	accommodates splice	
321	U1337	A	31	X	CC	0.36	0.36	289.16	289.52	318.10	318.46	0.00	accommodates splice	
321	U1337	D	33	X	1	1.50	1.50	285.80	287.30	319.72	321.22	1.26	accommodates splice	
321	U1337	D	33	X	2	1.50	1.50	287.30	288.80	321.22	322.72	0.00	accommodates splice	
321	U1337	D	33	X	3	1.50	1.50	288.80	290.30	322.72	324.22	0.00	accommodates splice	
321	U1337	D	33	X	4	1.50	1.50	290.30	291.80	324.22	325.72	0.00	accommodates splice	
321	U1337	D	33	X	5	1.50	1.50	291.80	293.30	325.72	327.22	0.00	accommodates splice	
321	U1337	D	33	X	6	1.20	1.20	293.30	294.50	327.22	328.42	0.00	accommodates splice	
321	U1337	D	33	X	7	0.75	0.75	294.50	295.25	328.42	329.17	0.00	accommodates splice	
321	U1337	D	34	X	1	1.50	1.50	295.30	296.80	328.54	330.04	-0.63	accommodates splice	
321	U1337	D	33	X	CC	0.24	0.24	295.25	295.49	329.17	329.41	-0.87	accommodates splice	
321	U1337	D	34	X	2	1.50	1.50	296.80	298.30	330.04	331.54	0.63	accommodates splice	
321	U1337	D	34	X	3	1.50	1.50	298.30	299.80	331.54	333.04	0.00	accommodates splice	
321	U1337	D	34	X	4	1.50	1.50	299.80	301.30	333.04	334.54	0.00	accommodates splice	
321	U1337	D	34	X	5	1.50	1.50	301.30	302.80	334.54	336.04	0.00	accommodates splice	
321	U1337	D	34	X	6	1.10	1.10	302.80	303.90	336.04	337.14	0.00	accommodates splice	
321	U1337	D	34	X	7	0.86	0.86	303.90	304.76	337.14	338.00	0.00	accommodates splice	
321	U1337	D	34	X	CC	0.23	0.23	304.76	304.99	338.00	338.23	0.00	accommodates splice	
321	U1337	D	35	X	1	1.50	1.50	304.90	306.40	338.81	340.31	0.58	accommodates splice	
321	U1337	D	35	X	2	1.50	1.50	306.40	307.90	340.31	341.81	0.00	accommodates splice	
321	U1337	D	35	X	3	1.50	1.50	307.90	309.40	341.81	343.31	0.00	accommodates splice	
321	U1337	D	35	X	4	1.50	1.50	309.40	310.90	343.31	344.81	0.00	accommodates splice	
321	U1337	D	35	X	5	1.00	1.00	310.90	311.90	344.81	345.81	0.00	accommodates splice	
321	U1337	A	34	X	6	1.39	1.39	316.80	318.19	345.70	347.09	-0.11	accommodates splice	
321	U1337	D	35	X	6	0.91	0.91	311.90	312.81	345.81	346.72	-1.28	accommodates splice	
321	U1337	D	35	X	CC	0.21	0.21	312.81	313.02	346.72	346.93	0.00	accommodates splice	
321	U1337	A	34	X	CC	0.22	0.22	318.19	318.41	347.09	347.31	0.16	accommodates splice	
321	U1337	A	35	X	1	1.50	1.50	318.90	320.40	347.57	349.07	0.26	accommodates splice	
321	U1337	D	36	X	1	1.50	1.50	314.50	316.00	348.49	349.99	-0.58	accommodates splice	
321	U1337	C	19	X	6	1.45	1.45	315.20	316.65	350.24	351.69	0.25	accommodates splice	
321	U1337	C	19	X	CC	0.24	0.24	316.65	316.89	351.69	351.93	0.00	accommodates splice	
321	U1337	A	35	X	4	1.50	1.50	323.40	324.90	352.07	353.57	0.14	accommodates splice	
321	U1337	A	35	X	5	1.50	1.50	324.90	326.40	353.57	355.07	0.00	accommodates splice	
321	U1337	A	35	X	6	0.67	0.67	326.40	327.07	355.07	355.74	0.00	accommodates splice	
321	U1337	A	35	X	CC	0.21	0.21	327.07	327.28	355.74	355.95	0.00	accommodates splice	
321	U1337	D	36	X	6	0.95	0.95	322.00	322.95	355.99	356.94	0.04	accommodates splice	
321	U1337	D	36	X	7	0.94	0.94	322.95	323.89	356.94	357.88	0.00	accommodates splice	
321	U1337	D	36	X	CC	0.16	0.16	323.89	324.05	357.88	358.04	0.00	accommodates splice	
321	U1337	D	37	X	1	1.50	1.50	324.10	325.60	358.29	359.79	0.25	accommodates splice	
321	U1337	D	37	X	2	1.50	1.50	325.60	327.10	359.79	361.29	0.00	accommodates splice	
321	U1337	D	37	X	3	1.50	1.50	327.10	328.60	361.29	362.79	0.00	accommodates splice	
321	U1337	D	37	X	4	1.50	1.50	328.60	330.10	362.79	364.29	0.00	accommodates splice	
321	U1337	D	37	X	5	1.50	1.50	330.10	331.60	364.29	365.79	0.00	accommodates splice	
321	U1337	D	37	X	6	1.10	1.10	331.60	332.70	365.79	366.89	0.00	accommodates splice	
321	U1337	D	37	X	7	0.81	0.81	332.70	333.51	366.89	367.70	0.00	accommodates splice	
321	U1337	D	37	X	CC	0.16	0.16	333.51	333.67	367.70	367.86	0.00	accommodates splice	
321	U1337	D	38	X	1	1.50	1.50	333.60	335.10	368.16	369.66	0.30	accommodates splice	
321	U1337	D	38	X	2	1.50	1.50	335.10	336.60	369.66	371.16	0.00	accommodates splice	
321	U1337	D	38	X	3	1.50	1.50	336.60	338.10	371.16	372.66	0.00	accommodates splice	
321	U1337	D	38	X	4	1.50	1.50	338.10	339.60	372.66	374.16	0.00	accommodates splice	
321	U1337	D	38	X	5	1.50	1.50	339.60	341.10	374.16	375.66	0.00	accommodates splice	
321	U1337	D	38	X	6	1.00	1.00	341.10	342.10	375.66	376.66	0.00	accommodates splice	
321	U1337	D	38	X	7	0.69	0.69	342.10	342.79	376.66	377.35	0.00	accommodates splice	
321	U1337	D	38	X	CC	0.28	0.28	342.79	343.07	377.35	377.63	0.00	accommodates splice	
321	U1337	A	37	X	7	0.94	0.94	346.50	347.44	377.33	378.27	-0.30	accommodates splice	
321	U1337	A	37	X	CC	0.25	0.25	347.44	347.69	378.27	378.52	0.00	accommodates splice	
321	U1337	C	22	X	5	1.50	1.50	342.40	343.90	380.72	382.22	2.20	accommodates splice	
321	U1337	C	22	X	6	1.00	1.00	343.90	344.90	382.22	383.22	0.00	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	C	22	X	7	0.80	0.80	344.90	345.70	383.22	384.02	0.00	accommodates splice	
321	U1337	C	22	X	CC	0.23	0.23	345.70	345.93	384.02	384.25	0.00	accommodates splice	
321	U1337	D	39	X	6	1.10	1.10	350.70	351.80	386.78	387.88	2.53	accommodates splice	
321	U1337	D	39	X	7	0.82	0.82	351.80	352.62	387.88	388.70	0.00	accommodates splice	
321	U1337	D	39	X	CC	0.33	0.33	352.62	352.95	388.70	389.03	0.00	accommodates splice	
321	U1337	D	40	X	1	1.50	1.50	352.80	354.30	389.56	391.06	0.53	accommodates splice	
321	U1337	A	39	X	2	1.50	1.50	358.70	360.20	391.28	392.78	0.22	accommodates splice	
321	U1337	A	39	X	3	1.50	1.50	360.20	361.70	392.78	394.28	0.00	accommodates splice	
321	U1337	A	39	X	4	1.50	1.50	361.70	363.20	394.28	395.78	0.00	accommodates splice	
321	U1337	A	39	X	5	1.50	1.50	363.20	364.70	395.78	397.28	0.00	accommodates splice	
321	U1337	A	39	X	6	1.20	1.20	364.70	365.90	397.28	398.48	0.00	accommodates splice	
321	U1337	D	40	X	7	0.73	0.73	361.50	362.23	398.26	398.99	-0.22	accommodates splice	
321	U1337	D	40	X	CC	0.30	0.30	362.23	362.53	398.99	399.29	0.00	accommodates splice	
321	U1337	D	41	X	1	1.50	1.50	362.40	363.90	400.68	402.18	1.39	accommodates splice	
321	U1337	D	41	X	2	1.50	1.50	363.90	365.40	402.18	403.68	0.00	accommodates splice	
321	U1337	D	41	X	3	1.50	1.50	365.40	366.90	403.68	405.18	0.00	accommodates splice	
321	U1337	D	41	X	4	1.50	1.50	366.90	368.40	405.18	406.68	0.00	accommodates splice	
321	U1337	D	41	X	5	1.50	1.50	368.40	369.90	406.68	408.18	0.00	accommodates splice	
321	U1337	D	41	X	6	1.00	1.00	369.90	370.90	408.18	409.18	0.00	accommodates splice	
321	U1337	D	41	X	7	0.90	0.90	370.90	371.80	409.18	410.08	0.00	accommodates splice	
321	U1337	D	41	X	CC	0.26	0.26	371.80	372.06	410.08	410.34	0.00	accommodates splice	
321	U1337	A	40	X	7	0.71	0.71	375.50	376.21	410.66	411.37	0.32	accommodates splice	
321	U1337	A	40	X	CC	0.31	0.31	376.21	376.52	411.37	411.68	0.00	accommodates splice	
321	U1337	D	42	X	1	1.50	1.50	372.00	373.50	412.93	414.43	1.25	accommodates splice	
321	U1337	D	42	X	2	1.50	1.50	373.50	375.00	414.43	415.93	0.00	accommodates splice	
321	U1337	D	42	X	3	1.50	1.50	375.00	376.50	415.93	417.43	0.00	accommodates splice	
321	U1337	D	42	X	4	1.50	1.50	376.50	378.00	417.43	418.93	0.00	accommodates splice	
321	U1337	D	42	X	5	1.50	1.50	378.00	379.50	418.93	420.43	0.00	accommodates splice	
321	U1337	D	42	X	6	1.10	1.10	379.50	380.60	420.43	421.53	0.00	accommodates splice	
321	U1337	D	42	X	7	0.88	0.88	380.60	381.48	421.53	422.41	0.00	accommodates splice	
321	U1337	D	42	X	CC	0.25	0.25	381.48	381.73	422.41	422.66	0.00	accommodates splice	
321	U1337	C	26	X	7	0.89	0.89	383.21	384.10	425.36	426.25	2.70	accommodates splice	
321	U1337	C	26	X	CC	0.32	0.32	384.10	384.42	426.25	426.57	0.00	accommodates splice	
321	U1337	A	42	X	4	1.50	1.50	390.50	392.00	429.02	430.52	2.45	accommodates splice	
321	U1337	A	42	X	5	1.50	1.50	392.00	393.50	430.52	432.02	0.00	accommodates splice	
321	U1337	A	42	X	6	0.61	0.61	393.50	394.11	432.02	432.63	0.00	accommodates splice	
321	U1337	D	43	X	7	0.81	0.81	390.20	391.01	432.67	433.48	0.04	accommodates splice	
321	U1337	D	43	X	CC	0.30	0.30	391.01	391.31	433.48	433.78	0.00	accommodates splice	
321	U1337	C	27	X	5	1.02	1.02	389.90	390.92	434.25	435.27	0.47	accommodates splice	
321	U1337	C	27	X	CC	0.25	0.27	390.92	391.19	435.27	435.54	0.00	accommodates splice	
321	U1337	D	44	X	1	1.50	1.50	391.20	392.70	446.63	448.13	11.09	accommodates splice	
321	U1337	D	44	X	2	1.50	1.50	392.70	394.20	448.13	449.63	0.00	accommodates splice	
321	U1337	D	44	X	3	1.50	1.50	394.20	395.70	449.63	451.13	0.00	accommodates splice	
321	U1337	D	44	X	4	1.50	1.50	395.70	397.20	451.13	452.63	0.00	accommodates splice	
321	U1337	D	44	X	5	1.50	1.50	397.20	398.70	452.63	454.13	0.00	accommodates splice	
321	U1337	D	44	X	6	1.34	1.34	398.70	400.04	454.13	455.47	0.00	accommodates splice	
321	U1337	D	44	X	CC	0.23	0.23	400.04	400.27	455.47	455.70	0.00	accommodates splice	
321	U1337	A	45	X	2	1.50	1.50	416.00	417.50	455.85	457.35	0.15	accommodates splice	
321	U1337	A	45	X	3	1.50	1.50	417.50	419.00	457.35	458.85	0.00	accommodates splice	
321	U1337	A	45	X	4	1.50	1.50	419.00	420.50	458.85	460.35	0.00	accommodates splice	
321	U1337	A	45	X	5	1.50	1.50	420.50	422.00	460.35	461.85	0.00	accommodates splice	
321	U1337	A	45	X	6	0.98	0.98	422.00	422.98	461.85	462.83	0.00	accommodates splice	
321	U1337	A	45	X	7	0.94	0.94	422.98	423.92	462.83	463.77	0.00	accommodates splice	
321	U1337	A	45	X	CC	0.32	0.32	423.92	424.24	463.77	464.09	0.00	accommodates splice	
321	U1337	D	45	X	7	0.81	0.81	409.10	409.91	464.50	465.31	0.41	accommodates splice	
321	U1337	D	45	X	CC	0.33	0.33	409.91	410.24	465.31	465.64	0.00	accommodates splice	
321	U1337	D	46	X	1	1.50	1.50	410.10	411.60	467.37	468.87	1.73	accommodates splice	
321	U1337	C	29	X	7	0.82	0.82	411.80	412.62	470.23	471.05	1.36	accommodates splice	
321	U1337	A	46	X	1	1.50	1.50	424.00	425.50	470.32	471.82	-0.73	accommodates splice	
321	U1337	C	29	X	CC	0.29	0.29	412.62	412.91	471.05	471.34	-0.77	accommodates splice	
321	U1337	D	46	X	5	0.96	0.96	416.10	417.06	473.37	474.33	2.03	accommodates splice	

U1337 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
321	U1337	C	30	X	3	1.50	1.50	415.70	417.20	473.94	475.44	-0.39	accommodates splice	
321	U1337	D	46	X	CC	0.25	0.50	417.06	417.56	474.33	474.83	-1.11	accommodates splice	
321	U1337	C	30	X	4	1.50	1.50	417.20	418.70	475.44	476.94	0.61	accommodates splice	
321	U1337	C	30	X	5	1.34	1.34	418.70	420.04	476.94	478.28	0.00	accommodates splice	
321	U1337	A	46	X	6	1.10	1.10	431.50	432.60	477.82	478.92	-0.46	accommodates splice	
321	U1337	A	46	X	7	0.71	0.71	432.60	433.31	478.92	479.63	0.00	accommodates splice	
321	U1337	A	46	X	CC	0.23	0.23	433.31	433.54	479.63	479.86	0.00	accommodates splice	
321	U1337	D	47	X	CC	0.20	0.18	423.71	423.89	480.87	481.05	1.01	accommodates splice	
321	U1337	A	47	X	1	1.50	1.50	433.60	435.10	482.02	483.52	0.97	accommodates splice	
321	U1337	A	47	X	2	1.50	1.50	435.10	436.60	483.52	485.02	0.00	accommodates splice	
321	U1337	A	47	X	3	1.50	1.50	436.60	438.10	485.02	486.52	0.00	accommodates splice	
321	U1337	A	47	X	4	1.50	1.50	438.10	439.60	486.52	488.02	0.00	accommodates splice	
321	U1337	A	47	X	5	1.50	1.50	439.60	441.10	488.02	489.52	0.00	accommodates splice	
321	U1337	A	47	X	6	1.22	1.22	441.10	442.32	489.52	490.74	0.00	accommodates splice	
321	U1337	A	47	X	7	0.66	0.66	442.32	442.98	490.74	491.40	0.00	accommodates splice	
321	U1337	A	47	X	CC	0.52	0.52	442.98	443.50	491.40	491.92	0.00	accommodates splice	
321	U1337	D	48	X	5	0.63	0.63	434.70	435.33	491.43	492.06	-0.49	accommodates splice	
321	U1337	D	48	X	CC	0.21	0.21	435.33	435.54	492.06	492.27	0.00	accommodates splice	
321	U1337	A	48	X	1	1.50	1.50	443.20	444.70	492.10	493.60	-0.17	accommodates splice	
321	U1337	A	48	X	2	1.50	1.50	444.70	446.20	493.60	495.10	0.00	accommodates splice	
321	U1337	A	48	X	3	1.50	1.50	446.20	447.70	495.10	496.60	0.00	accommodates splice	IW sample 135-150 cm saved for boundary
321	U1337	D	49	X	1	1.50	1.50	438.80	440.30	495.53	497.03	-1.07	accommodates splice	
321	U1337	D	49	X	2	1.02	1.02	440.30	441.32	497.03	498.05	0.00	accommodates splice	
321	U1337	D	49	X	3	0.32	0.32	441.32	441.64	498.05	498.37	0.00	igneous rock	BASALT