

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	A	1	H	1	1.50	1.50	0.00	1.50	0.14	1.64		accommodates splice	
339	U1389	A	1	H	2	1.50	1.50	1.60	3.00	1.64	3.14	0.00	accommodates splice	
339	U1389	A	1	H	3	1.04	1.04	3.00	4.04	3.14	4.18	0.00	accommodates splice	
339	U1389	A	1	H	CC	0.26	0.26	4.04	4.30	4.18	4.44	0.00	accommodates splice	
339	U1389	C	1	H	4	1.50	1.50	4.50	6.00	4.50	6.00	0.06	accommodates splice	
339	U1389	C	1	H	5	1.50	1.50	6.00	7.50	6.00	7.50	0.00	accommodates splice	
339	U1389	C	1	H	6	1.39	1.39	7.50	8.89	7.50	8.89	0.00	accommodates splice	
339	U1389	C	1	H	7	0.60	0.60	8.89	9.49	8.89	9.49	0.00	accommodates splice	
339	U1389	C	1	H	CC	0.25	0.25	9.49	9.74	9.49	9.74	0.00	accommodates splice	
339	U1389	C	2	H	1	1.50	1.50	9.50	11.00	9.64	11.14	-0.10	accommodates splice	
339	U1389	C	2	H	2	1.50	1.50	11.00	12.50	11.14	12.64	0.00	accommodates splice	
339	U1389	C	2	H	3	1.50	1.50	12.50	14.00	12.64	14.14	0.00	accommodates splice	
339	U1389	D	2	H	6	1.21	1.21	13.00	14.21	13.54	14.75	-0.60	accommodates splice	
339	U1389	D	2	H	7	0.63	0.63	14.21	14.84	14.75	15.38	0.00	accommodates splice	
339	U1389	D	2	H	CC	0.36	0.36	14.84	15.20	15.38	15.74	0.00	accommodates splice	
339	U1389	A	2	H	CC	0.34	0.34	13.84	14.18	15.74	16.08	0.00	accommodates splice	
339	U1389	D	3	H	1	1.50	1.51	15.00	16.51	16.10	17.61	0.02	accommodates splice	
339	U1389	D	3	H	2	1.50	1.50	16.51	18.01	17.61	19.11	0.00	accommodates splice	
339	U1389	D	3	H	3	1.50	1.50	18.01	19.51	19.11	20.61	0.00	accommodates splice	
339	U1389	D	3	H	4	1.50	1.51	19.51	21.02	20.61	22.12	0.00	accommodates splice	
339	U1389	D	3	H	5	1.50	1.51	21.02	22.53	22.12	23.63	0.00	accommodates splice	
339	U1389	D	3	H	6	1.50	1.51	22.53	24.04	23.63	25.14	0.00	accommodates splice	
339	U1389	D	3	H	7	0.72	0.73	24.04	24.77	25.14	25.87	0.00	accommodates splice	
339	U1389	D	3	H	CC	0.40	0.41	24.77	25.18	25.87	26.28	0.00	accommodates splice	
339	U1389	D	4	H	1	1.50	1.51	24.50	26.01	26.65	28.16	0.37	accommodates splice	
339	U1389	D	4	H	2	1.50	1.51	26.01	27.52	28.16	29.67	0.00	accommodates splice	
339	U1389	D	4	H	3	1.50	1.51	27.52	29.03	29.67	31.18	0.00	accommodates splice	
339	U1389	D	4	H	4	1.50	1.51	29.03	30.54	31.18	32.69	0.00	accommodates splice	
339	U1389	D	4	H	5	1.50	1.51	30.54	32.05	32.69	34.20	0.00	accommodates splice	
339	U1389	D	4	H	6	1.31	1.32	32.05	33.37	34.20	35.52	0.00	accommodates splice	
339	U1389	D	4	H	7	0.64	0.66	33.37	34.03	35.52	36.18	0.00	accommodates splice	
339	U1389	D	4	H	CC	0.45	0.46	34.03	34.49	36.18	36.64	0.00	accommodates splice	
339	U1389	C	4	H	5	1.50	1.51	34.54	36.05	36.33	37.84	-0.31	accommodates splice	Disturbed, Ejected from core barrel, put in new liner
339	U1389	C	4	H	6	1.10	1.11	36.05	37.16	37.84	38.95	0.00	accommodates splice	
339	U1389	C	4	H	7	0.59	0.59	37.16	37.75	38.95	39.54	0.00	accommodates splice	
339	U1389	C	4	H	CC	0.25	0.25	37.75	38.00	39.54	39.79	0.00	accommodates splice	
339	U1389	C	5	H	2	1.50	1.51	39.50	41.01	40.73	42.24	0.94	accommodates splice	
339	U1389	C	5	H	3	1.50	1.51	41.01	42.52	42.24	43.75	0.00	accommodates splice	
339	U1389	C	5	H	4	1.50	1.50	42.52	44.02	43.75	45.25	0.00	accommodates splice	
339	U1389	C	5	H	5	1.50	1.53	44.02	45.55	45.25	46.78	0.00	accommodates splice	
339	U1389	C	5	H	6	1.40	1.42	45.55	46.97	46.78	48.20	0.00	accommodates splice	
339	U1389	C	5	H	7	0.59	0.59	46.97	47.56	48.20	48.79	0.00	accommodates splice	
339	U1389	C	5	H	CC	0.46	0.46	47.56	48.02	48.79	49.25	0.00	accommodates splice	
339	U1389	C	6	H	2	1.45	1.47	48.97	50.44	49.85	51.32	0.60	accommodates splice	
339	U1389	C	6	H	3	1.45	1.51	50.44	51.95	51.32	52.83	0.00	accommodates splice	
339	U1389	C	6	H	4	1.45	1.50	51.95	53.45	52.83	54.33	0.00	accommodates splice	
339	U1389	C	6	H	5	1.45	1.50	53.45	54.95	54.33	55.83	0.00	accommodates splice	
339	U1389	C	6	H	6	1.45	1.49	54.95	56.44	55.83	57.32	0.00	accommodates splice	
339	U1389	C	6	H	7	0.63	0.64	56.44	57.08	57.32	57.96	0.00	accommodates splice	
339	U1389	C	6	H	CC	0.38	0.38	57.08	57.46	57.96	58.34	0.00	accommodates splice	
339	U1389	A	6	H	CC	0.25	0.25	52.18	52.43	58.43	58.68	0.09	accommodates splice	
339	U1389	D	7	H	CC	0.27	0.27	56.08	56.35	58.87	59.14	0.19	accommodates splice	
339	U1389	C	7	H	1	1.46	1.46	57.00	58.46	58.92	60.38	-0.22	accommodates splice	
339	U1389	C	7	H	2	1.47	1.47	58.46	59.93	60.38	61.85	0.00	accommodates splice	
339	U1389	C	7	H	3	1.48	1.47	59.93	61.40	61.85	63.32	0.00	accommodates splice	
339	U1389	C	7	H	4	1.46	1.46	61.40	62.86	63.32	64.78	0.00	accommodates splice	
339	U1389	C	7	H	5	1.47	1.48	62.86	64.34	64.78	66.26	0.00	accommodates splice	
339	U1389	C	7	H	6	1.47	1.50	64.34	65.84	66.26	67.76	0.00	accommodates splice	
339	U1389	C	7	H	7	0.59	0.61	65.84	66.45	67.76	68.37	0.00	accommodates splice	
339	U1389	C	7	H	CC	0.25	0.24	66.45	66.69	68.37	68.61	0.00	accommodates splice	
339	U1389	D	8	H	CC	0.29	0.29	65.68	65.97	68.70	68.99	0.09	accommodates splice	
339	U1389	D	9	H	1	1.41	1.41	65.50	66.91	69.56	70.97	0.57	accommodates splice	
339	U1389	D	9	H	2	1.41	1.41	66.91	68.32	70.97	72.38	0.00	accommodates splice	
339	U1389	C	8	H	2	1.40	1.41	67.90	69.31	71.98	73.39	-0.40	accommodates splice	
339	U1389	D	9	H	3	1.44	1.44	68.32	69.76	72.38	73.82	-1.01	accommodates splice	
339	U1389	C	8	H	3	1.40	1.43	69.31	70.74	73.39	74.82	-0.43	accommodates splice	
339	U1389	D	9	H	4	1.43	1.43	69.76	71.19	73.82	75.25	-1.00	accommodates splice	
339	U1389	D	9	H	5	1.43	1.43	71.19	72.62	75.25	76.68	0.00	accommodates splice	
339	U1389	A	8	H	6	1.51	1.56	68.88	70.44	76.03	77.59	-0.65	accommodates splice	
339	U1389	D	9	H	6	1.11	1.14	72.62	73.76	76.68	77.82	-0.91	accommodates splice	
339	U1389	A	8	H	7	0.70	0.70	70.39	71.09	77.54	78.24	-0.28	accommodates splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	D	9	H	7	0.72	0.73	73.76	74.49	77.82	78.55	-0.42	accommodates splice	
339	U1389	A	8	H	CC	0.29	0.29	71.09	71.38	78.24	78.53	-0.31	accommodates splice	
339	U1389	D	9	H	CC	0.50	0.51	74.49	75.00	78.55	79.06	0.02	accommodates splice	
339	U1389	C	8	H	CC	0.49	0.50	75.12	75.62	79.20	79.70	0.14	accommodates splice	
339	U1389	C	9	H	1	1.40	1.39	76.00	77.39	80.80	82.19	1.10	accommodates splice	
339	U1389	D	10	H	1	1.41	1.41	75.00	76.41	81.70	83.11	-0.49	accommodates splice	
339	U1389	C	9	H	2	1.40	1.40	77.39	78.79	82.19	83.59	-0.92	accommodates splice	
339	U1389	D	10	H	2	1.41	1.41	76.41	77.82	83.11	84.52	-0.48	accommodates splice	
339	U1389	C	9	H	3	1.40	1.43	78.79	80.22	83.59	85.02	-0.93	accommodates splice	
339	U1389	C	9	H	4	1.40	1.44	80.22	81.66	85.02	86.46	0.00	accommodates splice	
339	U1389	A	9	H	5	1.56	1.55	76.87	78.42	85.25	86.80	-1.21	accommodates splice	
339	U1389	C	9	H	5	1.40	1.46	81.66	83.12	86.46	87.92	-0.34	accommodates splice	
339	U1389	A	9	H	6	1.53	1.53	78.42	79.95	86.80	88.33	-1.12	accommodates splice	
339	U1389	C	9	H	6	1.40	1.42	83.12	84.54	87.92	89.34	-0.41	accommodates splice	
339	U1389	A	9	H	7	0.69	0.70	79.95	80.65	88.33	89.03	-1.01	accommodates splice	
339	U1389	A	9	H	CC	0.35	0.35	80.65	81.00	89.03	89.38	0.00	accommodates splice	
339	U1389	C	9	H	7	1.28	1.28	84.54	85.82	89.34	90.62	-0.04	accommodates splice	
339	U1389	C	9	H	CC	0.32	0.32	85.82	86.14	90.62	90.94	0.00	accommodates splice	
339	U1389	D	10	H	CC	0.31	0.31	84.23	84.54	90.93	91.24	-0.01	accommodates splice	
339	U1389	C	10	H	1	0.17	0.17	85.50	85.67	92.75	92.92	1.51	accommodates splice	
339	U1389	C	10	H	2	1.40	1.40	85.67	87.07	92.92	94.32	0.00	accommodates splice	
339	U1389	D	11	H	1	1.50	1.50	84.50	86.00	93.75	95.25	-0.57	accommodates splice	
339	U1389	C	10	H	3	1.40	1.44	87.07	88.51	94.32	95.76	-0.93	accommodates splice	
339	U1389	D	11	H	2	1.41	1.41	86.00	87.41	95.25	96.66	-0.51	accommodates splice	
339	U1389	C	10	H	4	1.40	1.44	88.51	89.95	95.76	97.20	-0.90	accommodates splice	
339	U1389	C	10	H	5	1.40	1.43	89.95	91.38	97.20	98.63	0.00	accommodates splice	
339	U1389	C	10	H	6	1.40	1.47	91.38	92.85	98.63	100.10	0.00	accommodates splice	
339	U1389	A	10	H	7	0.69	0.69	89.37	90.06	99.35	100.04	-0.75	accommodates splice	
339	U1389	A	10	H	CC	0.49	0.49	90.06	90.55	100.04	100.53	0.00	accommodates splice	
339	U1389	C	10	H	7	1.40	1.49	92.85	94.34	100.10	101.59	-0.43	accommodates splice	
339	U1389	A	11	H	1	1.40	1.41	89.80	91.21	100.83	102.24	-0.76	accommodates splice	
339	U1389	C	10	H	8	1.02	1.02	94.34	95.36	101.59	102.61	-0.65	accommodates splice	
339	U1389	C	10	H	9	0.50	0.50	95.36	95.86	102.61	103.11	0.00	accommodates splice	
339	U1389	C	10	H	CC	0.35	0.35	95.86	96.21	103.11	103.46	0.00	accommodates splice	
339	U1389	D	11	H	CC	0.32	0.32	94.20	94.52	103.45	103.77	-0.01	accommodates splice	
339	U1389	C	11	X	1	1.50	1.50	95.00	96.50	104.83	106.33	1.06	accommodates splice	
339	U1389	A	11	H	CC	0.53	0.53	96.78	97.31	107.81	108.34	1.48	accommodates splice	
339	U1389	A	12	X	1	1.50	1.51	97.20	98.71	108.63	110.14	0.29	accommodates splice	
339	U1389	C	11	X	5	0.52	0.52	100.76	101.28	110.59	111.11	0.45	accommodates splice	
339	U1389	C	11	X	CC	0.39	0.39	101.28	101.67	111.11	111.50	0.00	accommodates splice	
339	U1389	A	12	X	CC	0.45	0.45	102.10	102.55	113.53	113.98	2.03	accommodates splice	
339	U1389	C	12	X	3	1.50	1.50	106.00	107.50	116.11	117.61	2.13	accommodates splice	
339	U1389	C	12	X	4	1.50	1.50	107.50	109.00	117.61	119.11	0.00	accommodates splice	
339	U1389	C	12	X	5	1.50	1.50	109.00	110.50	119.11	120.61	0.00	accommodates splice	
339	U1389	C	12	X	6	0.95	0.95	110.50	111.45	120.61	121.56	0.00	accommodates splice	
339	U1389	C	12	X	CC	0.19	0.19	111.45	111.64	121.56	121.75	0.00	accommodates splice	
339	U1389	A	13	X	CC	0.27	0.27	109.72	109.99	122.15	122.42	0.40	accommodates splice	
339	U1389	A	14	X	1	0.37	0.37	111.30	111.67	123.78	124.15	1.36	accommodates splice	
339	U1389	A	14	X	3	1.50	1.50	113.17	114.67	125.65	127.15	1.50	accommodates splice	
339	U1389	A	14	X	4	1.50	1.50	114.67	116.17	127.15	128.65	0.00	accommodates splice	
339	U1389	A	14	X	5	1.50	1.50	116.17	117.67	128.65	130.15	0.00	accommodates splice	
339	U1389	A	14	X	6	1.49	1.49	117.67	119.16	130.15	131.64	0.00	accommodates splice	
339	U1389	A	14	X	7	1.41	1.41	119.16	120.57	131.64	133.05	0.00	accommodates splice	
339	U1389	A	14	X	CC	0.38	0.38	120.57	120.95	133.05	133.43	0.00	accommodates splice	
339	U1389	C	13	X	CC	0.17	0.17	122.09	122.26	134.46	134.63	1.03	accommodates splice	DISTURBED...DROPPED
339	U1389	C	14	X	1	1.50	1.50	122.10	123.60	136.21	137.71	1.58	accommodates splice	
339	U1389	C	14	X	2	1.50	1.50	123.60	125.10	137.71	139.21	0.00	accommodates splice	
339	U1389	C	14	X	3	1.20	1.20	125.10	126.30	139.21	140.41	0.00	accommodates splice	
339	U1389	A	15	X	6	0.79	0.79	128.30	129.09	141.93	142.72	1.52	accommodates splice	
339	U1389	A	15	X	CC	0.46	0.46	129.09	129.55	142.72	143.18	0.00	accommodates splice	
339	U1389	A	16	X	1	0.51	0.51	130.30	130.81	144.62	145.13	1.44	accommodates splice	
339	U1389	C	14	X	CC	0.84	0.84	130.82	131.66	144.93	145.77	-0.20	accommodates splice	
339	U1389	C	15	X	1	1.50	1.50	131.60	133.10	146.10	147.60	0.33	accommodates splice	
339	U1389	C	15	X	2	1.50	1.50	133.10	134.60	147.60	149.10	0.00	accommodates splice	
339	U1389	C	15	X	3	1.50	1.50	134.60	136.10	149.10	150.60	0.00	accommodates splice	
339	U1389	C	15	X	4	1.00	1.00	136.10	137.10	150.60	151.60	0.00	accommodates splice	
339	U1389	C	15	X	5	1.49	1.49	137.10	138.59	151.60	153.09	0.00	accommodates splice	
339	U1389	A	16	X	CC	0.61	0.61	139.17	139.78	153.49	154.10	0.40	accommodates splice	
339	U1389	C	15	X	CC	0.27	0.27	140.74	141.01	155.24	155.51	1.14	accommodates splice	
339	U1389	C	16	X	1	1.50	1.50	141.20	142.70	155.85	157.35	0.34	accommodates splice	
339	U1389	C	16	X	2	1.50	1.50	142.70	144.20	157.35	158.85	0.00	accommodates splice	
339	U1389	C	16	X	3	1.50	1.50	144.20	145.70	158.85	160.35	0.00	accommodates splice	Liner shattered

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	C	16	X	4	1.06	1.06	145.70	146.76	160.35	161.41	0.00	accommodates splice	
339	U1389	C	16	X	5	1.38	1.38	146.76	148.14	161.41	162.79	0.00	accommodates splice	
339	U1389	C	16	X	CC	0.34	0.34	148.14	148.48	162.79	163.13	0.00	accommodates splice	
339	U1389	A	17	X	CC	0.52	0.52	147.85	148.37	163.18	163.70	0.05	accommodates splice	
339	U1389	C	17	X	1	1.50	1.50	150.70	152.20	167.02	168.52	3.32	accommodates splice	
339	U1389	C	17	X	2	1.50	1.50	152.20	153.70	168.52	170.02	0.00	accommodates splice	
339	U1389	C	17	X	3	1.49	1.49	153.70	155.19	170.02	171.51	0.00	accommodates splice	
339	U1389	C	18	X	1	1.50	1.50	153.70	155.20	170.85	172.35	-0.66	accommodates splice	
339	U1389	C	17	X	CC	0.18	0.18	155.19	155.37	171.51	171.69	-0.84	accommodates splice	
339	U1389	A	18	X	CC	0.48	0.48	157.83	158.31	173.22	173.70	1.53	accommodates splice	
339	U1389	C	18	X	5	1.49	1.49	159.70	161.19	176.85	178.34	3.15	accommodates splice	
339	U1389	C	18	X	6	1.03	1.03	161.19	162.22	178.34	179.37	0.00	accommodates splice	
339	U1389	C	18	X	7	0.57	0.57	162.22	162.79	179.37	179.94	0.00	accommodates splice	
339	U1389	C	18	X	CC	0.41	0.41	162.79	163.20	179.94	180.35	0.00	accommodates splice	
339	U1389	C	19	X	1	0.44	0.44	163.30	163.74	180.49	180.93	0.14	accommodates splice	
339	U1389	C	19	X	2	1.50	1.50	163.74	164.24	180.93	182.43	0.00	accommodates splice	
339	U1389	A	19	X	CC	0.42	0.42	168.00	168.42	184.03	184.45	1.60	accommodates splice	
339	U1389	A	20	X	1	0.90	0.90	168.50	169.40	187.98	188.88	3.53	accommodates splice	
339	U1389	C	19	X	CC	0.27	0.27	172.66	172.93	189.85	190.12	0.97	accommodates splice	
339	U1389	C	20	X	1	0.64	0.64	172.90	173.54	192.54	193.18	2.42	accommodates splice	
339	U1389	A	20	X	5	1.31	1.31	173.90	175.21	193.38	194.69	0.20	accommodates splice	
339	U1389	A	20	X	6	1.31	1.31	175.21	176.52	194.69	196.00	0.00	accommodates splice	
339	U1389	A	20	X	7	0.61	0.61	176.52	177.13	196.00	196.61	0.00	accommodates splice	
339	U1389	A	20	X	CC	0.56	0.56	177.13	177.69	196.61	197.17	0.00	accommodates splice	
339	U1389	A	21	X	1	0.41	0.41	178.10	178.51	200.34	200.75	3.17	accommodates splice	
339	U1389	C	20	X	CC	0.51	0.51	182.20	182.71	201.84	202.35	1.09	accommodates splice	DISTURBED, extruded from core barrel. Put in new liner
339	U1389	C	21	X	1	0.40	0.40	182.50	182.90	205.00	205.40	2.65	accommodates splice	
339	U1389	C	21	X	2	1.50	1.50	182.90	184.40	205.40	206.90	0.00	accommodates splice	
339	U1389	C	21	X	3	1.50	1.50	184.40	185.90	206.90	208.40	0.00	accommodates splice	DISTURBED, Extruded from core barrel. Placed in new liner
339	U1389	A	21	X	CC	0.40	0.40	187.34	187.74	209.58	209.98	1.18	accommodates splice	
339	U1389	A	22	X	1	0.84	0.84	187.80	188.64	213.10	213.94	3.12	accommodates splice	
339	U1389	C	21	X	CC	0.44	0.44	191.77	192.21	214.27	214.71	0.33	accommodates splice	
339	U1389	C	22	X	1	0.25	0.25	192.00	192.25	215.60	215.85	0.89	accommodates splice	
339	U1389	A	22	X	4	1.50	1.50	191.64	193.14	216.94	218.44	1.09	accommodates splice	
339	U1389	A	22	X	5	1.50	1.50	193.14	194.64	218.44	219.94	0.00	accommodates splice	
339	U1389	A	22	X	6	1.50	1.50	194.64	196.14	219.94	221.44	0.00	accommodates splice	
339	U1389	A	22	X	7	0.96	0.96	196.14	197.10	221.44	222.40	0.00	accommodates splice	
339	U1389	A	22	X	CC	0.42	0.42	197.10	197.52	222.40	222.82	0.00	accommodates splice	
339	U1389	C	22	X	CC	0.42	0.42	201.21	201.63	224.81	225.23	1.99	accommodates splice	
339	U1389	C	23	X	1	1.50	1.50	201.70	203.20	225.17	226.67	-0.06	accommodates splice	
339	U1389	C	23	X	2	1.50	1.50	203.20	204.70	226.67	228.17	0.00	accommodates splice	
339	U1389	C	23	X	3	1.50	1.50	204.70	206.20	228.17	229.67	0.00	accommodates splice	
339	U1389	C	23	X	4	1.50	1.50	206.20	207.70	229.67	231.17	0.00	accommodates splice	
339	U1389	C	23	X	5	1.45	1.45	207.70	209.15	231.17	232.62	0.00	accommodates splice	
339	U1389	C	23	X	6	1.22	1.22	209.15	210.37	232.62	233.84	0.00	accommodates splice	
339	U1389	C	23	X	7	0.68	0.68	210.37	211.05	233.84	234.52	0.00	accommodates splice	
339	U1389	A	23	X	CC	0.32	0.32	206.61	206.93	234.15	234.47	-0.37	accommodates splice	
339	U1389	A	24	X	1	1.09	1.09	206.90	207.99	234.50	235.59	0.03	accommodates splice	
339	U1389	C	23	X	CC	0.47	0.47	211.05	211.52	234.52	234.99	-1.07	accommodates splice	
339	U1389	A	24	X	2	1.50	1.50	207.99	209.49	235.59	237.09	0.60	accommodates splice	
339	U1389	A	24	X	3	1.50	1.50	209.49	210.99	237.09	238.59	0.00	accommodates splice	
339	U1389	A	24	X	4	1.50	1.50	210.99	212.49	238.59	240.09	0.00	accommodates splice	
339	U1389	A	24	X	5	1.50	1.50	212.49	213.99	240.09	241.59	0.00	accommodates splice	
339	U1389	A	24	X	6	1.41	1.41	213.99	215.40	241.59	243.00	0.00	accommodates splice	
339	U1389	A	24	X	7	0.86	0.86	215.40	216.26	243.00	243.86	0.00	accommodates splice	
339	U1389	C	24	X	CC	0.50	0.50	220.62	221.12	243.14	243.64	-0.72	accommodates splice	
339	U1389	A	24	X	CC	0.37	0.37	216.26	216.63	243.86	244.23	0.22	accommodates splice	
339	U1389	A	25	X	1	1.00	1.00	216.60	217.60	244.26	245.26	0.03	accommodates splice	
339	U1389	A	25	X	2	1.50	1.50	217.60	219.10	245.26	246.76	0.00	accommodates splice	
339	U1389	A	25	X	3	1.50	1.50	219.10	220.60	246.76	248.26	0.00	accommodates splice	
339	U1389	C	25	X	5	1.19	1.19	226.90	228.09	249.98	251.17	1.72	accommodates splice	DISTURBED, OUT OF BARREL
339	U1389	C	25	X	CC	0.37	0.37	228.09	228.46	251.17	251.54	0.00	accommodates splice	
339	U1389	A	25	X	CC	0.40	0.40	226.09	226.49	253.75	254.15	2.21	accommodates splice	
339	U1389	C	26	X	1	1.50	1.50	230.50	232.00	259.29	260.79	5.14	accommodates splice	
339	U1389	A	26	X	6	0.66	0.66	233.70	234.36	262.15	262.81	1.36	accommodates splice	
339	U1389	A	26	X	CC	0.35	0.35	234.36	234.71	262.81	263.16	0.00	accommodates splice	
339	U1389	A	27	X	1	0.94	0.94	235.70	236.64	265.54	266.48	2.38	accommodates splice	DISTURBED- Extruded from core barrel. Placed inside new core liner.

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	C	26	X	CC	0.36	0.36	238.78	239.14	267.57	267.93	1.09	accommodates splice	
339	U1389	C	27	X	1	0.90	0.90	240.10	241.00	269.98	270.88	2.05	accommodates splice	
339	U1389	C	27	X	2	1.50	1.50	241.00	242.50	270.88	272.38	0.00	accommodates splice	
339	U1389	C	27	X	3	1.50	1.50	242.50	244.00	272.38	273.88	0.00	accommodates splice	
339	U1389	A	27	X	CC	0.64	0.64	244.52	245.16	274.36	275.00	0.48	accommodates splice	
339	U1389	C	27	X	CC	0.45	0.45	249.33	249.78	279.21	279.66	4.21	accommodates splice	
339	U1389	C	28	X	1	1.50	1.50	249.70	251.20	284.79	286.29	5.13	accommodates splice	
339	U1389	A	28	X	CC	0.48	0.48	254.79	255.27	286.99	287.47	0.70	accommodates splice	
339	U1389	A	29	X	1	1.50	1.50	254.90	256.40	289.02	290.52	1.55	accommodates splice	
339	U1389	A	29	X	2	1.50	1.50	256.40	257.90	290.52	292.02	0.00	accommodates splice	
339	U1389	C	28	X	7	0.59	0.59	258.30	258.89	293.39	293.98	1.37	accommodates splice	
339	U1389	C	28	X	CC	0.44	0.44	258.89	259.33	293.98	294.42	0.00	accommodates splice	
339	U1389	C	29	X	1	0.86	0.86	259.30	260.16	295.09	295.95	0.67	accommodates splice	
339	U1389	A	29	X	7	0.67	0.67	263.50	264.17	297.62	298.29	1.67	accommodates splice	
339	U1389	A	29	X	CC	0.44	0.44	264.17	264.61	298.29	298.73	0.00	accommodates splice	
339	U1389	A	30	X	1	0.44	0.44	264.60	265.04	299.24	299.68	0.51	accommodates splice	
339	U1389	A	30	X	2	1.50	1.50	265.04	266.54	299.68	301.18	0.00	accommodates splice	
339	U1389	A	30	X	3	1.50	1.50	266.54	268.04	301.18	302.68	0.00	accommodates splice	Bottom 50cm dropped on deck, disturbed
339	U1389	C	29	X	7	1.07	1.07	267.66	268.73	303.45	304.52	0.77	accommodates splice	
339	U1389	C	29	X	CC	0.39	0.39	268.73	269.12	304.52	304.91	0.00	accommodates splice	
339	U1389	A	30	X	CC	0.35	0.35	274.00	274.35	308.64	308.99	3.73	accommodates splice	
339	U1389	A	31	X	1	1.50	1.50	274.20	275.70	310.96	312.46	1.97	accommodates splice	
339	U1389	A	31	X	2	1.50	1.50	275.70	277.20	312.46	313.96	0.00	accommodates splice	
339	U1389	C	30	X	CC	0.39	0.39	278.36	278.75	315.44	315.83	1.48	accommodates splice	
339	U1389	C	31	X	1	0.49	0.49	278.50	278.99	316.17	316.66	0.34	accommodates splice	
339	U1389	C	31	X	2	1.50	1.50	278.99	280.49	316.66	318.16	0.00	accommodates splice	
339	U1389	A	31	X	CC	0.43	0.43	283.18	283.61	319.94	320.37	1.78	accommodates splice	
339	U1389	A	32	X	1	1.50	1.50	283.80	285.30	322.46	323.96	2.09	accommodates splice	
339	U1389	C	31	X	CC	0.31	0.31	287.93	288.24	325.60	325.91	1.64	accommodates splice	
339	U1389	C	32	X	1	1.50	1.50	288.10	289.60	326.49	327.99	0.58	accommodates splice	
339	U1389	C	32	X	2	1.50	1.50	289.60	291.10	327.99	329.49	0.00	accommodates splice	
339	U1389	A	32	X	7	0.61	0.61	292.31	292.92	330.97	331.58	1.48	accommodates splice	
339	U1389	A	32	X	CC	0.31	0.31	292.92	293.23	331.58	331.89	0.00	accommodates splice	
339	U1389	C	32	X	CC	0.66	0.66	297.11	297.11	335.50	336.16	3.61	accommodates splice	
339	U1389	C	33	X	1	0.31	0.31	297.70	298.01	338.29	338.60	2.13	accommodates splice	
339	U1389	A	33	X	4	1.50	1.50	297.90	299.40	340.47	341.97	1.87	accommodates splice	
339	U1389	A	33	X	5	1.50	1.50	299.40	300.90	341.97	343.47	0.00	accommodates splice	
339	U1389	A	33	X	6	1.02	1.02	300.90	301.92	343.47	344.49	0.00	accommodates splice	
339	U1389	A	33	X	CC	0.44	0.44	301.92	302.36	344.49	344.93	0.00	accommodates splice	
339	U1389	C	33	X	CC	0.28	0.28	306.46	306.74	347.05	347.33	2.12	accommodates splice	
339	U1389	C	34	X	1	0.63	0.63	306.90	307.53	347.64	348.27	0.31	accommodates splice	
339	U1389	C	34	X	2	1.50	1.50	307.53	309.03	348.27	349.77	0.00	accommodates splice	
339	U1389	C	34	X	3	1.50	1.50	309.03	310.53	349.77	351.27	0.00	accommodates splice	
339	U1389	C	34	X	4	1.50	1.50	310.53	312.03	351.27	352.77	0.00	accommodates splice	
339	U1389	C	34	X	5	1.50	1.50	312.03	313.53	352.77	354.27	0.00	accommodates splice	
339	U1389	C	34	X	6	1.50	1.50	313.53	315.03	354.27	355.77	0.00	accommodates splice	
339	U1389	C	34	X	7	0.76	0.76	315.03	315.79	355.77	356.53	0.00	accommodates splice	
339	U1389	C	34	X	CC	0.32	0.32	315.79	316.11	356.53	356.85	0.00	accommodates splice	
339	U1389	A	34	X	CC	0.58	0.58	311.98	312.56	356.85	357.43	0.00	accommodates splice	
339	U1389	A	35	X	1	1.50	1.50	312.20	312.70	359.33	360.83	1.90	accommodates splice	
339	U1389	A	35	X	2	1.50	1.50	313.70	315.20	360.83	362.33	0.00	accommodates splice	
339	U1389	C	35	X	5	0.57	0.57	322.50	323.07	363.44	364.01	1.11	accommodates splice	
339	U1389	C	35	X	CC	0.22	0.22	323.07	323.29	364.01	364.23	0.00	accommodates splice	
339	U1389	A	35	X	CC	0.30	0.30	320.39	320.69	367.52	367.82	3.29	accommodates splice	
339	U1389	C	36	X	1	1.50	1.50	326.10	326.60	369.24	370.74	1.42	accommodates splice	
339	U1389	C	36	X	2	0.57	0.57	327.60	328.17	370.74	371.31	0.00	accommodates splice	
339	U1389	C	36	X	CC	0.30	0.30	328.17	328.47	371.31	371.61	0.00	accommodates splice	
339	U1389	A	36	X	CC	0.28	0.28	324.24	324.52	371.47	371.75	-0.14	accommodates splice	
339	U1389	C	37	X	1	1.50	1.50	335.70	337.20	377.04	378.54	5.29	accommodates splice	
339	U1389	C	37	X	2	0.94	0.94	337.20	338.14	378.54	379.48	0.00	accommodates splice	
339	U1389	C	37	X	CC	0.36	0.36	338.14	338.50	379.48	379.84	0.00	accommodates splice	
339	U1389	A	37	X	CC	0.28	0.28	336.20	336.48	381.54	381.82	1.70	accommodates splice	
339	U1389	A	38	X	1	1.50	1.50	341.00	342.50	383.44	384.94	1.62	accommodates splice	
339	U1389	A	38	X	2	1.50	1.50	342.50	344.00	384.94	386.44	0.00	accommodates splice	
339	U1389	A	38	X	3	1.32	1.32	344.00	345.32	386.44	387.76	0.00	accommodates splice	
339	U1389	A	38	X	4	0.69	0.69	345.32	346.01	387.76	388.45	0.00	accommodates splice	
339	U1389	A	38	X	CC	0.24	0.24	346.01	346.25	388.45	388.69	0.00	accommodates splice	
339	U1389	A	39	X	1	0.95	0.95	349.60	350.55	389.03	389.98	0.34	accommodates splice	
339	U1389	A	39	X	CC	0.35	0.35	350.55	350.90	389.98	390.33	0.00	accommodates splice	
339	U1389	E	2	R	1	1.43	1.43	335.00	336.43	-	-	-	single hole, below splice	
339	U1389	E	2	R	2	0.90	0.90	336.43	337.33	-	-	-	single hole, below splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	E	3	R	1	1.50	1.50	339.50	341.00	-	-		single hole, below splice	
339	U1389	E	3	R	2	1.50	1.50	341.00	342.50	-	-		single hole, below splice	
339	U1389	E	3	R	3	1.10	1.10	342.50	343.60	-	-		single hole, below splice	
339	U1389	E	3	R	4	0.54	0.54	343.60	344.14	-	-		single hole, below splice	
339	U1389	E	3	R	CC	0.23	0.23	344.14	344.37	-	-		single hole, below splice	
339	U1389	E	4	R	1	1.50	1.50	348.80	350.30	-	-		single hole, below splice	
339	U1389	E	4	R	2	1.50	1.50	350.30	351.80	-	-		single hole, below splice	
339	U1389	E	4	R	3	0.71	0.71	351.80	352.51	-	-		single hole, below splice	
339	U1389	E	4	R	CC	0.18	0.18	352.51	352.69	-	-		single hole, below splice	
339	U1389	E	5	R	1	1.50	1.50	358.40	359.90	-	-		single hole, below splice	
339	U1389	E	5	R	2	1.50	1.50	359.90	361.40	-	-		single hole, below splice	
339	U1389	E	5	R	3	1.07	1.07	361.40	362.47	-	-		single hole, below splice	
339	U1389	E	5	R	CC	0.12	0.12	362.47	362.59	-	-		single hole, below splice	
339	U1389	E	6	R	1	1.49	1.49	368.00	369.49	-	-		single hole, below splice	
339	U1389	E	7	R	1	0.16	0.16	377.50	377.66	-	-		single hole, below splice	
339	U1389	E	8	R	1	1.50	1.50	387.10	388.60	-	-		single hole, below splice	
339	U1389	E	8	R	2	1.50	1.50	388.60	390.10	-	-		single hole, below splice	
339	U1389	E	8	R	3	1.44	1.44	390.10	391.54	-	-		single hole, below splice	
339	U1389	E	9	R	1	1.50	1.50	396.70	398.20	-	-		single hole, below splice	
339	U1389	E	9	R	2	1.50	1.50	398.20	399.70	-	-		single hole, below splice	
339	U1389	E	9	R	3	1.50	1.50	399.70	401.20	-	-		single hole, below splice	
339	U1389	E	9	R	4	1.45	1.45	401.20	402.65	-	-		single hole, below splice	
339	U1389	E	10	R	1	1.21	1.21	406.30	407.51	-	-		single hole, below splice	
339	U1389	E	10	R	2	0.59	0.59	407.51	408.10	-	-		single hole, below splice	
339	U1389	E	11	R	1	1.50	1.50	415.90	417.40	-	-		single hole, below splice	
339	U1389	E	11	R	2	1.50	1.50	417.40	418.90	-	-		single hole, below splice	
339	U1389	E	11	R	3	1.50	1.50	418.90	420.40	-	-		single hole, below splice	
339	U1389	E	11	R	4	1.40	1.40	420.40	421.80	-	-		single hole, below splice	CC added to bottom of Section 4
339	U1389	E	12	R	1	1.50	1.50	425.50	427.00	-	-		single hole, below splice	
339	U1389	E	12	R	2	1.50	1.50	427.00	428.50	-	-		single hole, below splice	
339	U1389	E	12	R	3	1.50	1.50	428.50	430.00	-	-		single hole, below splice	
339	U1389	E	12	R	4	1.50	1.50	430.00	431.50	-	-		single hole, below splice	
339	U1389	E	12	R	5	1.50	1.50	431.50	433.00	-	-		single hole, below splice	
339	U1389	E	12	R	6	0.73	0.73	433.00	433.73	-	-		single hole, below splice	CC added to the bottom of section 6. PAL taken from bottom of Section 6
339	U1389	E	13	R	1	1.50	1.50	435.10	436.60	-	-		single hole, below splice	
339	U1389	E	13	R	2	1.50	1.50	436.60	438.10	-	-		single hole, below splice	
339	U1389	E	13	R	3	1.50	1.50	438.10	439.60	-	-		single hole, below splice	
339	U1389	E	13	R	4	1.50	1.50	439.60	441.10	-	-		single hole, below splice	
339	U1389	E	13	R	5	1.22	1.22	441.10	442.32	-	-		single hole, below splice	
339	U1389	E	13	R	6	0.73	0.73	442.32	443.05	-	-		single hole, below splice	CC added to the bottom of section 6.
339	U1389	E	14	R	1	1.50	1.50	444.70	446.20	-	-		single hole, below splice	
339	U1389	E	14	R	2	1.50	1.50	446.20	447.70	-	-		single hole, below splice	
339	U1389	E	14	R	3	1.50	1.50	447.70	449.20	-	-		single hole, below splice	
339	U1389	E	14	R	4	1.05	1.05	449.20	450.25	-	-		single hole, below splice	CC added to the bottom of Sec. 4
339	U1389	E	15	R	1	1.50	1.50	454.30	455.80	-	-		single hole, below splice	
339	U1389	E	15	R	2	1.50	1.50	455.80	457.30	-	-		single hole, below splice	
339	U1389	E	15	R	3	1.12	1.12	457.30	458.42	-	-		single hole, below splice	
339	U1389	E	15	R	4	0.70	0.70	458.42	459.12	-	-		single hole, below splice	CC added to the end of Section 4.
339	U1389	E	16	R	1	1.31	1.31	463.80	465.11	-	-		single hole, below splice	CC added to the bottom of Sec. 1
339	U1389	E	17	R	1	1.50	1.50	473.30	474.80	-	-		single hole, below splice	
339	U1389	E	17	R	2	1.50	1.50	474.80	476.30	-	-		single hole, below splice	
339	U1389	E	17	R	3	1.50	1.50	476.30	477.80	-	-		single hole, below splice	
339	U1389	E	17	R	4	0.97	0.97	477.80	478.77	-	-		single hole, below splice	
339	U1389	E	18	R	1	1.50	1.50	482.80	484.30	-	-		single hole, below splice	
339	U1389	E	18	R	2	0.62	0.62	484.30	484.92	-	-		single hole, below splice	
339	U1389	E	19	R	1	1.50	1.50	492.30	493.80	-	-		single hole, below splice	
339	U1389	E	19	R	2	1.40	1.40	493.80	495.20	-	-		single hole, below splice	
339	U1389	E	19	R	3	1.13	1.13	495.20	496.33	-	-		single hole, below splice	
339	U1389	E	20	R	1	1.50	1.50	501.80	503.30	-	-		single hole, below splice	
339	U1389	E	20	R	2	1.50	1.50	503.30	504.80	-	-		single hole, below splice	
339	U1389	E	20	R	3	1.50	1.50	504.80	506.30	-	-		single hole, below splice	
339	U1389	E	20	R	4	1.50	1.50	506.30	507.80	-	-		single hole, below splice	
339	U1389	E	20	R	5	1.50	1.50	507.80	509.30	-	-		single hole, below splice	
339	U1389	E	20	R	6	0.66	0.66	509.30	509.96	-	-		single hole, below splice	
339	U1389	E	20	R	CC	0.13	0.13	509.96	510.09	-	-		single hole, below splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	E	21	R	1	1.50	1.50	511.30	512.80	-	-		single hole, below splice	
339	U1389	E	21	R	2	1.50	1.50	512.80	514.30	-	-		single hole, below splice	
339	U1389	E	21	R	3	1.16	1.16	514.30	515.46	-	-		single hole, below splice	
339	U1389	E	21	R	CC	0.19	0.19	515.46	515.65	-	-		single hole, below splice	
339	U1389	E	22	R	1	1.50	1.50	520.80	522.30	-	-		single hole, below splice	BOTTOM 30CM DISTURBED
339	U1389	E	22	R	2	1.50	1.50	522.30	523.80	-	-		single hole, below splice	
339	U1389	E	22	R	3	1.50	1.50	523.80	525.30	-	-		single hole, below splice	
339	U1389	E	22	R	4	0.89	0.89	525.30	526.19	-	-		single hole, below splice	
339	U1389	E	23	R	1	1.45	1.45	530.30	531.75	-	-		single hole, below splice	
339	U1389	E	23	R	2	1.50	1.50	531.75	533.25	-	-		single hole, below splice	
339	U1389	E	23	R	3	1.50	1.50	533.25	534.75	-	-		single hole, below splice	
339	U1389	E	23	R	4	0.87	0.87	534.75	535.62	-	-		single hole, below splice	
339	U1389	E	23	R	CC	0.13	0.13	535.62	535.75	-	-		single hole, below splice	
339	U1389	E	24	R	1	1.50	1.50	540.10	541.60	-	-		single hole, below splice	
339	U1389	E	24	R	2	1.50	1.50	541.60	543.10	-	-		single hole, below splice	
339	U1389	E	24	R	3	1.50	1.50	543.10	544.60	-	-		single hole, below splice	Section split on wrong line. Rotated 90 degrees
339	U1389	E	24	R	4	1.06	1.06	544.60	545.66	-	-		single hole, below splice	
339	U1389	E	24	R	5	1.50	1.50	545.66	547.16	-	-		single hole, below splice	
339	U1389	E	24	R	6	0.81	0.81	547.16	547.97	-	-		single hole, below splice	
339	U1389	E	24	R	CC	0.26	0.26	547.97	548.23	-	-		single hole, below splice	
339	U1389	E	25	R	1	1.50	1.50	549.80	551.30	-	-		single hole, below splice	DROPPED ON DECK. PIECES MAY BE OUT OF ORDER AND UNORIENTED
339	U1389	E	25	R	2	1.50	1.50	551.30	552.80	-	-		single hole, below splice	
339	U1389	E	25	R	3	1.50	1.50	552.80	554.30	-	-		single hole, below splice	
339	U1389	E	25	R	4	1.50	1.50	554.30	555.80	-	-		single hole, below splice	
339	U1389	E	25	R	5	1.50	1.50	555.80	557.30	-	-		single hole, below splice	
339	U1389	E	25	R	6	0.62	0.62	557.30	557.92	-	-		single hole, below splice	
339	U1389	E	25	R	CC	0.20	0.20	557.92	558.12	-	-		single hole, below splice	
339	U1389	E	26	R	1	1.50	1.50	559.40	560.90	-	-		single hole, below splice	
339	U1389	E	26	R	2	1.50	1.50	560.90	562.40	-	-		single hole, below splice	
339	U1389	E	26	R	3	1.50	1.50	562.40	563.90	-	-		single hole, below splice	
339	U1389	E	26	R	4	1.50	1.50	563.90	565.40	-	-		single hole, below splice	
339	U1389	E	26	R	5	1.25	1.25	565.40	566.65	-	-		single hole, below splice	
339	U1389	E	26	R	6	0.66	0.66	566.65	567.31	-	-		single hole, below splice	
339	U1389	E	27	R	1	1.50	1.50	569.00	570.50	-	-		single hole, below splice	
339	U1389	E	27	R	2	1.50	1.50	570.50	572.00	-	-		single hole, below splice	
339	U1389	E	27	R	3	1.11	1.11	572.00	573.11	-	-		single hole, below splice	
339	U1389	E	27	R	4	0.62	0.62	573.11	573.73	-	-		single hole, below splice	
339	U1389	E	28	R	1	1.50	1.50	578.60	580.10	-	-		single hole, below splice	
339	U1389	E	28	R	2	1.50	1.50	580.10	581.60	-	-		single hole, below splice	
339	U1389	E	28	R	3	1.50	1.50	581.60	583.10	-	-		single hole, below splice	
339	U1389	E	28	R	4	1.50	1.50	583.10	584.60	-	-		single hole, below splice	
339	U1389	E	28	R	5	1.50	1.50	584.60	586.10	-	-		single hole, below splice	
339	U1389	E	28	R	6	0.68	0.68	586.10	586.78	-	-		single hole, below splice	
339	U1389	E	29	R	1	1.50	1.50	588.20	589.70	-	-		single hole, below splice	
339	U1389	E	29	R	2	1.50	1.50	589.70	591.20	-	-		single hole, below splice	
339	U1389	E	29	R	3	1.50	1.50	591.20	592.70	-	-		single hole, below splice	
339	U1389	E	29	R	4	1.50	1.50	592.70	594.20	-	-		single hole, below splice	
339	U1389	E	29	R	5	1.12	1.12	594.20	595.32	-	-		single hole, below splice	
339	U1389	E	29	R	CC	0.17	0.17	595.32	595.49	-	-		single hole, below splice	
339	U1389	E	30	R	1	1.50	1.50	597.80	599.30	-	-		single hole, below splice	
339	U1389	E	30	R	2	1.50	1.50	599.30	600.80	-	-		single hole, below splice	
339	U1389	E	30	R	3	1.50	1.50	600.80	602.30	-	-		single hole, below splice	
339	U1389	E	30	R	4	1.50	1.50	602.30	603.80	-	-		single hole, below splice	
339	U1389	E	30	R	5	1.50	1.50	603.80	605.30	-	-		single hole, below splice	
339	U1389	E	30	R	6	1.50	1.50	605.30	606.80	-	-		single hole, below splice	
339	U1389	E	30	R	7	0.73	0.73	606.80	607.53	-	-		single hole, below splice	
339	U1389	E	30	R	CC	0.17	0.17	607.53	607.70	-	-		single hole, below splice	
339	U1389	E	31	R	1	1.50	1.50	607.40	608.90	-	-		single hole, below splice	
339	U1389	E	31	R	2	1.50	1.50	608.90	610.40	-	-		single hole, below splice	
339	U1389	E	31	R	3	1.50	1.50	610.40	611.90	-	-		single hole, below splice	
339	U1389	E	31	R	4	1.50	1.50	611.90	613.40	-	-		single hole, below splice	
339	U1389	E	31	R	5	1.50	1.50	613.40	614.90	-	-		single hole, below splice	
339	U1389	E	31	R	6	1.50	1.50	614.90	616.40	-	-		single hole, below splice	
339	U1389	E	31	R	7	0.75	0.75	616.40	617.15	-	-		single hole, below splice	
339	U1389	E	31	R	CC	0.13	0.13	617.15	617.28	-	-		single hole, below splice	
339	U1389	E	32	R	1	1.50	1.50	617.00	618.50	-	-		single hole, below splice	
339	U1389	E	32	R	2	1.50	1.50	618.50	620.00	-	-		single hole, below splice	
339	U1389	E	32	R	3	1.50	1.50	620.00	621.50	-	-		single hole, below splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	E	32	R	4	1.50	1.50	621.50	623.00	-	-		single hole, below splice	
339	U1389	E	32	R	5	1.50	1.50	623.00	624.50	-	-		single hole, below splice	
339	U1389	E	32	R	6	1.02	1.02	624.50	625.52	-	-		single hole, below splice	
339	U1389	E	32	R	7	0.55	0.55	625.52	626.07	-	-		single hole, below splice	
339	U1389	E	32	R	CC	0.21	0.21	626.07	626.28	-	-		single hole, below splice	
339	U1389	E	33	R	1	1.50	1.50	626.60	628.10	-	-		single hole, below splice	
339	U1389	E	33	R	2	1.50	1.50	628.10	629.60	-	-		single hole, below splice	
339	U1389	E	33	R	3	1.50	1.50	629.60	631.10	-	-		single hole, below splice	
339	U1389	E	33	R	4	0.94	0.94	631.10	632.04	-	-		single hole, below splice	
339	U1389	E	34	R	1	1.50	1.50	636.30	637.80	-	-		single hole, below splice	
339	U1389	E	34	R	2	1.50	1.50	637.80	639.30	-	-		single hole, below splice	
339	U1389	E	34	R	3	1.50	1.50	639.30	640.80	-	-		single hole, below splice	
339	U1389	E	34	R	4	1.50	1.50	640.80	642.30	-	-		single hole, below splice	
339	U1389	E	34	R	5	1.50	1.50	642.30	643.80	-	-		single hole, below splice	
339	U1389	E	34	R	6	1.08	1.08	643.80	644.88	-	-		single hole, below splice	
339	U1389	E	34	R	CC	0.14	0.14	644.88	645.02	-	-		single hole, below splice	
339	U1389	E	35	R	1	1.50	1.50	646.00	647.50	-	-		single hole, below splice	
339	U1389	E	35	R	2	1.50	1.50	647.50	649.00	-	-		single hole, below splice	
339	U1389	E	35	R	3	1.50	1.50	649.00	650.50	-	-		single hole, below splice	
339	U1389	E	35	R	4	1.52	1.52	650.50	652.02	-	-		single hole, below splice	
339	U1389	E	35	R	5	1.11	1.11	652.02	653.13	-	-		single hole, below splice	
339	U1389	E	35	R	6	0.56	0.56	653.13	653.69	-	-		single hole, below splice	
339	U1389	E	37	R	1	1.50	1.50	665.10	666.60	-	-		single hole, below splice	
339	U1389	E	37	R	2	1.50	1.50	666.60	668.10	-	-		single hole, below splice	
339	U1389	E	37	R	3	0.83	0.83	668.10	668.93	-	-		single hole, below splice	
339	U1389	E	37	R	4	1.50	1.50	668.93	670.43	-	-		single hole, below splice	
339	U1389	E	37	R	5	1.50	1.50	670.43	671.93	-	-		single hole, below splice	
339	U1389	E	37	R	6	1.50	1.50	671.93	673.43	-	-		single hole, below splice	
339	U1389	E	37	R	7	0.77	0.77	673.43	674.20	-	-		single hole, below splice	
339	U1389	E	38	R	1	1.50	1.50	674.20	676.20	-	-		single hole, below splice	
339	U1389	E	38	R	2	1.50	1.50	676.20	677.70	-	-		single hole, below splice	
339	U1389	E	38	R	3	1.50	1.50	677.70	679.20	-	-		single hole, below splice	
339	U1389	E	38	R	4	1.50	1.50	679.20	680.70	-	-		single hole, below splice	
339	U1389	E	38	R	5	1.13	1.13	680.70	681.83	-	-		single hole, below splice	
339	U1389	E	38	R	CC	0.15	0.15	681.83	681.98	-	-		single hole, below splice	
339	U1389	E	39	R	1	1.50	1.50	684.30	685.80	-	-		single hole, below splice	
339	U1389	E	39	R	2	1.50	1.50	685.80	687.30	-	-		single hole, below splice	
339	U1389	E	39	R	3	1.50	1.50	687.30	688.80	-	-		single hole, below splice	
339	U1389	E	39	R	4	1.50	1.50	688.80	690.30	-	-		single hole, below splice	
339	U1389	E	39	R	5	1.50	1.50	690.30	691.80	-	-		single hole, below splice	
339	U1389	E	39	R	6	1.11	1.11	691.80	692.91	-	-		single hole, below splice	
339	U1389	E	39	R	7	0.55	0.55	692.91	693.46	-	-		single hole, below splice	
339	U1389	E	39	R	CC	0.24	0.24	693.46	693.70	-	-		single hole, below splice	
339	U1389	E	40	R	1	1.50	1.50	694.00	695.50	-	-		single hole, below splice	
339	U1389	E	40	R	2	1.50	1.50	695.50	697.00	-	-		single hole, below splice	
339	U1389	E	40	R	3	1.50	1.50	697.00	698.50	-	-		single hole, below splice	
339	U1389	E	40	R	4	0.59	0.59	698.50	699.09	-	-		single hole, below splice	
339	U1389	E	40	R	CC	0.15	0.15	699.09	699.24	-	-		single hole, below splice	
339	U1389	E	41	R	1	1.50	1.50	703.60	705.10	-	-		single hole, below splice	
339	U1389	E	41	R	2	1.50	1.50	705.10	706.60	-	-		single hole, below splice	
339	U1389	E	41	R	3	1.50	1.50	706.60	708.10	-	-		single hole, below splice	
339	U1389	E	41	R	4	1.08	1.08	708.10	709.18	-	-		single hole, below splice	
339	U1389	E	41	R	CC	0.22	0.22	709.18	709.40	-	-		single hole, below splice	
339	U1389	E	42	R	1	1.50	1.50	713.10	714.60	-	-		single hole, below splice	
339	U1389	E	42	R	2	1.50	1.50	714.60	716.10	-	-		single hole, below splice	
339	U1389	E	42	R	3	1.50	1.50	716.10	717.60	-	-		single hole, below splice	
339	U1389	E	42	R	4	1.43	1.43	717.60	719.03	-	-		single hole, below splice	
339	U1389	E	42	R	5	0.57	0.57	719.03	719.60	-	-		single hole, below splice	
339	U1389	E	42	R	CC	0.20	0.20	719.60	719.80	-	-		single hole, below splice	
339	U1389	E	43	R	1	1.50	1.50	722.70	724.20	-	-		single hole, below splice	
339	U1389	E	43	R	2	1.50	1.50	724.20	725.70	-	-		single hole, below splice	
339	U1389	E	43	R	3	1.50	1.50	725.70	727.20	-	-		single hole, below splice	
339	U1389	E	43	R	4	1.50	1.50	727.20	728.70	-	-		single hole, below splice	
339	U1389	E	43	R	5	0.86	0.86	728.70	729.56	-	-		single hole, below splice	
339	U1389	E	44	R	1	1.54	1.54	732.30	733.84	-	-		single hole, below splice	Upper 5cm disturbed
339	U1389	E	44	R	2	1.50	1.50	733.84	735.34	-	-		single hole, below splice	
339	U1389	E	44	R	3	1.50	1.50	735.34	736.84	-	-		single hole, below splice	
339	U1389	E	44	R	4	1.12	1.12	736.84	737.96	-	-		single hole, below splice	PAL sample taken from bottom of Sec. 4
339	U1389	E	45	R	1	1.50	1.50	741.90	743.40	-	-		single hole, below splice	
339	U1389	E	45	R	2	1.51	1.51	743.40	744.91	-	-		single hole, below splice	
339	U1389	E	45	R	3	1.50	1.50	744.91	746.41	-	-		single hole, below splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	E	45	R	4	1.50	1.50	746.41	747.91	-	-		single hole, below splice	
339	U1389	E	45	R	5	1.50	1.50	747.91	749.41	-	-		single hole, below splice	
339	U1389	E	45	R	6	1.31	1.31	749.41	750.72	-	-		single hole, below splice	
339	U1389	E	45	R	7	0.58	0.58	750.72	751.30	-	-		single hole, below splice	
339	U1389	E	45	R	CC	0.24	0.24	751.30	751.54	-	-		single hole, below splice	
339	U1389	E	46	R	1	1.50	1.50	751.54	753.00	-	-		single hole, below splice	
339	U1389	E	46	R	2	1.51	1.54	753.00	754.54	-	-		single hole, below splice	
339	U1389	E	46	R	3	1.50	1.50	754.54	756.04	-	-		single hole, below splice	
339	U1389	E	46	R	4	1.50	1.50	756.04	757.54	-	-		single hole, below splice	
339	U1389	E	46	R	5	1.50	1.50	757.54	759.04	-	-		single hole, below splice	
339	U1389	E	46	R	6	1.50	1.50	759.04	760.54	-	-		single hole, below splice	
339	U1389	E	46	R	7	0.71	0.71	760.54	761.25	-	-		single hole, below splice	
339	U1389	E	46	R	CC	0.21	0.21	761.25	761.46	-	-		single hole, below splice	
339	U1389	E	47	R	1	1.50	1.50	761.10	762.60	-	-		single hole, below splice	
339	U1389	E	47	R	2	1.11	1.11	762.60	763.71	-	-		single hole, below splice	
339	U1389	E	47	R	3	0.67	0.67	763.71	764.38	-	-		single hole, below splice	
339	U1389	E	48	R	1	1.00	1.00	770.70	771.70	-	-		single hole, below splice	
339	U1389	E	48	R	2	0.64	0.64	771.70	772.34	-	-		single hole, below splice	
339	U1389	E	49	R	1	1.50	1.50	780.30	781.80	-	-		single hole, below splice	
339	U1389	E	49	R	2	1.00	1.00	781.80	782.80	-	-		single hole, below splice	
339	U1389	E	49	R	3	0.83	0.83	782.80	783.63	-	-		single hole, below splice	
339	U1389	E	49	R	CC	0.16	0.16	783.63	783.79	-	-		single hole, below splice	
339	U1389	E	50	R	1	1.07	1.07	789.90	790.97	-	-		single hole, below splice	
339	U1389	E	51	R	1	1.47	1.47	799.50	800.97	-	-		single hole, below splice	
339	U1389	E	51	R	2	1.50	1.50	800.97	802.47	-	-		single hole, below splice	
339	U1389	E	51	R	3	1.50	1.50	802.47	803.97	-	-		single hole, below splice	
339	U1389	E	51	R	4	1.50	1.50	803.97	805.47	-	-		single hole, below splice	
339	U1389	E	51	R	5	1.50	1.50	805.47	806.97	-	-		single hole, below splice	
339	U1389	E	51	R	6	1.50	1.50	806.97	808.47	-	-		single hole, below splice	
339	U1389	E	51	R	7	0.78	0.78	808.47	809.25	-	-		single hole, below splice	
339	U1389	E	51	R	CC	0.25	0.25	809.25	809.50	-	-		single hole, below splice	
339	U1389	E	52	R	1	0.27	0.27	809.10	809.37	-	-		single hole, below splice	
339	U1389	E	52	R	2	1.50	1.50	809.37	810.87	-	-		single hole, below splice	
339	U1389	E	52	R	3	1.50	1.50	810.87	812.37	-	-		single hole, below splice	
339	U1389	E	52	R	4	1.50	1.50	812.37	813.87	-	-		single hole, below splice	
339	U1389	E	52	R	5	1.50	1.53	813.87	815.40	-	-		single hole, below splice	
339	U1389	E	52	R	6	0.78	0.78	815.40	816.18	-	-		single hole, below splice	
339	U1389	E	52	R	7	0.61	0.61	816.18	816.79	-	-		single hole, below splice	
339	U1389	E	52	R	8	0.50	0.50	816.79	817.29	-	-		single hole, below splice	
339	U1389	E	52	R	9	1.49	1.49	817.29	818.78	-	-		single hole, below splice	
339	U1389	E	52	R	CC	0.23	0.23	818.78	819.01	-	-		single hole, below splice	
339	U1389	E	53	R	1	1.02	1.02	818.70	819.72	-	-		single hole, below splice	
339	U1389	E	53	R	2	0.59	0.59	819.72	820.31	-	-		single hole, below splice	CC PLACED IN BOTTOM ON SECTION 2
339	U1389	E	54	R	1	0.47	0.47	828.30	828.77	-	-		single hole, below splice	
339	U1389	E	54	R	2	1.41	1.41	828.77	830.18	-	-		single hole, below splice	
339	U1389	E	55	R	1	0.46	0.46	837.90	838.36	-	-		single hole, below splice	
339	U1389	E	56	R	1	0.25	0.25	847.50	847.75	-	-		single hole, below splice	
339	U1389	E	56	R	CC	0.19	0.19	847.75	847.94	-	-		single hole, below splice	
339	U1389	E	57	R	1	1.50	1.50	857.10	858.60	-	-		single hole, below splice	
339	U1389	E	57	R	2	1.50	1.50	858.60	860.10	-	-		single hole, below splice	
339	U1389	E	57	R	3	1.53	1.53	860.10	861.63	-	-		single hole, below splice	
339	U1389	E	57	R	4	1.50	1.50	861.63	863.13	-	-		single hole, below splice	
339	U1389	E	57	R	5	1.50	1.50	863.13	864.63	-	-		single hole, below splice	
339	U1389	E	57	R	6	1.50	1.50	864.63	866.13	-	-		single hole, below splice	
339	U1389	E	57	R	7	0.52	0.52	866.13	866.65	-	-		single hole, below splice	
339	U1389	E	57	R	CC	0.20	0.20	866.65	866.85	-	-		single hole, below splice	
339	U1389	E	58	R	1	1.50	1.50	866.70	868.20	-	-		single hole, below splice	
339	U1389	E	58	R	2	1.50	1.50	868.20	869.70	-	-		single hole, below splice	
339	U1389	E	58	R	3	1.52	1.52	869.70	871.22	-	-		single hole, below splice	
339	U1389	E	58	R	4	1.50	1.50	871.22	872.72	-	-		single hole, below splice	
339	U1389	E	58	R	5	1.50	1.50	872.72	874.22	-	-		single hole, below splice	
339	U1389	E	58	R	6	1.11	1.11	874.22	875.33	-	-		single hole, below splice	
339	U1389	E	58	R	7	0.54	0.54	875.33	875.87	-	-		single hole, below splice	
339	U1389	E	60	R	1	0.34	0.34	885.90	886.24	-	-		single hole, below splice	
339	U1389	E	61	R	1	0.37	0.37	895.50	895.87	-	-		single hole, below splice	
339	U1389	E	62	R	1	0.30	0.30	905.10	905.40	-	-		single hole, below splice	
339	U1389	E	63	R	1	0.35	0.35	914.80	915.15	-	-		single hole, below splice	
339	U1389	E	63	R	2	1.50	1.50	915.15	916.65	-	-		single hole, below splice	
339	U1389	E	63	R	3	1.50	1.50	916.65	918.15	-	-		single hole, below splice	
339	U1389	E	63	R	4	1.50	1.50	918.15	919.65	-	-		single hole, below splice	

U1389 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1389	E	63	R	5	0.77	0.77	919.65	920.42	-	-		single hole, below splice	
339	U1389	E	64	R	1	1.50	1.50	924.50	926.00	-	-		single hole, below splice	
339	U1389	E	64	R	2	1.50	1.50	926.00	927.50	-	-		single hole, below splice	
339	U1389	E	64	R	3	1.50	1.50	927.50	929.00	-	-		single hole, below splice	
339	U1389	E	64	R	4	1.50	1.50	929.00	930.50	-	-		single hole, below splice	
339	U1389	E	64	R	5	1.09	1.09	930.50	931.59	-	-		single hole, below splice	
339	U1389	E	64	R	6	0.54	0.54	931.59	932.13	-	-		single hole, below splice	
339	U1389	E	65	R	1	1.50	1.50	934.00	935.50	-	-		single hole, below splice	
339	U1389	E	65	R	2	1.50	1.50	935.50	937.00	-	-		single hole, below splice	
339	U1389	E	65	R	3	1.50	1.50	937.00	938.50	-	-		single hole, below splice	
339	U1389	E	65	R	4	1.50	1.50	938.50	940.00	-	-		single hole, below splice	
339	U1389	E	65	R	5	1.50	1.50	940.00	941.50	-	-		single hole, below splice	
339	U1389	E	65	R	6	1.50	1.50	941.50	943.00	-	-		single hole, below splice	
339	U1389	E	65	R	7	0.73	0.73	943.00	943.73	-	-		single hole, below splice	
339	U1389	E	66	R	1	0.96	0.96	943.50	944.46	-	-		single hole, below splice	
339	U1389	E	67	R	1	1.50	1.50	953.20	954.70	-	-		single hole, below splice	
339	U1389	E	67	R	2	0.36	0.36	954.70	955.06	-	-		single hole, below splice	
339	U1389	E	67	R	3	0.73	0.73	955.06	955.79	-	-		single hole, below splice	
339	U1389	E	68	R	1	0.15	0.15	962.80	962.95	-	-		single hole, below splice	
339	U1389	E	68	R	CC	0.05	0.05	962.95	963.00	-	-		single hole, below splice	
339	U1389	E	69	R	1	0.35	0.35	972.40	972.75	-	-		single hole, below splice	
339	U1389	E	69	R	CC	0.02	0.02	972.75	972.77	-	-		single hole, below splice	
339	U1389	E	70	R	1	0.83	0.83	981.90	982.73	-	-		single hole, below splice	