

U1400 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
340	U1400	A	1	H	1	1.44	1.44	0.00	1.44	multiple holes, slight overlap	
340	U1400	A	1	H	2	0.48	0.48	1.44	1.92	multiple holes, slight overlap	
340	U1400	A	1	H	3	1.54	1.54	1.92	3.46	multiple holes, slight overlap	
340	U1400	A	1	H	CC	0.13	0.13	3.46	3.59	multiple holes, slight overlap	
340	U1400	A	2	H	1	1.28	1.28	3.50	4.78	multiple holes, slight overlap	
340	U1400	A	2	H	2	1.27	1.27	4.78	6.05	multiple holes, slight overlap	
340	U1400	A	2	H	3	0.86	0.86	6.05	6.91	multiple holes, slight overlap	
340	U1400	A	2	H	4	0.98	0.98	6.91	7.89	multiple holes, slight overlap	
340	U1400	A	2	H	5	1.32	1.32	7.89	9.21	multiple holes, slight overlap	
340	U1400	A	2	H	6	1.45	1.45	9.21	10.66	multiple holes, slight overlap	
340	U1400	A	2	H	CC	0.09	0.09	10.66	10.75	multiple holes, slight overlap	
340	U1400	A	3	H	1	1.29	1.29	10.70	11.99	multiple holes, slight overlap	
340	U1400	A	3	H	2	1.44	1.44	11.99	13.43	multiple holes, slight overlap	
340	U1400	A	3	H	3	1.21	1.21	13.43	14.64	multiple holes, slight overlap	
340	U1400	A	3	H	4	1.35	1.35	14.64	15.99	multiple holes, slight overlap	
340	U1400	C	2	H	1	1.50	1.50	15.00	16.50	multiple holes, slight overlap	
340	U1400	C	2	H	2	1.50	1.50	16.50	18.00	multiple holes, slight overlap	
340	U1400	C	2	H	3	0.93	0.93	18.00	18.93	multiple holes, slight overlap	
340	U1400	C	2	H	4	1.19	1.19	18.93	20.12	multiple holes, slight overlap	
340	U1400	C	2	H	5	1.50	1.50	20.12	21.62	multiple holes, slight overlap	
340	U1400	C	2	H	CC	0.07	0.07	21.62	21.69	multiple holes, slight overlap	
340	U1400	C	3	H	1	1.50	1.50	21.60	23.10	multiple holes, slight overlap	
340	U1400	C	3	H	2	1.50	1.50	23.10	24.60	multiple holes, slight overlap	
340	U1400	C	3	H	3	1.51	1.51	24.60	26.11	multiple holes, slight overlap	
340	U1400	C	3	H	4	1.50	1.50	26.11	27.61	multiple holes, slight overlap	
340	U1400	C	3	H	5	0.58	0.58	27.61	28.19	multiple holes, slight overlap	
340	U1400	C	3	H	6	1.04	1.04	28.19	29.23	multiple holes, slight overlap	
340	U1400	C	3	H	CC	0.16	0.16	29.23	29.39	multiple holes, slight overlap	
340	U1400	C	4	H	1	1.50	1.50	29.30	30.80	multiple holes, slight overlap	
340	U1400	C	4	H	2	1.50	1.50	30.80	32.30	multiple holes, slight overlap	
340	U1400	C	4	H	3	1.47	1.47	32.30	33.77	multiple holes, slight overlap	
340	U1400	C	4	H	4	1.46	1.46	33.77	35.23	multiple holes, slight overlap	
340	U1400	C	4	H	5	1.48	1.48	35.23	36.71	multiple holes, slight overlap	
340	U1400	C	4	H	6	1.46	1.46	36.71	38.17	multiple holes, slight overlap	
340	U1400	C	4	H	7	0.57	0.57	38.17	38.74	multiple holes, slight overlap	
340	U1400	C	4	H	CC	0.33	0.33	38.74	39.07	multiple holes, slight overlap	
340	U1400	C	5	H	1	1.45	1.45	38.80	40.25	multiple holes, slight overlap	
340	U1400	C	5	H	2	1.47	1.47	40.25	41.72	multiple holes, slight overlap	
340	U1400	C	5	H	3	1.47	1.47	41.72	43.19	multiple holes, slight overlap	
340	U1400	C	5	H	4	1.47	1.47	43.19	44.66	multiple holes, slight overlap	
340	U1400	C	5	H	5	1.49	1.49	44.66	46.15	multiple holes, slight overlap	
340	U1400	C	5	H	6	1.02	1.02	46.15	47.17	multiple holes, slight overlap	
340	U1400	C	5	H	7	0.64	0.64	47.17	47.81	multiple holes, slight overlap	
340	U1400	C	6	H	1	1.50	1.50	48.30	49.80	multiple holes, slight overlap	
340	U1400	C	6	H	2	1.47	1.47	49.80	51.27	multiple holes, slight overlap	
340	U1400	C	6	H	3	1.47	1.47	51.27	52.74	multiple holes, slight overlap	
340	U1400	C	6	H	4	1.47	1.47	52.74	54.21	multiple holes, slight overlap	
340	U1400	C	6	H	5	1.46	1.46	54.21	55.67	multiple holes, slight overlap	
340	U1400	C	6	H	6	1.46	1.46	55.67	57.13	multiple holes, slight overlap	
340	U1400	C	6	H	7	0.86	0.86	57.13	57.99	multiple holes, slight overlap	
340	U1400	C	6	H	CC	0.23	0.23	57.99	58.22	multiple holes, slight overlap	
340	U1400	C	7	H	1	1.50	1.50	57.80	59.30	multiple holes, slight overlap	
340	U1400	C	7	H	2	1.50	1.50	59.30	60.80	multiple holes, slight overlap	
340	U1400	C	7	H	3	1.47	1.47	60.80	62.27	multiple holes, slight overlap	
340	U1400	C	7	H	4	1.48	1.48	62.27	63.75	multiple holes, slight overlap	
340	U1400	C	7	H	5	1.47	1.47	63.75	65.22	multiple holes, slight overlap	
340	U1400	C	7	H	6	1.17	1.17	65.22	66.39	multiple holes, slight overlap	

U1400 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
340	U1400	C	7	H	CC	0.24	0.24	66.39	66.63	multiple holes, slight overlap	
340	U1400	C	8	H	1	1.41	1.41	66.60	68.01	multiple holes, slight overlap	
340	U1400	C	8	H	2	1.50	1.50	68.01	69.51	multiple holes, slight overlap	
340	U1400	C	8	H	3	1.52	1.52	69.51	71.03	multiple holes, slight overlap	
340	U1400	C	8	H	4	1.51	1.51	71.03	72.54	multiple holes, slight overlap	
340	U1400	C	8	H	5	1.51	1.51	72.54	74.05	multiple holes, slight overlap	
340	U1400	C	8	H	6	1.51	1.51	74.05	75.56	multiple holes, slight overlap	
340	U1400	C	8	H	7	0.70	0.70	75.56	76.26	multiple holes, slight overlap	
340	U1400	C	8	H	CC	0.40	0.40	76.26	76.66	multiple holes, slight overlap	
340	U1400	C	9	H	1	1.50	1.50	76.10	77.60	multiple holes, slight overlap	
340	U1400	C	9	H	2	1.04	1.04	77.60	78.64	multiple holes, slight overlap	
340	U1400	C	9	H	CC	0.09	0.09	78.64	78.73	multiple holes, slight overlap	
340	U1400	C	10	H	1	1.50	1.50	78.70	80.20	multiple holes, slight overlap	
340	U1400	C	10	H	2	1.50	1.50	80.20	81.70	multiple holes, slight overlap	
340	U1400	C	10	H	3	1.50	1.50	81.70	83.20	multiple holes, slight overlap	
340	U1400	C	10	H	4	1.43	1.43	83.20	84.63	multiple holes, slight overlap	
340	U1400	C	10	H	CC	0.26	0.26	84.63	84.89	multiple holes, slight overlap	
340	U1400	C	11	H	1	1.50	1.50	84.80	86.30	multiple holes, slight overlap	
340	U1400	C	11	H	2	1.50	1.50	86.30	87.80	multiple holes, slight overlap	
340	U1400	C	11	H	3	1.50	1.50	87.80	89.30	multiple holes, slight overlap	
340	U1400	C	11	H	4	1.42	1.42	89.30	90.72	multiple holes, slight overlap	
340	U1400	C	11	H	5	1.17	1.17	90.72	91.89	multiple holes, slight overlap	
340	U1400	C	11	H	6	1.14	1.14	91.89	93.03	multiple holes, slight overlap	
340	U1400	C	11	H	7	0.81	0.81	93.03	93.84	multiple holes, slight overlap	
340	U1400	C	12	H	1	1.50	1.50	93.80	95.30	multiple holes, slight overlap	
340	U1400	C	12	H	2	1.50	1.50	95.30	96.80	multiple holes, slight overlap	
340	U1400	C	12	H	3	1.50	1.50	96.80	98.30	multiple holes, slight overlap	
340	U1400	C	12	H	4	1.21	1.21	98.30	99.51	multiple holes, slight overlap	
340	U1400	C	12	H	5	1.50	1.50	99.51	101.01	multiple holes, slight overlap	
340	U1400	C	12	H	6	1.50	1.50	101.01	102.51	multiple holes, slight overlap	
340	U1400	C	12	H	7	0.63	0.63	102.51	103.14	multiple holes, slight overlap	
340	U1400	C	12	H	CC	0.42	0.42	103.14	103.56	multiple holes, slight overlap	
340	U1400	C	13	H	1	1.50	1.50	103.30	104.80	multiple holes, slight overlap	
340	U1400	C	13	H	2	1.52	1.52	104.80	106.32	multiple holes, slight overlap	
340	U1400	C	13	H	3	1.51	1.51	106.32	107.83	multiple holes, slight overlap	
340	U1400	C	13	H	4	1.50	1.50	107.83	109.33	multiple holes, slight overlap	
340	U1400	C	13	H	5	1.50	1.50	109.33	110.83	multiple holes, slight overlap	
340	U1400	C	13	H	6	0.48	0.48	110.83	111.31	multiple holes, slight overlap	
340	U1400	C	13	H	CC	0.23	0.23	111.31	111.54	multiple holes, slight overlap	
340	U1400	C	14	H	1	1.50	1.50	111.50	113.00	multiple holes, slight overlap	
340	U1400	C	14	H	2	1.07	1.07	113.00	114.07	multiple holes, slight overlap	
340	U1400	C	14	H	3	0.94	0.94	114.07	115.01	multiple holes, slight overlap	
340	U1400	C	14	H	CC	0.12	0.12	115.01	115.13	multiple holes, slight overlap	
340	U1400	C	15	H	1	1.51	1.51	115.10	116.61	multiple holes, slight overlap	
340	U1400	C	15	H	2	1.48	1.48	116.61	118.09	multiple holes, slight overlap	
340	U1400	C	15	H	3	1.48	1.48	118.09	119.57	multiple holes, slight overlap	
340	U1400	C	15	H	4	1.46	1.46	119.57	121.03	multiple holes, slight overlap	
340	U1400	C	15	H	5	1.46	1.46	121.03	122.49	multiple holes, slight overlap	
340	U1400	C	15	H	6	1.46	1.46	122.49	123.95	multiple holes, slight overlap	
340	U1400	C	15	H	7	0.68	0.68	123.95	124.63	multiple holes, slight overlap	
340	U1400	C	15	H	CC	0.31	0.31	124.63	124.94	multiple holes, slight overlap	
340	U1400	C	16	H	1	1.50	1.50	124.60	126.10	multiple holes, slight overlap	
340	U1400	C	16	H	2	1.50	1.50	126.10	127.60	multiple holes, slight overlap	
340	U1400	C	16	H	3	1.48	1.48	127.60	129.08	multiple holes, slight overlap	
340	U1400	C	16	H	4	1.47	1.47	129.08	130.55	multiple holes, slight overlap	
340	U1400	C	16	H	5	1.46	1.46	130.55	132.01	multiple holes, slight overlap	
340	U1400	C	16	H	6	1.47	1.47	132.01	133.48	multiple holes, slight overlap	

U1400 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
340	U1400	C	16	H	7	0.69	0.69	133.48	134.17	multiple holes, slight overlap	
340	U1400	C	16	H	CC	0.24	0.24	134.17	134.41	multiple holes, slight overlap	
340	U1400	C	17	H	1	1.50	1.50	134.10	135.60	multiple holes, slight overlap	
340	U1400	C	17	H	2	1.50	1.50	135.60	137.10	multiple holes, slight overlap	
340	U1400	C	17	H	3	1.48	1.48	137.10	138.58	multiple holes, slight overlap	
340	U1400	C	17	H	4	1.47	1.47	138.58	140.05	multiple holes, slight overlap	
340	U1400	C	17	H	5	1.46	1.46	140.05	141.51	multiple holes, slight overlap	
340	U1400	C	17	H	6	1.47	1.47	141.51	142.98	multiple holes, slight overlap	
340	U1400	C	17	H	7	0.83	0.83	142.98	143.81	multiple holes, slight overlap	
340	U1400	C	17	H	CC	0.30	0.30	143.81	144.11	multiple holes, slight overlap	
340	U1400	C	18	H	1	1.50	1.50	143.60	145.10	multiple holes, slight overlap	
340	U1400	C	18	H	2	1.50	1.50	145.10	146.60	multiple holes, slight overlap	
340	U1400	C	18	H	3	1.50	1.50	146.60	148.10	multiple holes, slight overlap	
340	U1400	C	18	H	4	1.50	1.50	148.10	149.60	multiple holes, slight overlap	
340	U1400	C	18	H	5	1.48	1.48	149.60	151.08	multiple holes, slight overlap	
340	U1400	C	18	H	6	1.53	1.53	151.08	152.61	multiple holes, slight overlap	
340	U1400	C	18	H	CC	0.29	0.29	152.61	152.90	multiple holes, slight overlap	
340	U1400	C	19	H	1	1.50	1.50	153.10	154.60	multiple holes, slight overlap	
340	U1400	C	19	H	2	1.50	1.50	154.60	156.10	multiple holes, slight overlap	
340	U1400	C	19	H	3	1.51	1.51	156.10	157.61	multiple holes, slight overlap	
340	U1400	C	19	H	4	1.50	1.50	157.61	159.11	multiple holes, slight overlap	
340	U1400	C	19	H	5	1.52	1.52	159.11	160.63	multiple holes, slight overlap	
340	U1400	C	19	H	6	1.51	1.51	160.63	162.14	multiple holes, slight overlap	
340	U1400	C	19	H	7	0.70	0.70	162.14	162.84	multiple holes, slight overlap	
340	U1400	C	19	H	CC	0.24	0.24	162.84	163.08	multiple holes, slight overlap	
340	U1400	C	20	H	1	1.46	1.46	162.60	164.06	multiple holes, slight overlap	
340	U1400	C	20	H	2	1.47	1.47	164.06	165.53	multiple holes, slight overlap	
340	U1400	C	20	H	3	1.46	1.46	165.53	166.99	multiple holes, slight overlap	
340	U1400	C	20	H	4	1.47	1.47	166.99	168.46	multiple holes, slight overlap	
340	U1400	C	20	H	5	1.48	1.48	168.46	169.94	multiple holes, slight overlap	
340	U1400	C	20	H	6	1.47	1.47	169.94	171.41	multiple holes, slight overlap	
340	U1400	C	20	H	7	0.93	0.93	171.41	172.34	multiple holes, slight overlap	
340	U1400	C	20	H	CC	0.26	0.26	172.34	172.60	multiple holes, slight overlap	
340	U1400	C	21	H	1	1.50	1.50	172.10	173.60	multiple holes, slight overlap	
340	U1400	C	21	H	2	1.50	1.50	173.60	175.10	multiple holes, slight overlap	
340	U1400	C	21	H	3	1.51	1.51	175.10	176.61	multiple holes, slight overlap	
340	U1400	C	21	H	4	1.50	1.50	176.61	178.11	multiple holes, slight overlap	
340	U1400	C	21	H	5	1.50	1.50	178.11	179.61	multiple holes, slight overlap	
340	U1400	C	21	H	6	1.50	1.50	179.61	181.11	multiple holes, slight overlap	
340	U1400	C	21	H	7	0.65	0.65	181.11	181.76	multiple holes, slight overlap	
340	U1400	C	21	H	CC	0.28	0.28	181.76	182.04	multiple holes, slight overlap	
340	U1400	C	22	H	1	1.50	1.50	181.60	183.10	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	2	1.45	1.45	183.10	184.55	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	3	1.44	1.44	184.55	185.99	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	4	1.45	1.45	185.99	187.44	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	5	1.46	1.46	187.44	188.90	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	6	0.94	0.94	188.90	189.84	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	7	0.87	0.87	189.84	190.71	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	22	H	CC	0.69	0.69	190.71	191.40	multiple holes, slight overlap	DISTURBED; CRUSHED LINER
340	U1400	C	23	X	1	0.85	0.85	191.10	191.95	multiple holes, slight overlap	
340	U1400	C	24	X	1	1.50	1.50	196.50	198.00	multiple holes, slight overlap	
340	U1400	C	24	X	2	1.20	1.20	198.00	199.20	multiple holes, slight overlap	
340	U1400	C	24	X	CC	0.35	0.35	199.20	199.55	multiple holes, slight overlap	
340	U1400	C	25	X	CC	0.37	0.37	206.10	206.47	multiple holes, slight overlap	
340	U1400	C	26	X	1	1.05	1.05	215.70	216.75	multiple holes, slight overlap	
340	U1400	C	26	X	CC	0.29	0.29	216.75	217.04	multiple holes, slight overlap	
340	U1400	C	27	X	1	1.50	1.50	225.30	226.80	multiple holes, slight overlap	

U1400 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
340	U1400	C	27	X	2	1.50	1.50	226.80	228.30	multiple holes, slight overlap	
340	U1400	C	27	X	3	1.50	1.50	228.30	229.80	multiple holes, slight overlap	
340	U1400	C	27	X	4	1.50	1.50	229.80	231.30	multiple holes, slight overlap	
340	U1400	C	27	X	5	1.50	1.50	231.30	232.80	multiple holes, slight overlap	
340	U1400	C	27	X	6	1.20	1.20	232.80	234.00	multiple holes, slight overlap	
340	U1400	C	27	X	7	0.76	0.76	234.00	234.76	multiple holes, slight overlap	
340	U1400	C	27	X	CC	0.28	0.28	234.76	235.04	multiple holes, slight overlap	
340	U1400	C	28	X	1	1.36	1.36	234.90	236.26	multiple holes, slight overlap	
340	U1400	C	28	X	CC	0.26	0.26	236.26	236.52	multiple holes, slight overlap	
340	U1400	C	29	X	1	1.50	1.50	244.50	246.00	multiple holes, slight overlap	
340	U1400	C	29	X	2	1.50	1.50	246.00	247.50	multiple holes, slight overlap	
340	U1400	C	29	X	3	1.50	1.50	247.50	249.00	multiple holes, slight overlap	
340	U1400	C	29	X	4	1.44	1.44	249.00	250.44	multiple holes, slight overlap	
340	U1400	C	29	X	CC	0.29	0.29	250.44	250.73	multiple holes, slight overlap	
340	U1400	C	30	X	1	1.50	1.50	254.10	255.60	multiple holes, slight overlap	
340	U1400	C	30	X	2	1.50	1.50	255.60	257.10	multiple holes, slight overlap	
340	U1400	C	30	X	3	1.26	1.26	257.10	258.36	multiple holes, slight overlap	
340	U1400	C	30	X	CC	0.35	0.35	258.36	258.71	multiple holes, slight overlap	
340	U1400	C	31	X	1	1.50	1.50	263.70	265.20	multiple holes, slight overlap	
340	U1400	C	31	X	2	1.50	1.50	265.20	266.70	multiple holes, slight overlap	
340	U1400	C	31	X	3	1.50	1.50	266.70	268.20	multiple holes, slight overlap	
340	U1400	C	31	X	4	1.50	1.50	268.20	269.70	multiple holes, slight overlap	
340	U1400	C	31	X	5	1.50	1.50	269.70	271.20	multiple holes, slight overlap	
340	U1400	C	31	X	6	1.30	1.30	271.20	272.50	multiple holes, slight overlap	
340	U1400	C	31	X	7	0.65	0.65	272.50	273.15	multiple holes, slight overlap	
340	U1400	C	31	X	CC	0.39	0.39	273.15	273.54	multiple holes, slight overlap	
340	U1400	C	32	X	1	1.50	1.50	273.30	274.80	multiple holes, slight overlap	
340	U1400	C	32	X	2	1.50	1.50	274.80	276.30	multiple holes, slight overlap	
340	U1400	C	32	X	3	1.50	1.50	276.30	277.80	multiple holes, slight overlap	
340	U1400	C	32	X	4	1.50	1.50	277.80	279.30	multiple holes, slight overlap	
340	U1400	C	32	X	5	1.50	1.50	279.30	280.80	multiple holes, slight overlap	
340	U1400	C	32	X	6	1.07	1.07	280.80	281.87	multiple holes, slight overlap	
340	U1400	C	32	X	CC	0.42	0.42	281.87	282.29	multiple holes, slight overlap	
340	U1400	C	33	X	1	1.50	1.50	282.90	284.40	multiple holes, slight overlap	
340	U1400	C	33	X	2	1.50	1.50	284.40	285.90	multiple holes, slight overlap	
340	U1400	C	33	X	3	0.79	0.79	285.90	286.69	multiple holes, slight overlap	
340	U1400	C	33	X	CC	0.38	0.38	286.69	287.07	multiple holes, slight overlap	
340	U1400	C	34	X	CC	0.45	0.45	289.50	289.95	multiple holes, slight overlap	
340	U1400	C	35	X	1	1.50	1.50	292.50	294.00	multiple holes, slight overlap	
340	U1400	C	35	X	2	1.50	1.50	294.00	295.50	multiple holes, slight overlap	
340	U1400	C	35	X	3	1.50	1.50	295.50	297.00	multiple holes, slight overlap	
340	U1400	C	35	X	4	1.50	1.50	297.00	298.50	multiple holes, slight overlap	
340	U1400	C	35	X	5	1.14	1.14	298.50	299.64	multiple holes, slight overlap	
340	U1400	C	35	X	CC	0.39	0.39	299.64	300.03	multiple holes, slight overlap	
340	U1400	C	36	X	1	1.50	1.50	302.10	303.60	multiple holes, slight overlap	
340	U1400	C	36	X	2	1.50	1.50	303.60	305.10	multiple holes, slight overlap	
340	U1400	C	36	X	3	1.50	1.50	305.10	306.60	multiple holes, slight overlap	
340	U1400	C	36	X	4	1.50	1.50	306.60	308.10	multiple holes, slight overlap	
340	U1400	C	36	X	5	1.53	1.53	308.10	309.63	multiple holes, slight overlap	
340	U1400	C	36	X	CC	0.38	0.38	309.63	310.01	multiple holes, slight overlap	
340	U1400	C	37	X	1	1.52	1.52	311.70	313.22	multiple holes, slight overlap	
340	U1400	C	37	X	2	0.50	0.50	313.22	313.72	multiple holes, slight overlap	
340	U1400	C	37	X	CC	0.49	0.49	313.72	314.21	multiple holes, slight overlap	
340	U1400	C	38	X	1	1.50	1.50	320.90	322.40	multiple holes, slight overlap	
340	U1400	C	38	X	2	1.50	1.50	322.40	323.90	multiple holes, slight overlap	
340	U1400	C	38	X	3	1.50	1.50	323.90	325.40	multiple holes, slight overlap	
340	U1400	C	38	X	4	1.50	1.50	325.40	326.90	multiple holes, slight overlap	

U1400 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
340	U1400	C	38	X	5	1.50	1.50	326.90	328.40	multiple holes, slight overlap	
340	U1400	C	38	X	6	1.31	1.31	328.40	329.71	multiple holes, slight overlap	
340	U1400	C	38	X	7	0.60	0.60	329.71	330.31	multiple holes, slight overlap	
340	U1400	C	38	X	CC	0.34	0.34	330.31	330.65	multiple holes, slight overlap	
340	U1400	C	39	X	1	1.50	1.50	330.50	332.00	multiple holes, slight overlap	
340	U1400	C	39	X	2	1.50	1.50	332.00	333.50	multiple holes, slight overlap	
340	U1400	C	39	X	3	1.50	1.50	333.50	335.00	multiple holes, slight overlap	
340	U1400	C	39	X	4	1.50	1.50	335.00	336.50	multiple holes, slight overlap	
340	U1400	C	39	X	5	1.31	1.31	336.50	337.81	multiple holes, slight overlap	
340	U1400	C	39	X	6	0.69	0.69	337.81	338.50	multiple holes, slight overlap	
340	U1400	C	39	X	CC	0.35	0.35	338.50	338.85	multiple holes, slight overlap	
340	U1400	C	40	X	1	1.50	1.50	340.10	341.60	multiple holes, slight overlap	
340	U1400	C	40	X	2	1.50	1.50	341.60	343.10	multiple holes, slight overlap	
340	U1400	C	40	X	3	1.41	1.41	343.10	344.51	multiple holes, slight overlap	
340	U1400	C	40	X	CC	0.35	0.35	344.51	344.86	multiple holes, slight overlap	
340	U1400	C	41	X	1	1.50	1.50	349.70	351.20	multiple holes, slight overlap	
340	U1400	C	41	X	2	1.50	1.50	351.20	352.70	multiple holes, slight overlap	
340	U1400	C	41	X	3	1.40	1.40	352.70	354.10	multiple holes, slight overlap	
340	U1400	C	41	X	CC	0.27	0.27	354.10	354.37	multiple holes, slight overlap	
340	U1400	C	42	X	1	1.50	1.50	359.30	360.80	multiple holes, slight overlap	
340	U1400	C	42	X	2	1.50	1.50	360.80	362.30	multiple holes, slight overlap	
340	U1400	C	42	X	3	1.31	1.31	362.30	363.61	multiple holes, slight overlap	
340	U1400	C	42	X	4	0.57	0.57	363.61	364.18	multiple holes, slight overlap	
340	U1400	C	42	X	CC	0.43	0.43	364.18	364.61	multiple holes, slight overlap	
340	U1400	C	43	X	1	1.21	1.21	368.90	370.11	multiple holes, slight overlap	
340	U1400	C	44	X	1	1.35	1.35	378.50	379.85	multiple holes, slight overlap	
340	U1400	C	44	X	2	1.14	1.14	379.85	380.99	multiple holes, slight overlap	
340	U1400	C	44	X	3	1.18	1.18	380.99	382.17	multiple holes, slight overlap	
340	U1400	C	44	X	CC	0.29	0.29	382.17	382.46	multiple holes, slight overlap	
340	U1400	C	45	X	1	1.50	1.50	388.10	389.60	multiple holes, slight overlap	
340	U1400	C	45	X	2	1.50	1.50	389.60	391.10	multiple holes, slight overlap	
340	U1400	C	45	X	3	1.45	1.45	391.10	392.55	multiple holes, slight overlap	
340	U1400	C	45	X	4	1.50	1.50	392.55	394.05	multiple holes, slight overlap	
340	U1400	C	45	X	5	1.50	1.50	394.05	395.55	multiple holes, slight overlap	
340	U1400	C	45	X	6	0.94	0.94	395.55	396.49	multiple holes, slight overlap	
340	U1400	C	45	X	CC	0.24	0.24	396.49	396.73	multiple holes, slight overlap	
340	U1400	C	46	X	1	1.50	1.50	397.60	399.10	multiple holes, slight overlap	
340	U1400	C	46	X	2	1.00	1.00	399.10	400.10	multiple holes, slight overlap	
340	U1400	C	46	X	CC	0.37	0.37	400.10	400.47	multiple holes, slight overlap	
340	U1400	C	47	X	1	1.30	1.30	407.20	408.50	multiple holes, slight overlap	
340	U1400	C	47	X	2	0.71	0.71	408.50	409.21	multiple holes, slight overlap	
340	U1400	C	47	X	CC	0.45	0.45	409.21	409.66	multiple holes, slight overlap	
340	U1400	C	48	X	1	0.53	0.53	416.80	417.33	multiple holes, slight overlap	
340	U1400	C	48	X	CC	0.36	0.36	417.33	417.69	multiple holes, slight overlap	
340	U1400	C	49	X	1	1.16	1.16	426.40	427.56	multiple holes, slight overlap	
340	U1400	C	49	X	2	0.63	0.63	427.56	428.19	multiple holes, slight overlap	
340	U1400	C	49	X	CC	0.28	0.28	428.19	428.47	multiple holes, slight overlap	