

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	1	H	1	0.61	0.61	0.00	0.61	Single Hole	
344	U1414	A	1	H	2	1.11	1.11	0.61	1.72	Single Hole	
344	U1414	A	1	H	CC	0.19	0.19	1.72	1.91	Single Hole	
344	U1414	A	2	H	1	1.41	1.41	1.90	3.31	Single Hole	
344	U1414	A	2	H	2	1.41	1.41	3.31	4.72	Single Hole	
344	U1414	A	2	H	3	1.41	1.41	4.72	6.13	Single Hole	
344	U1414	A	2	H	4	1.41	1.41	6.13	7.54	Single Hole	
344	U1414	A	2	H	5	1.41	1.41	7.54	8.95	Single Hole	
344	U1414	A	2	H	6	1.41	1.41	8.95	10.36	Single Hole	
344	U1414	A	2	H	7	1.24	1.24	10.36	11.60	Single Hole	
344	U1414	A	2	H	CC	0.25	0.25	11.60	11.85	Single Hole	
344	U1414	A	3	H	1	1.41	1.41	11.40	12.81	Single Hole	
344	U1414	A	3	H	2	1.41	1.41	12.81	14.22	Single Hole	
344	U1414	A	3	H	3	1.41	1.41	14.22	15.63	Single Hole	
344	U1414	A	3	H	4	1.41	1.41	15.63	17.04	Single Hole	
344	U1414	A	3	H	5	1.41	1.41	17.04	18.45	Single Hole	
344	U1414	A	3	H	6	1.41	1.41	18.45	19.86	Single Hole	
344	U1414	A	3	H	7	1.25	1.25	19.86	21.11	Single Hole	
344	U1414	A	3	H	CC	0.38	0.38	21.11	21.49	Single Hole	
344	U1414	A	4	H	1	1.41	1.41	20.90	22.31	Single Hole	
344	U1414	A	4	H	2	1.41	1.41	22.31	23.72	Single Hole	
344	U1414	A	4	H	3	1.42	1.42	23.72	25.14	Single Hole	
344	U1414	A	4	H	4	1.41	1.41	25.14	26.55	Single Hole	
344	U1414	A	4	H	5	1.42	1.42	26.55	27.97	Single Hole	
344	U1414	A	4	H	6	1.41	1.41	27.97	29.38	Single Hole	
344	U1414	A	4	H	7	1.19	1.19	29.38	30.57	Single Hole	
344	U1414	A	4	H	CC	0.22	0.22	30.57	30.79	Single Hole	
344	U1414	A	5	H	1	1.41	1.41	30.40	31.81	Single Hole	
344	U1414	A	5	H	2	1.41	1.41	31.81	33.22	Single Hole	
344	U1414	A	5	H	3	1.41	1.41	33.22	34.63	Single Hole	
344	U1414	A	5	H	4	1.41	1.41	34.63	36.04	Single Hole	
344	U1414	A	5	H	5	1.41	1.41	36.04	37.45	Single Hole	
344	U1414	A	5	H	6	1.41	1.41	37.45	38.86	Single Hole	
344	U1414	A	5	H	7	1.12	1.12	38.86	39.98	Single Hole	
344	U1414	A	5	H	CC	0.32	0.32	39.98	40.30	Single Hole	
344	U1414	A	6	H	1	1.45	1.45	39.90	41.35	Single Hole	
344	U1414	A	6	H	2	1.45	1.45	41.35	42.80	Single Hole	
344	U1414	A	6	H	3	1.45	1.45	42.80	44.25	Single Hole	
344	U1414	A	6	H	4	1.46	1.46	44.25	45.71	Single Hole	
344	U1414	A	6	H	5	1.46	1.46	45.71	47.17	Single Hole	
344	U1414	A	6	H	6	1.46	1.46	47.17	48.63	Single Hole	
344	U1414	A	6	H	7	0.78	0.78	48.63	49.41	Single Hole	
344	U1414	A	6	H	CC	0.12	0.12	49.41	49.53	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	7	H	1	1.50	1.50	49.40	50.90	Single Hole	
344	U1414	A	7	H	2	1.50	1.50	50.90	52.40	Single Hole	
344	U1414	A	7	H	3	1.50	1.50	52.40	53.90	Single Hole	
344	U1414	A	7	H	4	1.50	1.50	53.90	55.40	Single Hole	
344	U1414	A	7	H	5	1.50	1.50	55.40	56.90	Single Hole	
344	U1414	A	7	H	6	1.50	1.50	56.90	58.40	Single Hole	
344	U1414	A	7	H	7	0.58	0.58	58.40	58.98	Single Hole	
344	U1414	A	7	H	CC	0.34	0.34	58.98	59.32	Single Hole	
344	U1414	A	8	H	1	1.50	1.50	58.90	60.40	Single Hole	
344	U1414	A	8	H	2	1.50	1.50	60.40	61.90	Single Hole	
344	U1414	A	8	H	3	1.50	1.50	61.90	63.40	Single Hole	
344	U1414	A	8	H	4	1.13	1.13	63.40	64.53	Single Hole	
344	U1414	A	8	H	5	1.50	1.50	64.53	66.03	Single Hole	
344	U1414	A	8	H	6	1.50	1.50	66.03	67.53	Single Hole	
344	U1414	A	8	H	7	0.96	0.96	67.53	68.49	Single Hole	
344	U1414	A	8	H	CC	0.24	0.24	68.49	68.73	Single Hole	
344	U1414	A	9	H	1	1.50	1.50	68.40	69.90	Single Hole	
344	U1414	A	9	H	2	1.50	1.50	69.90	71.40	Single Hole	
344	U1414	A	9	H	3	1.50	1.50	71.40	72.90	Single Hole	
344	U1414	A	9	H	4	1.50	1.50	72.90	74.40	Single Hole	
344	U1414	A	9	H	5	1.50	1.50	74.40	75.90	Single Hole	
344	U1414	A	9	H	6	1.50	1.50	75.90	77.40	Single Hole	
344	U1414	A	9	H	7	0.60	0.60	77.40	78.00	Single Hole	
344	U1414	A	9	H	CC	0.30	0.30	78.00	78.30	Single Hole	
344	U1414	A	10	H	1	1.50	1.50	77.90	79.40	Single Hole	
344	U1414	A	10	H	2	1.50	1.50	79.40	80.90	Single Hole	
344	U1414	A	10	H	3	1.50	1.50	80.90	82.40	Single Hole	
344	U1414	A	10	H	4	1.50	1.50	82.40	83.90	Single Hole	
344	U1414	A	10	H	5	1.50	1.50	83.90	85.40	Single Hole	
344	U1414	A	10	H	6	1.50	1.50	85.40	86.90	Single Hole	
344	U1414	A	10	H	7	0.59	0.59	86.90	87.49	Single Hole	
344	U1414	A	10	H	CC	0.27	0.27	87.49	87.76	Single Hole	
344	U1414	A	11	H	1	1.50	1.50	87.40	88.90	Single Hole	
344	U1414	A	11	H	2	1.50	1.50	88.90	90.40	Single Hole	
344	U1414	A	11	H	3	1.50	1.50	90.40	91.90	Single Hole	
344	U1414	A	11	H	4	1.50	1.50	91.90	93.40	Single Hole	
344	U1414	A	11	H	5	1.50	1.50	93.40	94.90	Single Hole	
344	U1414	A	11	H	6	1.42	1.42	94.90	96.32	Single Hole	
344	U1414	A	11	H	7	0.61	0.61	96.32	96.93	Single Hole	
344	U1414	A	11	H	CC	0.22	0.22	96.93	97.15	Single Hole	
344	U1414	A	12	H	1	1.50	1.50	96.90	98.40	Single Hole	
344	U1414	A	12	H	2	1.50	1.50	98.40	99.90	Single Hole	
344	U1414	A	12	H	3	1.50	1.50	99.90	101.40	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	12	H	4	1.50	1.50	101.40	102.90	Single Hole	
344	U1414	A	12	H	5	1.50	1.50	102.90	104.40	Single Hole	
344	U1414	A	12	H	6	1.50	1.50	104.40	105.90	Single Hole	
344	U1414	A	12	H	7	0.64	0.64	105.90	106.54	Single Hole	
344	U1414	A	12	H	CC	0.25	0.25	106.54	106.79	Single Hole	
344	U1414	A	13	H	1	1.50	1.50	106.40	107.90	Single Hole	
344	U1414	A	13	H	2	1.50	1.50	107.90	109.40	Single Hole	
344	U1414	A	13	H	3	1.50	1.50	109.40	110.90	Single Hole	
344	U1414	A	13	H	4	1.50	1.50	110.90	112.40	Single Hole	
344	U1414	A	13	H	5	1.50	1.50	112.40	113.90	Single Hole	
344	U1414	A	13	H	6	1.50	1.50	113.90	115.40	Single Hole	
344	U1414	A	13	H	7	0.60	0.60	115.40	116.00	Single Hole	
344	U1414	A	14	H	1	1.50	1.50	115.90	117.40	Single Hole	
344	U1414	A	14	H	2	1.50	1.50	117.40	118.90	Single Hole	
344	U1414	A	14	H	3	1.50	1.50	118.90	120.40	Single Hole	
344	U1414	A	14	H	4	1.50	1.50	120.40	121.90	Single Hole	
344	U1414	A	14	H	5	1.50	1.50	121.90	123.40	Single Hole	
344	U1414	A	14	H	6	1.50	1.50	123.40	124.90	Single Hole	
344	U1414	A	14	H	7	0.63	0.63	124.90	125.53	Single Hole	
344	U1414	A	14	H	CC	0.27	0.27	125.53	125.80	Single Hole	
344	U1414	A	15	H	1	1.50	1.50	125.40	126.90	Single Hole	
344	U1414	A	15	H	2	1.50	1.50	126.90	128.40	Single Hole	
344	U1414	A	15	H	3	1.50	1.50	128.40	129.90	Single Hole	
344	U1414	A	15	H	4	1.50	1.50	129.90	131.40	Single Hole	
344	U1414	A	15	H	5	1.50	1.50	131.40	132.90	Single Hole	
344	U1414	A	15	H	6	1.50	1.50	132.90	134.40	Single Hole	
344	U1414	A	15	H	7	0.50	0.50	134.40	134.90	Single Hole	
344	U1414	A	15	H	CC	0.25	0.25	134.90	135.15	Single Hole	
344	U1414	A	16	H	1	1.50	1.50	134.90	136.40	Single Hole	
344	U1414	A	16	H	2	1.20	1.20	136.40	137.60	Single Hole	
344	U1414	A	16	H	3	1.50	1.50	137.60	139.10	Single Hole	
344	U1414	A	16	H	4	1.50	1.50	139.10	140.60	Single Hole	
344	U1414	A	16	H	5	1.50	1.50	140.60	142.10	Single Hole	
344	U1414	A	16	H	6	1.50	1.50	142.10	143.60	Single Hole	
344	U1414	A	16	H	7	0.79	0.79	143.60	144.39	Single Hole	
344	U1414	A	16	H	CC	0.25	0.25	144.39	144.64	Single Hole	
344	U1414	A	17	H	1	1.50	1.50	144.40	145.90	Single Hole	
344	U1414	A	17	H	2	1.50	1.50	145.90	147.40	Single Hole	
344	U1414	A	17	H	3	1.50	1.50	147.40	148.90	Single Hole	
344	U1414	A	17	H	4	1.50	1.50	148.90	150.40	Single Hole	
344	U1414	A	17	H	5	1.50	1.50	150.40	151.90	Single Hole	
344	U1414	A	17	H	6	1.50	1.50	151.90	153.40	Single Hole	
344	U1414	A	17	H	7	0.55	0.55	153.40	153.95	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	18	H	1	0.64	0.64	153.90	154.54	Single Hole	liner split
344	U1414	A	18	H	2	0.49	0.49	154.54	155.03	Single Hole	liner split
344	U1414	A	18	H	3	1.50	1.50	155.03	156.53	Single Hole	liner split
344	U1414	A	18	H	4	1.50	1.50	156.53	158.03	Single Hole	
344	U1414	A	18	H	5	1.50	1.50	158.03	159.53	Single Hole	
344	U1414	A	18	H	6	1.50	1.50	159.53	161.03	Single Hole	
344	U1414	A	18	H	7	0.53	0.53	161.03	161.56	Single Hole	no liner
344	U1414	A	18	H	CC	0.57	0.57	161.56	162.13	Single Hole	
344	U1414	A	19	H	1	1.41	1.41	162.10	163.51	Single Hole	
344	U1414	A	19	H	2	1.41	1.41	163.51	164.92	Single Hole	
344	U1414	A	19	H	3	1.50	1.50	164.92	166.42	Single Hole	
344	U1414	A	19	H	4	1.41	1.41	166.42	167.83	Single Hole	
344	U1414	A	19	H	5	1.41	1.41	167.83	169.24	Single Hole	
344	U1414	A	19	H	6	1.50	1.50	169.24	170.74	Single Hole	
344	U1414	A	19	H	7	0.94	0.94	170.74	171.68	Single Hole	
344	U1414	A	20	H	1	1.50	1.50	171.60	173.10	Single Hole	
344	U1414	A	20	H	2	1.50	1.50	173.10	174.60	Single Hole	
344	U1414	A	20	H	3	1.50	1.50	174.60	176.10	Single Hole	
344	U1414	A	20	H	4	1.50	1.50	176.10	177.60	Single Hole	
344	U1414	A	20	H	5	1.52	1.52	177.60	179.12	Single Hole	
344	U1414	A	20	H	6	1.31	1.31	179.12	180.43	Single Hole	
344	U1414	A	20	H	7	0.62	0.62	180.43	181.05	Single Hole	
344	U1414	A	21	H	1	1.50	1.50	181.10	182.60	Single Hole	
344	U1414	A	21	H	2	1.50	1.50	182.60	184.10	Single Hole	
344	U1414	A	21	H	3	1.50	1.50	184.10	185.60	Single Hole	
344	U1414	A	21	H	4	1.50	1.50	185.60	187.10	Single Hole	
344	U1414	A	21	H	5	1.50	1.50	187.10	188.60	Single Hole	
344	U1414	A	21	H	6	1.30	1.30	188.60	189.90	Single Hole	
344	U1414	A	21	H	7	0.65	1.50	189.90	191.40	Single Hole	
344	U1414	A	22	H	1	1.50	1.50	190.60	192.10	Single Hole	
344	U1414	A	22	H	2	1.50	1.50	192.10	193.60	Single Hole	
344	U1414	A	22	H	3	1.50	1.50	193.60	195.10	Single Hole	
344	U1414	A	22	H	4	1.50	1.50	195.10	196.60	Single Hole	
344	U1414	A	22	H	5	1.50	1.50	196.60	198.10	Single Hole	
344	U1414	A	22	H	6	0.85	0.85	198.10	198.95	Single Hole	
344	U1414	A	22	H	7	0.49	0.49	198.95	199.44	Single Hole	
344	U1414	A	22	H	CC	0.30	0.30	199.44	199.74	Single Hole	
344	U1414	A	23	X	1	1.50	1.50	200.10	201.60	Single Hole	
344	U1414	A	23	X	2	1.50	1.50	201.60	203.10	Single Hole	
344	U1414	A	23	X	3	1.50	1.50	203.10	204.60	Single Hole	
344	U1414	A	23	X	4	1.50	1.50	204.60	206.10	Single Hole	
344	U1414	A	23	X	5	1.50	1.50	206.10	207.60	Single Hole	
344	U1414	A	23	X	6	1.01	1.01	207.60	208.61	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	23	X	7	0.74	0.74	208.61	209.35	Single Hole	
344	U1414	A	23	X	CC	0.23	0.23	209.35	209.58	Single Hole	
344	U1414	A	24	X	1	1.50	1.50	209.70	211.20	Single Hole	
344	U1414	A	24	X	2	1.50	1.50	211.20	212.70	Single Hole	
344	U1414	A	24	X	3	1.11	1.11	212.70	213.81	Single Hole	
344	U1414	A	24	X	4	1.14	1.14	213.81	214.95	Single Hole	
344	U1414	A	24	X	5	1.50	1.50	214.95	216.45	Single Hole	
344	U1414	A	24	X	6	1.50	1.50	216.45	217.95	Single Hole	
344	U1414	A	24	X	7	1.21	1.21	217.95	219.16	Single Hole	
344	U1414	A	24	X	CC	0.33	0.33	219.16	219.49	Single Hole	
344	U1414	A	25	X	1	1.50	1.50	219.30	220.80	Single Hole	
344	U1414	A	25	X	2	1.32	1.32	220.80	222.12	Single Hole	
344	U1414	A	25	X	3	1.50	1.50	222.12	223.62	Single Hole	
344	U1414	A	25	X	4	1.50	1.50	223.62	225.12	Single Hole	
344	U1414	A	25	X	5	1.50	1.50	225.12	226.62	Single Hole	
344	U1414	A	25	X	6	1.01	1.01	226.62	227.63	Single Hole	
344	U1414	A	25	X	7	1.11	1.11	227.63	228.74	Single Hole	
344	U1414	A	25	X	CC	0.27	0.27	228.74	229.01	Single Hole	
344	U1414	A	26	X	1	1.50	1.50	228.90	230.40	Single Hole	
344	U1414	A	26	X	2	1.50	1.50	230.40	231.90	Single Hole	
344	U1414	A	26	X	3	1.50	1.50	231.90	233.40	Single Hole	
344	U1414	A	26	X	4	1.50	1.50	233.40	234.90	Single Hole	
344	U1414	A	26	X	5	1.50	1.50	234.90	236.40	Single Hole	
344	U1414	A	26	X	6	1.32	1.32	236.40	237.72	Single Hole	
344	U1414	A	26	X	7	0.64	0.64	237.72	238.36	Single Hole	
344	U1414	A	26	X	CC	0.21	0.21	238.36	238.57	Single Hole	
344	U1414	A	27	X	1	1.50	1.50	238.50	240.00	Single Hole	
344	U1414	A	27	X	2	1.50	1.50	240.00	241.50	Single Hole	
344	U1414	A	27	X	3	1.50	1.50	241.50	243.00	Single Hole	
344	U1414	A	27	X	4	1.50	1.50	243.00	244.50	Single Hole	
344	U1414	A	27	X	5	1.50	1.50	244.50	246.00	Single Hole	
344	U1414	A	27	X	6	1.22	1.22	246.00	247.22	Single Hole	
344	U1414	A	27	X	7	0.75	0.75	247.22	247.97	Single Hole	
344	U1414	A	27	X	CC	0.30	0.30	247.97	248.27	Single Hole	
344	U1414	A	28	X	1	1.50	1.50	248.10	249.60	Single Hole	
344	U1414	A	28	X	2	1.50	1.50	249.60	251.10	Single Hole	
344	U1414	A	28	X	3	1.01	1.01	251.10	252.11	Single Hole	
344	U1414	A	28	X	4	0.97	0.97	252.11	253.08	Single Hole	
344	U1414	A	28	X	5	1.50	1.50	253.08	254.58	Single Hole	
344	U1414	A	28	X	6	1.50	1.50	254.58	256.08	Single Hole	
344	U1414	A	28	X	7	1.17	1.17	256.08	257.25	Single Hole	
344	U1414	A	28	X	CC	0.20	0.20	257.25	257.45	Single Hole	
344	U1414	A	29	X	1	1.50	1.50	257.80	259.30	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	29	X	2	1.02	1.02	259.30	260.32	Single Hole	
344	U1414	A	29	X	3	1.50	1.50	260.32	261.82	Single Hole	
344	U1414	A	29	X	4	1.50	1.50	261.82	263.32	Single Hole	
344	U1414	A	29	X	5	1.50	1.50	263.32	264.82	Single Hole	
344	U1414	A	29	X	6	1.50	1.50	264.82	266.32	Single Hole	
344	U1414	A	29	X	7	0.87	0.87	266.32	267.19	Single Hole	
344	U1414	A	29	X	CC	0.27	0.27	267.19	267.46	Single Hole	
344	U1414	A	30	X	1	0.96	0.96	267.50	268.46	Single Hole	
344	U1414	A	30	X	2	1.09	1.09	268.46	269.55	Single Hole	
344	U1414	A	30	X	3	0.74	0.74	269.55	270.29	Single Hole	
344	U1414	A	30	X	4	0.95	0.95	270.29	271.24	Single Hole	
344	U1414	A	30	X	5	1.50	1.50	271.24	272.74	Single Hole	
344	U1414	A	30	X	6	1.50	1.50	272.74	274.24	Single Hole	
344	U1414	A	30	X	7	1.50	1.50	274.24	275.74	Single Hole	
344	U1414	A	30	X	8	1.17	1.17	275.74	276.91	Single Hole	
344	U1414	A	30	X	CC	0.26	0.26	276.91	277.17	Single Hole	
344	U1414	A	31	X	1	1.02	1.02	277.20	278.22	Single Hole	
344	U1414	A	31	X	2	1.00	1.00	278.22	279.22	Single Hole	
344	U1414	A	31	X	3	1.50	1.50	279.22	280.72	Single Hole	
344	U1414	A	31	X	4	1.50	1.50	280.72	282.22	Single Hole	
344	U1414	A	31	X	5	1.50	1.50	282.22	283.72	Single Hole	
344	U1414	A	31	X	6	1.50	1.50	283.72	285.22	Single Hole	
344	U1414	A	31	X	7	1.37	1.37	285.22	286.59	Single Hole	
344	U1414	A	31	X	CC	0.23	0.23	286.59	286.82	Single Hole	
344	U1414	A	32	X	1	0.86	0.86	286.90	287.76	Single Hole	
344	U1414	A	32	X	2	1.21	1.21	287.76	288.97	Single Hole	
344	U1414	A	32	X	3	1.01	1.01	288.97	289.98	Single Hole	
344	U1414	A	32	X	4	0.74	0.74	289.98	290.72	Single Hole	
344	U1414	A	32	X	CC	0.25	0.25	290.72	290.97	Single Hole	
344	U1414	A	33	X	1	0.36	0.36	296.60	296.96	Single Hole	
344	U1414	A	33	X	CC	0.27	0.27	296.96	297.23	Single Hole	
344	U1414	A	34	X	1	0.87	0.87	302.10	302.97	Single Hole	
344	U1414	A	34	X	CC	0.14	0.14	302.97	303.11	Single Hole	
344	U1414	A	35	X	1	1.38	1.38	307.70	309.08	Single Hole	
344	U1414	A	35	X	CC	0.29	0.29	309.08	309.37	Single Hole	
344	U1414	A	36	R	1	1.31	1.31	311.90	313.21	Single Hole	
344	U1414	A	36	R	2	0.92	0.92	313.21	314.13	Single Hole	
344	U1414	A	36	R	3	1.23	1.23	314.13	315.36	Single Hole	
344	U1414	A	37	R	1	1.09	1.09	316.40	317.49	Single Hole	
344	U1414	A	37	R	2	1.12	1.12	317.49	318.61	Single Hole	
344	U1414	A	37	R	3	1.03	1.03	318.61	319.64	Single Hole	
344	U1414	A	37	R	4	0.78	0.78	319.64	320.42	Single Hole	
344	U1414	A	37	R	5	0.86	0.86	320.42	321.28	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	37	R	CC	0.25	0.25	321.28	321.53	Single Hole	
344	U1414	A	38	R	1	1.45	1.45	326.10	327.55	Single Hole	
344	U1414	A	38	R	2	1.02	1.02	327.55	328.57	Single Hole	
344	U1414	A	38	R	3	0.87	0.87	328.57	329.44	Single Hole	
344	U1414	A	38	R	CC	0.15	0.15	329.44	329.59	Single Hole	
344	U1414	A	39	R	1	1.11	1.11	335.80	336.91	Single Hole	
344	U1414	A	39	R	2	0.58	0.58	336.91	337.49	Single Hole	
344	U1414	A	39	R	CC	0.22	0.22	337.49	337.71	Single Hole	
344	U1414	A	40	R	1	0.65	0.65	345.50	346.15	Single Hole	
344	U1414	A	40	R	CC	0.20	0.20	346.15	346.35	Single Hole	
344	U1414	A	41	R	1	0.73	0.73	355.20	355.93	Single Hole	
344	U1414	A	41	R	2	1.09	1.09	355.93	357.02	Single Hole	
344	U1414	A	41	R	CC	0.26	0.26	357.02	357.28	Single Hole	
344	U1414	A	42	R	1	0.88	0.88	360.10	360.98	Single Hole	
344	U1414	A	42	R	CC	0.25	0.25	360.98	361.23	Single Hole	
344	U1414	A	43	R	1	0.38	0.38	364.90	365.28	Single Hole	
344	U1414	A	44	R	1	1.05	1.05	369.80	370.85	Single Hole	
344	U1414	A	44	R	CC	0.28	0.28	370.85	371.13	Single Hole	
344	U1414	A	45	R	1	1.00	1.33	374.60	375.93	Single Hole	
344	U1414	A	45	R	2	1.50	1.43	375.93	377.36	Single Hole	
344	U1414	A	45	R	3	0.35	0.44	377.36	377.80	Single Hole	
344	U1414	A	46	R	1	1.00	1.14	376.40	377.54	Single Hole	
344	U1414	A	46	R	2	1.00	1.50	377.54	379.04	Single Hole	
344	U1414	A	46	R	3	1.40	1.39	379.04	380.43	Single Hole	
344	U1414	A	47	R	1	1.50	1.45	384.30	385.75	Single Hole	
344	U1414	A	47	R	2	1.50	1.42	385.75	387.17	Single Hole	
344	U1414	A	47	R	3	1.00	1.45	387.17	388.62	Single Hole	
344	U1414	A	47	R	4	0.93	0.76	388.62	389.38	Single Hole	
344	U1414	A	48	R	1	1.41	1.50	389.00	390.50	Single Hole	
344	U1414	A	48	R	2	1.43	1.38	390.50	391.88	Single Hole	
344	U1414	A	48	R	3	1.17	1.46	391.88	393.34	Single Hole	
344	U1414	A	48	R	4	1.18	1.12	393.34	394.46	Single Hole	
344	U1414	A	49	R	1	1.50	1.50	393.90	395.40	Single Hole	
344	U1414	A	49	R	2	1.25	1.31	395.40	396.71	Single Hole	
344	U1414	A	49	R	3	0.36	0.63	396.71	397.34	Single Hole	
344	U1414	A	50	R	1	0.75	1.50	398.70	400.20	Single Hole	
344	U1414	A	50	R	2	1.50	1.27	400.20	401.47	Single Hole	
344	U1414	A	50	R	3	0.23	0.44	401.47	401.91	Single Hole	
344	U1414	A	51	R	1	1.50	1.16	403.60	404.76	Single Hole	
344	U1414	A	51	R	2	1.50	1.14	404.76	405.90	Single Hole	
344	U1414	A	51	R	3	1.50	1.50	405.90	407.40	Single Hole	
344	U1414	A	51	R	4	0.34	1.49	407.40	408.89	Single Hole	
344	U1414	A	51	R	5	0.26	0.19	408.89	409.08	Single Hole	

U1414 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
344	U1414	A	52	R	1	1.06	1.31	408.50	409.81	Single Hole	
344	U1414	A	53	R	1	1.13	1.38	413.30	414.68	Single Hole	
344	U1414	A	53	R	2	1.50	1.49	414.68	416.17	Single Hole	
344	U1414	A	53	R	3	1.50	1.45	416.17	417.62	Single Hole	
344	U1414	A	53	R	4	0.15	0.27	417.62	417.89	Single Hole	
344	U1414	A	54	R	1	1.50	1.32	418.20	419.52	Single Hole	
344	U1414	A	54	R	2	1.50	1.13	419.52	420.65	Single Hole	
344	U1414	A	54	R	3	1.50	1.50	420.65	422.15	Single Hole	
344	U1414	A	54	R	4	1.00	0.89	422.15	423.04	Single Hole	
344	U1414	A	54	R	5	0.05	0.83	423.04	423.87	Single Hole	
344	U1414	A	55	R	1	1.50	1.42	423.00	424.42	Single Hole	
344	U1414	A	55	R	2	1.50	1.46	424.42	425.88	Single Hole	
344	U1414	A	55	R	3	0.27	1.04	425.88	426.92	Single Hole	
344	U1414	A	56	R	1	1.50	1.25	427.90	429.15	Single Hole	
344	U1414	A	56	R	2	0.38	0.76	429.15	429.91	Single Hole	
344	U1414	A	57	R	1	1.50	1.28	432.80	434.08	Single Hole	
344	U1414	A	57	R	2	0.27	0.65	434.08	434.73	Single Hole	
344	U1414	A	58	R	1	1.50	1.43	437.60	439.03	Single Hole	
344	U1414	A	58	R	2	1.14	1.26	439.03	440.29	Single Hole	
344	U1414	A	58	R	3	0.00	0.57	440.29	440.86	Single Hole	
344	U1414	A	59	R	1	1.50	1.22	442.50	443.72	Single Hole	
344	U1414	A	59	R	2	0.54	1.49	443.72	445.21	Single Hole	
344	U1414	A	60	R	1	1.50	1.50	447.30	448.80	Single Hole	
344	U1414	A	60	R	2	1.50	1.34	448.80	450.14	Single Hole	
344	U1414	A	60	R	3	0.50	1.28	450.14	451.42	Single Hole	
344	U1414	A	61	R	1	1.50	1.49	452.10	453.59	Single Hole	
344	U1414	A	61	R	2	1.50	1.46	453.59	455.05	Single Hole	
344	U1414	A	61	R	3	0.25	0.82	455.05	455.87	Single Hole	
344	U1414	A	62	R	1	1.42	1.19	457.00	458.19	Single Hole	
344	U1414	A	62	R	2	1.50	1.49	458.19	459.68	Single Hole	
344	U1414	A	62	R	3	1.10	1.41	459.68	461.09	Single Hole	
344	U1414	A	62	R	4	0.40	0.83	461.09	461.92	Single Hole	
344	U1414	A	63	R	1	1.41	1.26	461.90	463.16	Single Hole	
344	U1414	A	63	R	2	1.45	1.38	463.16	464.54	Single Hole	
344	U1414	A	63	R	3	0.75	1.41	464.54	465.95	Single Hole	
344	U1414	A	63	R	4	0.36	0.29	465.95	466.24	Single Hole	