

**U1428 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1428	B	1	H	1	1.50	1.50	0.00	1.50	0.02	1.52	0.02	accommodates splice	
346	U1428	B	1	H	2	0.89	0.89	1.50	2.39	1.52	2.41	0.00	accommodates splice	
346	U1428	B	2	H	1	1.50	1.50	2.50	4.00	2.28	3.78	-0.13	accommodates splice	
346	U1428	A	1	H	4	1.11	1.11	4.50	5.61	4.50	5.61	0.72	accommodates splice	
346	U1428	A	1	H	5	0.61	0.61	5.61	6.22	5.61	6.22	0.00	accommodates splice	
346	U1428	A	1	H	CC	0.15	0.15	6.22	6.37	6.22	6.37	0.00	accommodates splice	
346	U1428	A	2	H	1	1.50	1.50	6.40	7.90	6.83	8.33	0.46	accommodates splice	
346	U1428	B	2	H	6	1.50	1.50	10.00	11.50	9.78	11.28	1.45	accommodates splice	
346	U1428	B	2	H	7	0.64	0.64	11.50	12.14	11.28	11.92	0.00	accommodates splice	
346	U1428	B	2	H	CC	0.16	0.16	12.14	12.30	11.92	12.08	0.00	accommodates splice	
346	U1428	B	3	H	1	1.50	1.50	12.00	13.50	11.91	13.41	-0.17	accommodates splice	
346	U1428	B	3	H	2	1.50	1.50	13.50	15.00	13.41	14.91	0.00	accommodates splice	
346	U1428	A	2	H	7	0.56	0.56	15.40	15.96	15.83	16.39	0.92	accommodates splice	
346	U1428	A	2	H	CC	0.29	0.29	15.96	16.25	16.39	16.68	0.00	accommodates splice	
346	U1428	A	3	H	1	1.50	1.50	15.90	17.40	16.82	18.32	0.14	accommodates splice	
346	U1428	A	3	H	2	1.50	1.50	17.40	18.90	18.32	19.82	0.00	accommodates splice	
346	U1428	B	3	H	7	0.57	0.57	21.00	21.57	20.91	21.48	1.09	accommodates splice	
346	U1428	B	3	H	CC	0.16	0.16	21.57	21.73	21.48	21.64	0.00	accommodates splice	
346	U1428	B	4	H	1	1.50	1.50	21.50	23.00	22.42	23.92	0.78	accommodates splice	
346	U1428	A	3	H	7	0.60	0.60	24.62	25.22	25.54	26.14	1.62	accommodates splice	
346	U1428	A	3	H	CC	0.21	0.21	25.22	25.43	26.14	26.35	0.00	accommodates splice	
346	U1428	A	4	H	1	1.50	1.50	25.40	26.90	27.15	28.65	0.80	accommodates splice	
346	U1428	A	4	H	2	1.50	1.50	26.90	28.40	28.65	30.15	0.00	accommodates splice	
346	U1428	A	4	H	3	1.50	1.50	28.40	29.90	30.15	31.65	0.00	accommodates splice	
346	U1428	B	4	H	CC	0.21	0.21	31.07	31.28	31.99	32.20	0.34	accommodates splice	
346	U1428	B	5	H	1	1.50	1.50	31.00	32.50	32.97	34.47	0.77	accommodates splice	
346	U1428	A	4	H	7	0.58	0.58	34.40	34.98	36.15	36.73	1.68	accommodates splice	
346	U1428	A	4	H	CC	0.42	0.42	34.98	35.40	36.73	37.15	0.00	accommodates splice	
346	U1428	A	5	H	1	1.50	1.50	34.90	36.40	36.87	38.37	-0.28	accommodates splice	
346	U1428	A	5	H	2	1.50	1.50	36.40	37.90	38.37	39.87	0.00	accommodates splice	
346	U1428	B	5	H	6	1.50	1.50	38.50	40.00	40.47	41.97	0.60	accommodates splice	
346	U1428	B	5	H	7	0.57	0.57	40.00	40.57	41.97	42.54	0.00	accommodates splice	
346	U1428	B	5	H	CC	0.11	0.11	40.57	40.68	42.54	42.65	0.00	accommodates splice	
346	U1428	B	6	H	1	1.50	1.50	40.50	42.00	43.20	44.70	0.55	accommodates splice	
346	U1428	A	5	H	7	0.64	0.64	43.90	44.54	45.87	46.51	1.17	accommodates splice	
346	U1428	A	5	H	CC	0.34	0.34	44.54	44.88	46.51	46.85	0.00	accommodates splice	
346	U1428	A	6	H	1	1.50	1.50	44.40	45.90	46.34	47.84	-0.51	accommodates splice	
346	U1428	A	6	H	2	1.50	1.50	45.90	47.40	47.84	49.34	0.00	accommodates splice	
346	U1428	B	6	H	6	1.22	1.22	48.00	49.22	50.70	51.92	1.36	accommodates splice	
346	U1428	B	6	H	7	0.67	0.67	49.22	49.89	51.92	52.60	0.00	accommodates splice	
346	U1428	B	6	H	CC	0.25	0.25	49.89	50.14	52.60	52.84	0.00	accommodates splice	
346	U1428	B	7	H	1	1.50	1.50	50.00	51.50	52.44	53.94	-0.40	accommodates splice	
346	U1428	A	6	H	CC	0.20	0.20	54.02	54.22	55.96	56.16	2.02	accommodates splice	
346	U1428	B	7	H	5	1.50	1.50	56.00	57.50	58.44	59.94	2.28	accommodates splice	
346	U1428	B	7	H	6	1.50	1.50	57.50	59.00	59.94	61.44	0.00	accommodates splice	
346	U1428	B	7	H	7	0.60	0.60	59.00	59.60	61.44	62.04	0.00	accommodates splice	
346	U1428	B	7	H	CC	0.27	0.27	59.60	59.87	62.04	62.31	0.00	accommodates splice	
346	U1428	B	8	H	1	1.50	1.50	59.50	61.00	62.95	64.45	0.64	accommodates splice	
346	U1428	A	7	H	7	0.60	0.60	62.90	63.50	65.79	66.39	1.34	accommodates splice	
346	U1428	A	7	H	CC	0.39	0.39	63.50	63.89	66.39	66.78	0.00	accommodates splice	
346	U1428	A	8	H	1	1.50	1.50	63.40	64.90	67.03	68.53	0.25	accommodates splice	
346	U1428	A	8	H	2	1.50	1.50	64.90	66.40	68.53	70.03	0.00	accommodates splice	
346	U1428	A	8	H	3	1.50	1.50	66.40	67.90	70.03	71.53	0.00	accommodates splice	
346	U1428	B	8	H	CC	0.29	0.29	69.25	69.54	72.70	72.99	1.17	accommodates splice	
346	U1428	B	9	H	1	1.50	1.50	69.00	70.50	73.02	74.52	0.03	accommodates splice	
346	U1428	A	8	H	7	0.79	0.79	72.42	73.21	76.05	76.84	1.53	accommodates splice	
346	U1428	A	8	H	CC	0.25	0.25	73.21	73.46	76.84	77.09	0.00	accommodates splice	
346	U1428	A	9	H	1	1.50	1.50	72.90	74.40	77.10	78.60	0.01	accommodates splice	
346	U1428	A	9	H	2	1.50	1.50	74.40	75.90	78.60	80.10	0.00	accommodates splice	
346	U1428	B	9	H	7	0.61	0.61	77.96	78.57	81.98	82.59	1.88	accommodates splice	
346	U1428	B	9	H	CC	0.29	0.29	78.57	78.86	82.59	82.88	0.00	accommodates splice	
346	U1428	B	10	H	1	1.50	1.50	78.50	80.00	83.41	84.91	0.53	accommodates splice	
346	U1428	A	9	H	7	0.67	0.67	81.87	82.54	86.07	86.74	1.16	accommodates splice	
346	U1428	A	9	H	CC	0.23	0.23	82.54	82.77	86.74	86.97	0.00	accommodates splice	
346	U1428	A	10	H	1	1.50	1.50	82.40	83.90	88.29	89.79	1.32	accommodates splice	
346	U1428	A	10	H	2	1.36	1.36	83.90	85.26	89.79	91.15	0.00	accommodates splice	
346	U1428	A	10	H	3	1.50	1.50	85.26	86.76	91.15	92.65	0.00	accommodates splice	
346	U1428	A	10	H	4	1.50	1.50	86.76	88.26	92.65	94.15	0.00	accommodates splice	

**U1428 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1428	A	10	H	5	1.50	1.50	88.26	89.76	94.15	95.65	0.00	accommodates splice	
346	U1428	A	10	H	6	1.50	1.50	89.76	91.26	95.65	97.15	0.00	accommodates splice	
346	U1428	A	10	H	7	0.56	0.56	91.26	91.82	97.15	97.71	0.00	accommodates splice	
346	U1428	A	10	H	CC	0.07	0.07	91.82	91.89	97.71	97.78	0.00	accommodates splice	
346	U1428	A	11	H	1	0.51	0.51	91.90	92.41	97.72	98.23	-0.06	accommodates splice	Extruded on rig floor
346	U1428	A	11	H	2	1.50	1.50	92.41	93.91	98.23	99.73	0.00	accommodates splice	
346	U1428	A	11	H	3	1.50	1.50	93.91	95.41	99.73	101.23	0.00	accommodates splice	
346	U1428	B	11	H	7	0.47	0.47	96.91	97.38	102.73	103.20	1.50	accommodates splice	
346	U1428	B	11	H	CC	0.34	0.34	97.38	97.72	103.20	103.54	0.00	accommodates splice	
346	U1428	B	12	H	1	1.50	1.50	99.00	99.50	103.84	105.34	0.30	accommodates splice	
346	U1428	B	12	H	2	1.50	1.50	99.00	100.50	105.34	106.84	0.00	accommodates splice	
346	U1428	A	11	H	CC	0.44	0.44	101.76	102.20	107.58	108.02	0.74	accommodates splice	
346	U1428	A	12	H	1	1.50	1.50	101.40	102.90	107.71	109.21	-0.31	accommodates splice	
346	U1428	A	12	H	2	1.50	1.50	102.90	104.40	109.21	110.71	0.00	accommodates splice	
346	U1428	B	12	H	7	0.91	0.91	106.73	106.73	113.07	113.07	1.45	accommodates splice	
346	U1428	B	12	H	CC	0.48	0.48	106.73	107.21	113.07	113.55	0.00	accommodates splice	
346	U1428	A	12	H	7	0.60	0.60	110.34	110.94	116.65	117.25	3.10	accommodates splice	
346	U1428	A	12	H	CC	0.61	0.61	110.94	111.55	117.25	117.86	0.00	accommodates splice	
346	U1428	A	13	H	1	1.50	1.50	110.90	112.40	118.97	120.47	1.11	accommodates splice	
346	U1428	A	13	H	2	1.50	1.50	112.40	113.90	120.47	121.97	0.00	accommodates splice	
346	U1428	B	13	H	6	1.49	1.49	114.18	115.67	122.76	124.25	0.79	accommodates splice	
346	U1428	B	13	H	7	0.77	0.77	115.67	116.44	124.25	125.02	0.00	accommodates splice	
346	U1428	B	13	H	CC	0.30	0.30	116.44	116.74	125.02	125.32	0.00	accommodates splice	
346	U1428	A	13	H	6	1.50	1.50	118.34	119.84	126.41	127.91	1.09	accommodates splice	
346	U1428	A	13	H	7	0.71	0.71	119.84	120.55	127.91	128.62	0.00	accommodates splice	
346	U1428	A	13	H	CC	0.33	0.33	120.55	120.88	128.62	128.95	0.00	accommodates splice	
346	U1428	A	14	H	1	1.50	1.50	121.90	123.40	129.76	131.26	0.81	accommodates splice	
346	U1428	A	14	H	2	1.50	1.50	121.90	123.40	131.26	132.76	0.00	accommodates splice	
346	U1428	B	14	H	7	0.68	0.68	125.36	126.04	134.06	134.74	1.30	accommodates splice	
346	U1428	B	14	H	CC	0.15	0.15	126.04	126.19	134.74	134.89	0.00	accommodates splice	
346	U1428	A	14	H	7	0.71	0.71	128.94	129.65	138.30	139.02	3.41	accommodates splice	
346	U1428	A	14	H	CC	0.26	0.26	129.65	129.91	139.02	139.28	0.00	accommodates splice	
346	U1428	A	15	H	1	1.50	1.50	129.90	131.40	139.57	141.07	0.29	accommodates splice	
346	U1428	B	15	H	5	1.45	1.45	131.77	133.22	142.51	143.96	1.44	accommodates splice	
346	U1428	B	15	H	6	1.09	1.09	133.22	134.31	143.96	145.05	0.00	accommodates splice	
346	U1428	B	15	H	7	0.58	0.58	134.31	134.89	145.05	145.63	0.00	accommodates splice	
346	U1428	B	15	H	CC	0.13	0.13	134.89	135.02	145.63	145.76	0.00	accommodates splice	
346	U1428	A	15	H	CC	0.17	0.17	137.18	137.35	146.85	147.02	1.09	below splice	
346	U1428	A	16	H	1	1.34	1.34	137.30	138.64	146.97	148.31	-0.05	below splice	All sand
346	U1428	A	16	H	2	1.32	1.32	139.96	141.31	149.63	149.63	0.00	below splice	All sand
346	U1428	A	16	H	3	1.23	1.23	139.96	141.19	149.63	150.86	0.00	below splice	All sand
346	U1428	A	16	H	4	1.40	1.40	142.59	144.19	152.26	152.26	0.00	below splice	All sand
346	U1428	A	16	H	5	0.86	0.86	142.59	143.45	152.26	153.12	0.00	below splice	All sand
346	U1428	A	18	H	1	1.23	1.23	146.80	148.03	156.47	157.70	3.35	single cored, below splice	All sand
346	U1428	A	18	H	2	1.05	1.05	148.03	149.08	157.70	158.75	0.00	single cored, below splice	All sand
346	U1428	A	18	H	3	1.16	1.16	149.08	150.24	158.75	159.91	0.00	single cored, below splice	All sand
346	U1428	A	18	H	4	1.19	1.19	150.24	151.43	159.91	161.10	0.00	single cored, below splice	All sand
346	U1428	A	18	H	5	1.31	1.31	151.43	152.74	161.10	162.41	0.00	single cored, below splice	All sand
346	U1428	A	18	H	6	1.09	1.09	152.74	153.83	162.41	163.50	0.00	single cored, below splice	All sand
346	U1428	A	21	H	1	1.41	1.41	154.80	156.21	164.47	165.88	0.97	single cored, below splice	Sand
346	U1428	A	23	H	1	0.72	0.72	159.50	160.22	169.17	169.89	3.29	single cored, below splice	
346	U1428	A	23	H	2	1.50	1.50	160.22	161.72	169.89	171.39	0.00	single cored, below splice	
346	U1428	A	23	H	3	1.42	1.42	161.72	163.14	171.39	172.81	0.00	single cored, below splice	
346	U1428	A	23	H	4	1.30	1.30	163.14	164.44	172.81	174.11	0.00	single cored, below splice	
346	U1428	A	23	H	5	1.46	1.46	164.44	165.90	174.11	175.57	0.00	single cored, below splice	
346	U1428	A	23	H	6	1.35	1.35	165.90	167.25	175.57	176.92	0.00	single cored, below splice	
346	U1428	A	23	H	7	1.02	1.02	167.25	168.27	176.92	177.94	0.00	single cored, below splice	Sand
346	U1428	A	23	H	CC	0.10	0.10	168.27	168.37	177.94	178.04	0.00	single cored, below splice	
346	U1428	A	24	H	1	0.85	0.85	169.00	169.85	178.67	179.52	0.63	single cored, below splice	Sand
346	U1428	A	24	H	2	1.12	1.12	170.97	170.97	179.52	180.64	0.00	single cored, below splice	Sand
346	U1428	A	24	H	3	0.86	0.86	170.97	171.83	180.64	181.50	0.00	single cored, below splice	Sand
346	U1428	A	24	H	4	1.08	1.08	172.91	172.91	181.50	182.58	0.00	single cored, below splice	Sand
346	U1428	A	26	H	1	0.85	0.85	178.50	179.35	188.17	189.02	5.59	single cored, below splice	
346	U1428	A	26	H	2	0.92	0.92	179.35	180.27	189.02	189.94	0.00	single cored, below splice	
346	U1428	A	26	H	3	0.83	0.83	180.27	181.10	189.94	190.77	0.00	single cored, below splice	
346	U1428	A	26	H	4	0.76	0.76	181.10	181.86	190.77	191.53	0.00	single cored, below splice	
346	U1428	A	26	H	5	1.01	1.01	182.87	182.87	191.53	192.54	0.00	single cored, below splice	
346	U1428	A	32	H	1	1.14	1.14	207.00	208.14	216.67	217.81	24.13	single cored, below splice	Sand

<b>U1428 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1428	A	32	H	2	1.01	1.01	208.14	209.15	217.81	218.82	0.00	single cored, below splice	Sand
346	U1428	A	32	H	3	1.22	1.22	209.15	210.37	218.82	220.04	0.00	single cored, below splice	Sand
346	U1428	A	32	H	4	1.16	1.16	210.37	211.53	220.04	221.20	0.00	single cored, below splice	Sand