

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	1	X	CC	0.25	0.25	0.00	0.25		
356	U1462	A	7	F	CC	0.25	0.25	58.20	58.45		
356	U1462	A	8	X	CC	0.28	0.28	58.40	58.68		
356	U1462	A	9	X	CC	0.21	0.21	68.10	68.31		
356	U1462	A	10	X	CC	0.27	0.27	77.80	78.07		
356	U1462	A	11	X	CC	0.38	0.38	87.50	87.88		
356	U1462	A	12	X	CC	0.26	0.26	97.20	97.46		
356	U1462	A	14	X	1	0.52	0.52	116.60	117.12		
356	U1462	A	14	X	CC	0.43	0.43	117.12	117.55		
356	U1462	A	15	X	CC	0.47	0.47	126.30	126.77		
356	U1462	A	16	X	1	1.49	1.49	136.00	137.49		
356	U1462	A	16	X	2	1.40	1.40	137.49	138.89		
356	U1462	A	16	X	3	0.74	0.74	138.89	139.63		
356	U1462	A	16	X	CC	0.23	0.23	139.63	139.86		
356	U1462	A	20	X	CC	0.28	0.28	174.80	175.08		
356	U1462	A	21	X	CC	0.18	0.18	184.50	184.68		
356	U1462	A	22	X	CC	0.25	0.25	194.20	194.45		
356	U1462	A	28	X	CC	0.21	0.21	252.40	252.61		
356	U1462	A	33	X	1	1.50	1.50	300.90	302.40		
356	U1462	A	33	X	2	1.35	1.35	302.40	303.75		
356	U1462	A	33	X	CC	0.28	0.28	303.75	304.03		
356	U1462	A	34	X	1	1.50	1.50	310.60	312.10		
356	U1462	A	34	X	2	1.50	1.50	312.10	313.60		
356	U1462	A	34	X	3	1.04	1.04	313.60	314.64		
356	U1462	A	34	X	CC	0.52	0.52	314.64	315.16		
356	U1462	A	35	X	1	1.50	1.50	320.30	321.80		
356	U1462	A	35	X	2	1.50	1.50	321.80	323.30		
356	U1462	A	35	X	3	0.64	0.64	323.30	323.94		
356	U1462	A	35	X	CC	0.46	0.46	323.94	324.40		
356	U1462	A	36	X	1	1.50	1.50	330.00	331.50		
356	U1462	A	36	X	2	1.50	1.50	331.50	333.00		
356	U1462	A	36	X	3	1.50	1.50	333.00	334.50		
356	U1462	A	36	X	4	1.41	1.41	334.50	335.91		
356	U1462	A	36	X	5	0.73	0.73	335.91	336.64		
356	U1462	A	36	X	CC	0.47	0.47	336.64	337.11		
356	U1462	A	37	X	1	1.50	1.50	339.70	341.20		
356	U1462	A	37	X	2	1.50	1.50	341.20	342.70		
356	U1462	A	37	X	3	1.50	1.50	342.70	344.20		
356	U1462	A	37	X	4	1.50	1.50	344.20	345.70		
356	U1462	A	37	X	5	1.47	1.47	345.70	347.17		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	37	X	6	1.19	1.19	347.17	348.36		
356	U1462	A	37	X	CC	0.40	0.40	348.36	348.76		
356	U1462	A	38	X	1	1.50	1.50	349.40	350.90		
356	U1462	A	38	X	2	1.50	1.50	350.90	352.40		
356	U1462	A	38	X	3	1.50	1.50	352.40	353.90		
356	U1462	A	38	X	4	1.50	1.50	353.90	355.40		
356	U1462	A	38	X	5	1.15	1.15	355.40	356.55		
356	U1462	A	38	X	CC	0.41	0.41	356.55	356.96		
356	U1462	A	39	X	1	1.23	1.23	359.10	360.33		
356	U1462	A	39	X	2	1.06	1.06	360.33	361.39		
356	U1462	A	39	X	3	1.50	1.50	361.39	362.89		
356	U1462	A	39	X	4	1.50	1.50	362.89	364.39		
356	U1462	A	39	X	5	1.47	1.47	364.39	365.86		
356	U1462	A	39	X	6	1.50	1.50	365.86	367.36		
356	U1462	A	39	X	7	1.05	1.05	367.36	368.41		
356	U1462	A	39	X	CC	0.40	0.40	368.41	368.81		
356	U1462	A	40	X	1	1.38	1.38	368.80	370.18		
356	U1462	A	40	X	2	1.06	1.06	370.18	371.24		
356	U1462	A	40	X	3	0.94	0.94	371.24	372.18		
356	U1462	A	40	X	4	1.03	1.03	372.18	373.21		
356	U1462	A	40	X	CC	0.50	0.50	373.21	373.71		
356	U1462	A	41	X	1	1.08	1.08	378.50	379.58		
356	U1462	A	41	X	2	1.50	1.50	379.58	381.08		
356	U1462	A	41	X	3	0.50	0.50	381.08	381.58		
356	U1462	A	41	X	CC	0.47	0.47	381.58	382.05		
356	U1462	A	42	X	1	1.16	1.16	388.20	389.36		
356	U1462	A	42	X	2	1.50	1.50	389.36	390.86		
356	U1462	A	42	X	3	1.20	1.20	390.86	392.06		
356	U1462	A	42	X	4	0.72	0.72	392.06	392.78		
356	U1462	A	42	X	CC	0.57	0.57	392.78	393.35		
356	U1462	A	43	X	1	1.50	1.50	397.90	399.40		
356	U1462	A	43	X	2	1.25	1.25	399.40	400.65		
356	U1462	A	43	X	3	1.00	1.00	400.65	401.65		
356	U1462	A	43	X	4	0.67	0.67	401.65	402.32		
356	U1462	A	43	X	CC	0.44	0.44	402.32	402.76		
356	U1462	A	44	X	1	1.41	1.41	407.60	409.01		
356	U1462	A	44	X	2	1.02	1.02	409.01	410.03		
356	U1462	A	44	X	CC	0.77	0.77	410.03	410.80		
356	U1462	A	45	X	1	1.47	1.47	417.30	418.77		
356	U1462	A	45	X	CC	0.25	0.25	418.77	419.02		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	46	X	1	1.51	1.51	427.00	428.51		
356	U1462	A	46	X	2	0.78	0.78	428.51	429.29		
356	U1462	A	46	X	CC	0.44	0.44	429.29	429.73		
356	U1462	A	47	X	1	1.13	1.13	436.70	437.83		
356	U1462	A	47	X	CC	0.40	0.40	437.83	438.23		
356	U1462	A	48	X	1	1.11	1.11	446.40	447.51		
356	U1462	A	48	X	2	0.63	0.63	447.51	448.14		
356	U1462	A	48	X	CC	0.39	0.39	448.14	448.53		
356	U1462	A	49	X	1	1.44	1.44	456.10	457.54		
356	U1462	A	49	X	2	1.29	1.29	457.54	458.83		
356	U1462	A	49	X	CC	0.30	0.30	458.83	459.13		
356	U1462	A	50	X	1	1.51	1.51	465.80	467.31		
356	U1462	A	50	X	CC	0.27	0.27	467.31	467.58		
356	U1462	A	51	X	1	0.98	0.98	475.50	476.48		
356	U1462	A	51	X	CC	0.17	0.17	476.48	476.65		
356	U1462	A	52	X	1	0.92	0.92	485.20	486.12		
356	U1462	A	52	X	2	1.48	1.48	486.12	487.60		
356	U1462	A	52	X	CC	0.38	0.38	487.60	487.98		
356	U1462	A	53	X	1	1.47	1.47	494.90	496.37		
356	U1462	A	53	X	2	1.24	1.24	496.37	497.61		
356	U1462	A	53	X	3	1.02	1.02	497.61	498.63		
356	U1462	A	53	X	CC	0.19	0.19	498.63	498.82		
356	U1462	A	54	X	1	1.43	1.43	504.60	506.03		
356	U1462	A	54	X	2	1.20	1.20	506.03	507.23		
356	U1462	A	54	X	CC	0.35	0.35	507.23	507.58		
356	U1462	A	55	X	1	1.32	1.32	514.30	515.62		
356	U1462	A	55	X	CC	0.30	0.30	515.62	515.92		
356	U1462	A	56	X	1	1.46	1.46	524.00	525.46		
356	U1462	A	56	X	2	0.96	0.96	525.46	526.42		
356	U1462	A	56	X	3	0.74	0.74	526.42	527.16		
356	U1462	A	56	X	CC	0.57	0.57	527.16	527.73		
356	U1462	A	57	X	1	1.50	1.50	533.70	535.20		
356	U1462	A	57	X	2	1.39	1.39	535.20	536.59		
356	U1462	A	57	X	3	1.14	1.14	536.59	537.73		
356	U1462	A	57	X	4	1.07	1.07	537.73	538.80		
356	U1462	A	57	X	5	0.90	0.90	538.80	539.70		
356	U1462	A	57	X	CC	0.27	0.27	539.70	539.97		
356	U1462	A	58	X	1	1.33	1.33	543.40	544.73		
356	U1462	A	58	X	2	0.95	0.95	544.73	545.68		
356	U1462	A	58	X	3	1.34	1.34	545.68	547.02		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	58	X	4	1.41	1.41	547.02	548.43		
356	U1462	A	58	X	5	0.94	0.94	548.43	549.37		
356	U1462	A	58	X	6	1.42	1.42	549.37	550.79		
356	U1462	A	58	X	7	0.88	0.88	550.79	551.67		
356	U1462	A	58	X	CC	0.39	0.39	551.67	552.06		
356	U1462	A	59	X	1	1.50	1.50	553.10	554.60		
356	U1462	A	59	X	2	1.50	1.50	554.60	556.10		
356	U1462	A	59	X	3	1.48	1.48	556.10	557.58		
356	U1462	A	59	X	4	1.34	1.34	557.58	558.92		
356	U1462	A	60	X	1	1.50	1.50	562.80	564.30		
356	U1462	A	60	X	2	1.07	1.07	564.30	565.37		
356	U1462	A	60	X	3	1.06	1.06	565.37	566.43		
356	U1462	A	60	X	4	1.50	1.50	566.43	567.93		
356	U1462	A	60	X	5	1.06	1.06	567.93	568.99		
356	U1462	A	60	X	CC	0.39	0.39	568.99	569.38		
356	U1462	A	61	X	1	1.46	1.46	572.50	573.96		
356	U1462	A	61	X	2	1.43	1.43	573.96	575.39		
356	U1462	A	61	X	3	1.10	1.10	575.39	576.49		
356	U1462	A	61	X	4	1.08	1.08	576.49	577.57		
356	U1462	A	61	X	5	1.50	1.50	577.57	579.07		
356	U1462	A	61	X	6	1.04	1.04	579.07	580.11		
356	U1462	A	61	X	7	0.63	0.63	580.11	580.74		
356	U1462	A	61	X	CC	0.36	0.36	580.74	581.10		
356	U1462	A	62	X	1	1.24	1.24	582.20	583.44		
356	U1462	A	62	X	2	1.50	1.50	583.44	584.94		
356	U1462	A	62	X	3	1.18	1.18	584.94	586.12		
356	U1462	A	62	X	CC	0.47	0.47	586.12	586.59		
356	U1462	A	63	X	1	1.10	1.10	591.90	593.00		
356	U1462	A	63	X	2	1.14	1.14	593.00	594.14		
356	U1462	A	63	X	CC	0.40	0.40	594.14	594.54		
356	U1462	A	64	X	1	1.50	1.50	601.60	603.10		
356	U1462	A	64	X	2	1.33	1.33	603.10	604.43		
356	U1462	A	64	X	3	0.76	0.76	604.43	605.19		
356	U1462	A	64	X	4	1.33	1.33	605.19	606.52		
356	U1462	A	64	X	5	0.80	0.80	606.52	607.32		
356	U1462	A	64	X	CC	0.41	0.41	607.32	607.73		
356	U1462	A	65	X	1	1.52	1.52	611.30	612.82		
356	U1462	A	65	X	2	1.50	1.50	612.82	614.32		
356	U1462	A	65	X	3	0.66	0.66	614.32	614.98		
356	U1462	A	65	X	CC	0.43	0.43	614.98	615.41		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	67	X	1	0.88	0.88	627.00	627.88		
356	U1462	A	67	X	2	1.11	1.11	627.88	628.99		
356	U1462	A	67	X	CC	0.45	0.45	628.99	629.44		
356	U1462	A	68	X	1	0.39	0.39	630.80	631.19		
356	U1462	A	68	X	CC	0.22	0.22	631.19	631.41		
356	U1462	A	69	X	1	1.08	1.08	635.50	636.58		
356	U1462	A	69	X	2	1.30	1.30	636.58	637.88		
356	U1462	A	69	X	3	0.75	0.75	637.88	638.63		
356	U1462	A	69	X	CC	0.56	0.56	638.63	639.19		
356	U1462	A	70	X	1	1.00	1.00	640.50	641.50		
356	U1462	A	70	X	2	0.62	0.62	641.50	642.12		
356	U1462	A	70	X	CC	0.36	0.36	642.12	642.48		
356	U1462	A	71	X	1	1.33	1.33	644.00	645.33		
356	U1462	A	71	X	2	1.50	1.50	645.33	646.83		
356	U1462	A	71	X	3	1.50	1.50	646.83	648.33		
356	U1462	A	71	X	4	1.05	1.05	648.33	649.38		
356	U1462	A	71	X	5	0.82	0.82	649.38	650.20		
356	U1462	A	71	X	CC	0.56	0.56	650.20	650.76		
356	U1462	A	72	X	1	1.50	1.50	650.00	651.50		
356	U1462	A	72	X	2	1.27	1.27	651.50	652.77		
356	U1462	A	72	X	3	1.01	1.01	652.77	653.78		
356	U1462	A	72	X	4	0.76	0.76	653.78	654.54		
356	U1462	A	73	X	1	1.29	1.29	655.50	656.79		
356	U1462	A	73	X	2	1.49	1.49	656.79	658.28		
356	U1462	A	73	X	3	1.11	1.11	658.28	659.39		
356	U1462	A	73	X	4	1.12	1.12	659.39	660.51		btm 10cm to PAL
356	U1462	A	74	X	1	1.45	1.45	661.00	662.45		
356	U1462	A	74	X	2	1.32	1.32	662.45	663.77		
356	U1462	A	74	X	3	1.42	1.42	663.77	665.19		
356	U1462	A	74	X	4	0.82	0.82	665.19	666.01		
356	U1462	A	74	X	CC	0.48	0.48	666.01	666.49		
356	U1462	A	75	X	1	1.39	1.39	665.80	667.19		
356	U1462	A	75	X	2	1.15	1.15	667.19	668.34		
356	U1462	A	75	X	3	1.25	1.25	668.34	669.59		
356	U1462	A	75	X	4	0.90	0.90	669.59	670.49		
356	U1462	A	75	X	5	0.86	0.86	670.49	671.35		
356	U1462	A	75	X	CC	0.35	0.35	671.35	671.70		
356	U1462	A	76	X	1	1.31	1.31	670.60	671.91		
356	U1462	A	76	X	2	1.14	1.14	671.91	673.05		
356	U1462	A	76	X	3	1.30	1.30	673.05	674.35		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	76	X	4	1.04	1.04	674.35	675.39		
356	U1462	A	76	X	5	1.50	1.50	675.39	676.89		
356	U1462	A	76	X	6	1.50	1.50	676.89	678.39		
356	U1462	A	76	X	7	1.50	1.50	678.39	679.89		
356	U1462	A	76	X	CC	0.43	0.43	679.89	680.32		
356	U1462	A	77	X	1	1.15	1.15	680.30	681.45		
356	U1462	A	77	X	2	1.31	1.31	681.45	682.76		
356	U1462	A	77	X	3	1.50	1.50	682.76	684.26		
356	U1462	A	77	X	4	1.50	1.50	684.26	685.76		
356	U1462	A	77	X	5	1.16	1.16	685.76	686.92		
356	U1462	A	77	X	6	1.50	1.50	686.92	688.42		
356	U1462	A	77	X	7	0.82	0.82	688.42	689.24		
356	U1462	A	77	X	CC	0.57	0.57	689.24	689.81		
356	U1462	A	78	X	1	1.39	1.39	690.00	691.39		
356	U1462	A	78	X	2	1.38	1.38	691.39	692.77		
356	U1462	A	78	X	3	1.40	1.40	692.77	694.17		
356	U1462	A	78	X	4	1.47	1.47	694.17	695.64		
356	U1462	A	78	X	5	1.27	1.27	695.64	696.91		
356	U1462	A	78	X	6	1.02	1.02	696.91	697.93		
356	U1462	A	78	X	7	0.63	0.63	697.93	698.56		
356	U1462	A	78	X	CC	0.93	0.93	698.56	699.49		
356	U1462	A	79	X	1	1.17	1.17	699.70	700.87		
356	U1462	A	79	X	2	1.09	1.09	700.87	701.96		
356	U1462	A	79	X	3	1.38	1.38	701.96	703.34		
356	U1462	A	79	X	4	1.30	1.30	703.34	704.64		
356	U1462	A	79	X	5	0.82	0.82	704.64	705.46		
356	U1462	A	79	X	6	0.80	0.80	705.46	706.26		
356	U1462	A	79	X	CC	0.23	0.23	706.26	706.49		
356	U1462	A	80	X	1	1.45	1.45	709.40	710.85		
356	U1462	A	80	X	2	1.50	1.50	710.85	712.35		
356	U1462	A	80	X	3	1.32	1.32	712.35	713.67		
356	U1462	A	80	X	4	1.30	1.30	713.67	714.97		
356	U1462	A	80	X	5	1.45	1.45	714.97	716.42		
356	U1462	A	80	X	6	1.20	1.20	716.42	717.62		
356	U1462	A	80	X	CC	0.42	0.42	717.62	718.04		
356	U1462	A	81	X	1	1.17	1.17	719.10	720.27		
356	U1462	A	81	X	2	1.43	1.43	720.27	721.70		
356	U1462	A	81	X	3	1.27	1.27	721.70	722.97		
356	U1462	A	81	X	4	1.27	1.27	722.97	724.24		
356	U1462	A	81	X	5	1.17	1.17	724.24	725.41		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	81	X	6	1.02	1.02	725.41	726.43		
356	U1462	A	81	X	7	0.67	0.67	726.43	727.10		
356	U1462	A	81	X	CC	0.37	0.37	727.10	727.47		
356	U1462	A	82	X	1	1.50	1.50	728.80	730.30		
356	U1462	A	82	X	2	1.21	1.21	730.30	731.51		
356	U1462	A	82	X	3	1.17	1.17	731.51	732.68		
356	U1462	A	82	X	4	1.50	1.50	732.68	734.18		
356	U1462	A	82	X	5	1.12	1.12	734.18	735.30		
356	U1462	A	82	X	6	1.13	1.13	735.30	736.43		
356	U1462	A	82	X	7	0.79	0.79	736.43	737.22		
356	U1462	A	83	X	1	1.40	1.40	738.50	739.90		
356	U1462	A	83	X	2	1.18	1.18	739.90	741.08		
356	U1462	A	83	X	3	1.19	1.19	741.08	742.27		
356	U1462	A	83	X	4	1.18	1.18	742.27	743.45		
356	U1462	A	83	X	5	1.38	1.38	743.45	744.83		
356	U1462	A	83	X	6	1.50	1.50	744.83	746.33		
356	U1462	A	83	X	7	1.01	1.01	746.33	747.34		
356	U1462	A	83	X	8	0.69	0.69	747.34	748.03		
356	U1462	A	83	X	CC	0.41	0.41	748.03	748.44		
356	U1462	A	84	X	1	1.17	1.17	748.20	749.37		
356	U1462	A	84	X	2	1.37	1.37	749.37	750.74		
356	U1462	A	84	X	3	1.43	1.43	750.74	752.17		
356	U1462	A	84	X	4	1.26	1.26	752.17	753.43		
356	U1462	A	84	X	5	1.47	1.47	753.43	754.90		
356	U1462	A	84	X	6	1.50	1.50	754.90	756.40		
356	U1462	A	84	X	7	1.35	1.35	756.40	757.75		
356	U1462	A	84	X	CC	0.29	0.29	757.75	758.04		
356	U1462	A	85	X	1	1.28	1.28	757.90	759.18		
356	U1462	A	85	X	2	1.35	1.35	759.18	760.53		
356	U1462	A	85	X	3	1.20	1.20	760.53	761.73		
356	U1462	A	85	X	4	1.49	1.49	761.73	763.22		
356	U1462	A	85	X	5	1.50	1.50	763.22	764.72		
356	U1462	A	85	X	6	1.50	1.50	764.72	766.22		
356	U1462	A	85	X	7	1.17	1.17	766.22	767.39		
356	U1462	A	85	X	CC	0.50	0.50	767.39	767.89		
356	U1462	A	86	X	1	1.50	1.50	767.60	769.10		
356	U1462	A	86	X	2	1.18	1.18	769.10	770.28		
356	U1462	A	86	X	3	1.47	1.47	770.28	771.75		
356	U1462	A	86	X	4	1.50	1.50	771.75	773.25		
356	U1462	A	86	X	5	1.43	1.43	773.25	774.68		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	A	86	X	6	1.47	1.47	774.68	776.15		
356	U1462	A	86	X	7	0.93	0.93	776.15	777.08		
356	U1462	A	86	X	CC	0.48	0.48	777.08	777.56		
356	U1462	A	88	X	1	0.33	0.33	787.00	787.33		
356	U1462	A	88	X	CC	0.18	0.18	787.33	787.51		
356	U1462	A	90	X	CC	0.25	0.25	801.50	801.75		
356	U1462	A	91	X	1	0.95	0.95	806.30	807.25		
356	U1462	A	91	X	CC	0.30	0.30	807.25	807.55		
356	U1462	A	92	X	CC	0.39	0.39	811.10	811.49		
356	U1462	A	93	X	1	1.03	1.03	815.90	816.93		
356	U1462	A	93	X	2	1.11	1.11	816.93	818.04		
356	U1462	A	93	X	CC	0.24	0.24	818.04	818.28		
356	U1462	A	94	X	1	1.48	1.48	820.70	822.18		
356	U1462	A	94	X	2	1.45	1.45	822.18	823.63		
356	U1462	A	94	X	3	1.32	1.32	823.63	824.95		
356	U1462	A	94	X	4	0.61	0.61	824.95	825.56		
356	U1462	A	94	X	CC	0.23	0.23	825.56	825.79		
356	U1462	A	95	X	1	1.27	1.27	825.50	826.77		
356	U1462	A	95	X	2	0.61	0.61	826.77	827.38		
356	U1462	A	95	X	CC	0.18	0.18	827.38	827.56		
356	U1462	A	96	X	1	1.40	1.40	830.30	831.70		
356	U1462	A	96	X	2	1.12	1.12	831.70	832.82		
356	U1462	A	96	X	3	0.91	0.91	832.82	833.73		
356	U1462	A	96	X	CC	0.20	0.20	833.73	833.93		
356	U1462	A	97	X	1	1.43	1.43	835.10	836.53		
356	U1462	A	97	X	2	1.31	1.31	836.53	837.84		
356	U1462	A	97	X	3	1.01	1.01	837.84	838.85		
356	U1462	A	97	X	CC	0.30	0.30	838.85	839.15		
356	U1462	A	98	X	1	1.44	1.44	839.90	841.34		
356	U1462	A	98	X	2	1.44	1.44	841.34	842.78		
356	U1462	A	98	X	3	1.20	1.20	842.78	843.98		
356	U1462	A	98	X	CC	0.25	0.25	843.98	844.23		
356	U1462	A	99	X	CC	0.62	0.62	844.70	845.32		
356	U1462	A	100	X	CC	0.17	0.17	849.50	849.67		
356	U1462	B	1	X	CC	0.30	0.30	0.00	0.30		
356	U1462	B	2	X	CC	0.30	0.30	9.70	10.00		
356	U1462	B	5	X	CC	0.33	0.33	28.80	29.13		
356	U1462	B	6	X	CC	0.33	0.33	33.50	33.83		
356	U1462	B	7	X	CC	0.26	0.26	38.20	38.46		
356	U1462	B	8	X	CC	0.27	0.27	42.90	43.17		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	B	9	X	CC	0.20	0.20	47.60	47.80		
356	U1462	C	6	R	CC	0.36	0.36	52.20	52.56		
356	U1462	C	7	R	1	1.50	1.50	57.00	58.50		
356	U1462	C	7	R	2	0.68	0.68	58.50	59.18		
356	U1462	C	8	R	1	0.60	0.60	61.80	62.40		
356	U1462	C	10	R	1	0.58	0.58	71.40	71.98		
356	U1462	C	11	R	CC	0.09	0.09	76.20	76.29		
356	U1462	C	12	R	CC	0.15	0.15	81.00	81.15		
356	U1462	C	14	R	CC	0.26	0.26	90.60	90.86		
356	U1462	C	15	R	CC	0.47	0.47	95.40	95.87		
356	U1462	C	16	R	CC	0.53	0.53	100.20	100.73		
356	U1462	C	17	R	CC	0.13	0.13	105.00	105.13		
356	U1462	C	19	R	CC	0.34	0.34	114.60	114.94		
356	U1462	C	20	R	CC	0.14	0.14	119.50	119.64		
356	U1462	C	21	R	CC	0.43	0.43	124.40	124.83		
356	U1462	C	22	R	1	1.43	1.43	129.30	130.73		
356	U1462	C	22	R	2	1.44	1.44	130.73	132.17		
356	U1462	C	22	R	3	1.31	1.31	132.17	133.48		
356	U1462	C	23	R	1	1.47	1.47	134.20	135.67		
356	U1462	C	23	R	2	0.69	0.69	135.67	136.36		
356	U1462	C	24	R	1	1.35	1.35	139.10	140.45		
356	U1462	C	25	R	CC	0.33	0.33	144.00	144.33		
356	U1462	C	29	R	CC	0.12	0.12	163.60	163.72		
356	U1462	C	30	R	1	0.67	0.67	168.50	169.17		
356	U1462	C	31	R	1	0.41	0.41	173.40	173.81		
356	U1462	C	31	R	CC	0.27	0.27	173.81	174.08		
356	U1462	C	32	R	CC	0.38	0.38	178.30	178.68		
356	U1462	C	34	R	CC	0.23	0.23	188.10	188.33		
356	U1462	C	35	R	CC	0.22	0.22	193.00	193.22		
356	U1462	C	36	R	CC	0.12	0.12	197.90	198.02		
356	U1462	C	37	R	CC	0.17	0.17	202.80	202.97		
356	U1462	C	38	R	CC	0.26	0.26	207.70	207.96		
356	U1462	C	40	R	CC	0.21	0.21	217.50	217.71		
356	U1462	C	41	R	1	0.60	0.60	222.40	223.00		
356	U1462	C	42	R	CC	0.13	0.13	227.30	227.43		
356	U1462	C	45	R	1	0.37	0.37	242.00	242.37		
356	U1462	C	45	R	CC	0.22	0.22	242.37	242.59		
356	U1462	C	47	R	1	1.10	1.10	251.80	252.90		
356	U1462	C	47	R	CC	0.11	0.11	252.90	253.01		
356	U1462	C	50	R	1	0.91	0.91	266.50	267.41		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	51	R	CC	0.11	0.11	271.30	271.41		
356	U1462	C	54	R	CC	0.19	0.19	285.70	285.89		
356	U1462	C	55	R	CC	0.14	0.14	290.50	290.64		
356	U1462	C	56	R	CC	0.35	0.35	295.30	295.65		
356	U1462	C	57	R	CC	0.45	0.45	300.10	300.55		
356	U1462	C	58	R	CC	0.40	0.40	304.90	305.30		
356	U1462	C	59	R	CC	0.44	0.44	309.70	310.14		
356	U1462	C	60	R	1	1.46	1.46	314.50	315.96		
356	U1462	C	60	R	CC	0.24	0.24	315.96	316.20		
356	U1462	C	61	R	1	0.63	0.63	319.30	319.93		
356	U1462	C	61	R	CC	0.16	0.16	319.93	320.09		
356	U1462	C	62	R	1	1.26	1.26	324.10	325.36		
356	U1462	C	62	R	2	1.09	1.09	325.36	326.45		
356	U1462	C	62	R	3	1.18	1.18	326.45	327.63		
356	U1462	C	62	R	4	0.69	0.69	327.63	328.32		
356	U1462	C	62	R	CC	0.23	0.23	328.32	328.55		
356	U1462	C	63	R	1	1.35	1.35	328.90	330.25		
356	U1462	C	63	R	2	1.50	1.50	330.25	331.75		
356	U1462	C	63	R	3	0.71	0.71	331.75	332.46		
356	U1462	C	63	R	CC	0.28	0.28	332.46	332.74		
356	U1462	C	64	R	1	1.29	1.29	333.70	334.99		
356	U1462	C	64	R	2	0.89	0.89	334.99	335.88		
356	U1462	C	64	R	3	1.50	1.50	335.88	337.38		
356	U1462	C	64	R	4	0.99	0.99	337.38	338.37		
356	U1462	C	64	R	CC	0.32	0.32	338.37	338.69		
356	U1462	C	65	R	1	1.50	1.50	338.50	340.00		
356	U1462	C	65	R	2	1.44	1.44	340.00	341.44		
356	U1462	C	65	R	3	1.16	1.16	341.44	342.60		
356	U1462	C	65	R	4	1.48	1.48	342.60	344.08		
356	U1462	C	65	R	CC	0.23	0.23	344.08	344.31		
356	U1462	C	66	R	1	0.81	0.81	348.20	349.01		
356	U1462	C	66	R	2	1.52	1.52	349.01	350.53		
356	U1462	C	66	R	3	1.50	1.50	350.53	352.03		
356	U1462	C	66	R	4	1.14	1.14	352.03	353.17		
356	U1462	C	66	R	CC	0.25	0.25	353.17	353.42		
356	U1462	C	67	R	1	1.27	1.27	357.90	359.17		
356	U1462	C	67	R	2	1.46	1.46	359.17	360.63		
356	U1462	C	67	R	3	1.45	1.45	360.63	362.08		
356	U1462	C	67	R	CC	0.26	0.26	362.08	362.34		
356	U1462	C	68	R	1	1.50	1.50	362.80	364.30		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	68	R	2	1.45	1.45	364.30	365.75		
356	U1462	C	68	R	3	1.45	1.45	365.75	367.20		
356	U1462	C	68	R	4	0.91	0.91	367.20	368.11		
356	U1462	C	68	R	CC	0.18	0.18	368.11	368.29		
356	U1462	C	69	R	1	1.20	1.20	367.70	368.90		
356	U1462	C	69	R	2	0.68	0.68	368.90	369.58		
356	U1462	C	69	R	CC	0.23	0.23	369.58	369.81		
356	U1462	C	70	R	1	1.37	1.37	372.60	373.97		
356	U1462	C	70	R	2	1.36	1.36	373.97	375.33		
356	U1462	C	70	R	3	1.03	1.03	375.33	376.36		
356	U1462	C	70	R	CC	0.26	0.26	376.36	376.62		
356	U1462	C	71	R	1	1.41	1.41	377.50	378.91		
356	U1462	C	71	R	2	1.24	1.24	378.91	380.15		
356	U1462	C	71	R	CC	0.26	0.26	380.15	380.41		
356	U1462	C	72	R	1	1.37	1.37	382.40	383.77		
356	U1462	C	72	R	CC	0.27	0.27	383.77	384.04		
356	U1462	C	73	R	CC	0.31	0.31	387.30	387.61		
356	U1462	C	74	R	CC	0.45	0.45	392.20	392.65		
356	U1462	C	75	R	1	1.49	1.49	397.10	398.59		
356	U1462	C	75	R	2	1.14	1.14	398.59	399.73		
356	U1462	C	75	R	3	0.81	0.81	399.73	400.54		
356	U1462	C	76	R	1	1.47	1.47	402.00	403.47		
356	U1462	C	76	R	2	1.38	1.38	403.47	404.85		
356	U1462	C	76	R	3	1.25	1.25	404.85	406.10		
356	U1462	C	77	R	1	0.41	0.41	406.90	407.31		
356	U1462	C	77	R	CC	0.20	0.20	407.31	407.51		
356	U1462	C	78	R	1	1.50	1.50	411.80	413.30		
356	U1462	C	78	R	2	0.93	0.93	413.30	414.23		
356	U1462	C	78	R	3	1.49	1.49	414.23	415.72		
356	U1462	C	78	R	CC	0.21	0.21	415.72	415.93		
356	U1462	C	79	R	1	1.43	1.43	416.70	418.13		
356	U1462	C	79	R	2	1.44	1.44	418.13	419.57		
356	U1462	C	80	R	1	1.25	1.25	421.60	422.85		
356	U1462	C	80	R	2	0.90	0.90	422.85	423.75		
356	U1462	C	81	R	1	0.74	0.74	426.50	427.24		
356	U1462	C	82	R	1	0.97	0.97	431.40	432.37		
356	U1462	C	82	R	2	1.21	1.21	432.37	433.58		
356	U1462	C	83	R	1	1.28	1.28	436.30	437.58		
356	U1462	C	83	R	2	0.74	0.74	437.58	438.32		
356	U1462	C	84	R	1	0.78	0.78	441.20	441.98		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	85	R	1	0.90	0.90	446.10	447.00		
356	U1462	C	85	R	2	0.72	0.72	447.00	447.72		
356	U1462	C	86	R	1	0.66	0.66	451.00	451.66		
356	U1462	C	87	R	1	1.23	1.23	455.90	457.13		
356	U1462	C	87	R	2	0.71	0.71	457.13	457.84		
356	U1462	C	88	R	1	1.41	1.41	460.70	462.11		
356	U1462	C	88	R	2	0.56	0.56	462.11	462.67		
356	U1462	C	89	R	1	1.27	1.27	465.50	466.77		
356	U1462	C	89	R	2	0.64	0.64	466.77	467.41		
356	U1462	C	90	R	1	1.04	1.04	470.30	471.34		
356	U1462	C	90	R	2	0.61	0.61	471.34	471.95		
356	U1462	C	90	R	CC	0.26	0.26	471.95	472.21		
356	U1462	C	91	R	1	1.47	1.47	475.10	476.57		
356	U1462	C	91	R	2	1.07	1.07	476.57	477.64		
356	U1462	C	91	R	3	0.74	0.74	477.64	478.38		
356	U1462	C	91	R	CC	0.28	0.28	478.38	478.66		
356	U1462	C	92	R	1	1.46	1.46	479.90	481.36		
356	U1462	C	92	R	2	1.35	1.35	481.36	482.71		
356	U1462	C	92	R	CC	0.28	0.28	482.71	482.99		
356	U1462	C	93	R	1	1.30	1.30	484.70	486.00		
356	U1462	C	93	R	2	1.22	1.22	486.00	487.22		
356	U1462	C	93	R	CC	0.29	0.29	487.22	487.51		
356	U1462	C	94	R	1	1.47	1.47	489.50	490.97		
356	U1462	C	94	R	2	1.35	1.35	490.97	492.32		
356	U1462	C	94	R	3	1.10	1.10	492.32	493.42		
356	U1462	C	94	R	4	0.71	0.71	493.42	494.13		
356	U1462	C	94	R	CC	0.24	0.24	494.13	494.37		
356	U1462	C	95	R	1	0.78	0.78	494.30	495.08		
356	U1462	C	95	R	2	0.96	0.96	495.08	496.04		
356	U1462	C	95	R	3	1.47	1.47	496.04	497.51		
356	U1462	C	95	R	4	0.91	0.91	497.51	498.42		
356	U1462	C	95	R	CC	0.20	0.20	498.42	498.62		
356	U1462	C	96	R	1	1.42	1.42	499.10	500.52		
356	U1462	C	96	R	2	1.10	1.10	500.52	501.62		
356	U1462	C	96	R	3	0.79	0.79	501.62	502.41		
356	U1462	C	96	R	CC	0.29	0.29	502.41	502.70		
356	U1462	C	97	R	1	1.40	1.40	503.90	505.30		
356	U1462	C	97	R	2	1.22	1.22	505.30	506.52		
356	U1462	C	97	R	CC	0.35	0.35	506.52	506.87		
356	U1462	C	98	R	1	1.29	1.29	508.70	509.99		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	98	R	2	0.92	0.92	509.99	510.91		
356	U1462	C	98	R	3	1.02	1.02	510.91	511.93		
356	U1462	C	98	R	CC	0.30	0.30	511.93	512.23		
356	U1462	C	99	R	1	0.75	0.75	513.50	514.25		
356	U1462	C	99	R	CC	0.29	0.29	514.25	514.54		
356	U1462	C	100	R	1	1.42	1.42	518.30	519.72		
356	U1462	C	100	R	2	0.84	0.84	519.72	520.56		
356	U1462	C	100	R	CC	0.39	0.39	520.56	520.95		
356	U1462	C	101	R	1	1.20	1.20	523.10	524.30		
356	U1462	C	101	R	2	1.27	1.27	524.30	525.57		
356	U1462	C	101	R	3	1.07	1.07	525.57	526.64		
356	U1462	C	101	R	4	0.66	0.66	526.64	527.30		
356	U1462	C	101	R	CC	0.20	0.20	527.30	527.50		
356	U1462	C	102	R	1	1.36	1.36	527.90	529.26		
356	U1462	C	102	R	2	1.18	1.18	529.26	530.44		
356	U1462	C	102	R	3	1.40	1.40	530.44	531.84		
356	U1462	C	102	R	CC	0.26	0.26	531.84	532.10		
356	U1462	C	103	R	1	1.02	1.02	532.70	533.72		
356	U1462	C	103	R	2	1.50	1.50	533.72	535.22		
356	U1462	C	103	R	3	1.14	1.14	535.22	536.36		
356	U1462	C	103	R	4	0.76	0.76	536.36	537.12		
356	U1462	C	103	R	CC	0.17	0.17	537.12	537.29		
356	U1462	C	104	R	1	1.50	1.50	537.60	539.10		
356	U1462	C	104	R	2	1.00	1.00	539.10	540.10		
356	U1462	C	104	R	3	1.50	1.50	540.10	541.60		
356	U1462	C	104	R	4	1.15	1.15	541.60	542.75		
356	U1462	C	104	R	CC	0.26	0.26	542.75	543.01		
356	U1462	C	105	R	1	1.50	1.50	542.50	544.00		
356	U1462	C	105	R	2	1.12	1.12	544.00	545.12		
356	U1462	C	105	R	3	1.30	1.30	545.12	546.42		
356	U1462	C	105	R	CC	0.19	0.19	546.42	546.61		
356	U1462	C	106	R	1	1.30	1.30	547.40	548.70		
356	U1462	C	106	R	2	1.50	1.50	548.70	550.20		
356	U1462	C	106	R	3	1.46	1.46	550.20	551.66		
356	U1462	C	106	R	CC	0.11	0.11	551.66	551.77		
356	U1462	C	107	R	1	1.49	1.49	552.30	553.79		
356	U1462	C	107	R	2	1.46	1.46	553.79	555.25		
356	U1462	C	107	R	3	1.50	1.50	555.25	556.75		
356	U1462	C	107	R	4	1.29	1.29	556.75	558.04		
356	U1462	C	108	R	1	1.50	1.50	557.20	558.70		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	108	R	2	1.50	1.50	558.70	560.20		
356	U1462	C	108	R	3	1.01	1.01	560.20	561.21		
356	U1462	C	108	R	4	0.66	0.66	561.21	561.87		
356	U1462	C	108	R	CC	0.29	0.29	561.87	562.16		
356	U1462	C	109	R	1	1.45	1.45	562.10	563.55		
356	U1462	C	109	R	2	1.02	1.02	563.55	564.57		
356	U1462	C	109	R	3	1.03	1.03	564.57	565.60		
356	U1462	C	110	R	1	1.50	1.50	567.00	568.50		
356	U1462	C	110	R	2	1.19	1.19	568.50	569.69		
356	U1462	C	111	R	1	1.50	1.50	571.90	573.40		
356	U1462	C	111	R	2	1.18	1.18	573.40	574.58		
356	U1462	C	112	R	1	1.50	1.50	576.80	578.30		
356	U1462	C	112	R	2	1.50	1.50	578.30	579.80		
356	U1462	C	112	R	3	1.30	1.30	579.80	581.10		
356	U1462	C	112	R	4	0.95	0.95	581.10	582.05		
356	U1462	C	113	R	1	1.17	1.17	581.70	582.87		
356	U1462	C	113	R	2	0.93	0.93	582.87	583.80		
356	U1462	C	113	R	3	0.90	0.90	583.80	584.70		
356	U1462	C	114	R	1	1.50	1.50	586.60	588.10		
356	U1462	C	114	R	2	1.50	1.50	588.10	589.60		
356	U1462	C	114	R	3	1.50	1.50	589.60	591.10		
356	U1462	C	114	R	4	1.28	1.28	591.10	592.38		
356	U1462	C	115	R	1	1.02	1.02	591.50	592.52		
356	U1462	C	116	R	1	1.21	1.21	596.40	597.61		
356	U1462	C	116	R	2	1.50	1.50	597.61	599.11		
356	U1462	C	116	R	3	1.50	1.50	599.11	600.61		
356	U1462	C	116	R	4	1.10	1.10	600.61	601.71		
356	U1462	C	116	R	5	0.44	0.44	601.71	602.15		
356	U1462	C	117	R	1	1.15	1.15	601.30	602.45		
356	U1462	C	117	R	2	1.13	1.13	602.45	603.58		
356	U1462	C	117	R	3	1.47	1.47	603.58	605.05		
356	U1462	C	117	R	4	0.61	0.61	605.05	605.66		
356	U1462	C	118	R	1	1.18	1.18	606.20	607.38		
356	U1462	C	118	R	2	1.45	1.45	607.38	608.83		
356	U1462	C	118	R	3	1.38	1.38	608.83	610.21		
356	U1462	C	118	R	4	0.87	0.87	610.21	611.08		
356	U1462	C	118	R	CC	0.22	0.22	611.08	611.30		
356	U1462	C	119	R	1	1.34	1.34	611.10	612.44		
356	U1462	C	119	R	2	1.43	1.43	612.44	613.87		
356	U1462	C	119	R	3	0.96	0.96	613.87	614.83		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	120	R	1	0.98	0.98	616.00	616.98		
356	U1462	C	120	R	2	1.39	1.39	616.98	618.37		
356	U1462	C	121	R	1	0.93	0.93	620.90	621.83		
356	U1462	C	121	R	2	1.45	1.45	621.83	623.28		
356	U1462	C	121	R	3	1.00	1.00	623.28	624.28		
356	U1462	C	121	R	4	0.74	0.74	624.28	625.02		
356	U1462	C	122	R	1	1.50	1.50	625.80	627.30		
356	U1462	C	122	R	2	1.25	1.25	627.30	628.55		
356	U1462	C	122	R	3	1.39	1.39	628.55	629.94		
356	U1462	C	122	R	CC	0.14	0.14	629.94	630.08		
356	U1462	C	123	R	1	1.27	1.27	630.70	631.97		
356	U1462	C	124	R	1	1.49	1.49	635.60	637.09		
356	U1462	C	124	R	2	1.12	1.12	637.09	638.21		
356	U1462	C	124	R	3	0.80	0.80	638.21	639.01		
356	U1462	C	125	R	1	1.06	1.06	640.50	641.56		
356	U1462	C	125	R	CC	0.27	0.27	641.56	641.83		
356	U1462	C	126	R	1	1.36	1.36	645.30	646.66		
356	U1462	C	126	R	2	0.72	0.72	646.66	647.38		
356	U1462	C	126	R	3	0.90	0.90	647.38	648.28		
356	U1462	C	127	R	1	1.29	1.29	650.10	651.39		
356	U1462	C	127	R	2	0.89	0.89	651.39	652.28		
356	U1462	C	127	R	3	0.66	0.66	652.28	652.94		
356	U1462	C	127	R	CC	0.10	0.10	652.94	653.04		
356	U1462	C	128	R	1	1.33	1.33	654.90	656.23		
356	U1462	C	128	R	2	1.07	1.07	656.23	657.30		
356	U1462	C	128	R	3	0.95	0.95	657.30	658.25		
356	U1462	C	128	R	4	0.82	0.82	658.25	659.07		
356	U1462	C	128	R	5	1.04	1.04	659.07	660.11		
356	U1462	C	128	R	CC	0.20	0.20	660.11	660.31		
356	U1462	C	129	R	1	1.01	1.01	659.70	660.71		
356	U1462	C	129	R	2	1.13	1.13	660.71	661.84		
356	U1462	C	129	R	3	1.29	1.29	661.84	663.13		
356	U1462	C	129	R	4	1.13	1.13	663.13	664.26		
356	U1462	C	129	R	CC	0.20	0.20	664.26	664.46		
356	U1462	C	130	R	1	1.37	1.37	664.50	665.87		
356	U1462	C	130	R	2	0.82	0.82	665.87	666.69		
356	U1462	C	130	R	3	1.48	1.48	666.69	668.17		
356	U1462	C	130	R	4	1.10	1.10	668.17	669.27		
356	U1462	C	130	R	CC	0.18	0.18	669.27	669.45		
356	U1462	C	131	R	1	0.91	0.91	669.30	670.21		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	131	R	2	1.20	1.20	670.21	671.41		
356	U1462	C	131	R	3	1.25	1.25	671.41	672.66		
356	U1462	C	131	R	4	0.89	0.89	672.66	673.55		
356	U1462	C	132	R	1	1.34	1.34	674.10	675.44		
356	U1462	C	132	R	CC	0.22	0.22	675.44	675.66		
356	U1462	C	133	R	1	1.25	1.25	678.90	680.15		
356	U1462	C	133	R	2	1.45	1.45	680.15	681.60		
356	U1462	C	133	R	3	1.02	1.02	681.60	682.62		
356	U1462	C	133	R	4	1.45	1.45	682.62	684.07		
356	U1462	C	133	R	CC	0.22	0.22	684.07	684.29		
356	U1462	C	134	R	1	1.50	1.50	684.90	686.40		
356	U1462	C	134	R	2	1.44	1.44	686.40	687.84		
356	U1462	C	134	R	3	1.21	1.21	687.84	689.05		
356	U1462	C	134	R	4	1.42	1.42	689.05	690.47		
356	U1462	C	134	R	CC	0.14	0.14	690.47	690.61		
356	U1462	C	135	R	1	0.87	0.87	694.60	695.47		Disturbed
356	U1462	C	135	R	2	1.04	1.04	695.47	696.51		
356	U1462	C	135	R	3	1.11	1.11	696.51	697.62		
356	U1462	C	135	R	4	1.30	1.30	697.62	698.92		
356	U1462	C	135	R	5	1.50	1.50	698.92	700.42		
356	U1462	C	135	R	6	1.44	1.44	700.42	701.86		
356	U1462	C	135	R	7	1.23	1.23	701.86	703.09		
356	U1462	C	135	R	8	0.65	0.65	703.09	703.74		
356	U1462	C	136	R	1	1.46	1.46	704.30	705.76		
356	U1462	C	136	R	2	1.42	1.42	705.76	707.18		
356	U1462	C	136	R	3	1.49	1.49	707.18	708.67		
356	U1462	C	136	R	4	1.37	1.37	708.67	710.04		
356	U1462	C	136	R	5	1.31	1.31	710.04	711.35		
356	U1462	C	136	R	6	1.50	1.50	711.35	712.85		
356	U1462	C	136	R	7	1.10	1.10	712.85	713.95		
356	U1462	C	136	R	CC	0.37	0.37	713.95	714.32		
356	U1462	C	137	R	1	1.50	1.50	714.00	715.50		
356	U1462	C	137	R	2	1.43	1.43	715.50	716.93		
356	U1462	C	137	R	3	1.50	1.50	716.93	718.43		
356	U1462	C	137	R	4	1.29	1.29	718.43	719.72		
356	U1462	C	137	R	5	1.42	1.42	719.72	721.14		
356	U1462	C	137	R	6	1.41	1.41	721.14	722.55		
356	U1462	C	137	R	7	0.97	0.97	722.55	723.52		
356	U1462	C	137	R	CC	0.27	0.27	723.52	723.79		
356	U1462	C	138	R	1	1.44	1.44	723.70	725.14		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	138	R	2	1.38	1.38	725.14	726.52		
356	U1462	C	138	R	3	1.49	1.49	726.52	728.01		
356	U1462	C	138	R	4	1.38	1.38	728.01	729.39		
356	U1462	C	138	R	5	1.40	1.40	729.39	730.79		
356	U1462	C	138	R	6	1.40	1.40	730.79	732.19		
356	U1462	C	138	R	7	0.66	0.66	732.19	732.85		
356	U1462	C	139	R	1	1.49	1.49	733.40	734.89		
356	U1462	C	139	R	2	1.50	1.50	734.89	736.39		
356	U1462	C	139	R	3	1.50	1.50	736.39	737.89		
356	U1462	C	139	R	4	1.50	1.50	737.89	739.39		
356	U1462	C	139	R	5	1.50	1.50	739.39	740.89		
356	U1462	C	139	R	6	1.13	1.13	740.89	742.02		
356	U1462	C	139	R	7	0.64	0.64	742.02	742.66		
356	U1462	C	140	R	1	1.49	1.49	743.10	744.59		
356	U1462	C	140	R	2	1.51	1.51	744.59	746.10		
356	U1462	C	140	R	3	1.51	1.51	746.10	747.61		
356	U1462	C	140	R	4	1.41	1.41	747.61	749.02		
356	U1462	C	140	R	5	1.50	1.50	749.02	750.52		
356	U1462	C	140	R	6	1.21	1.21	750.52	751.73		
356	U1462	C	140	R	7	0.79	0.79	751.73	752.52		
356	U1462	C	141	R	1	1.25	1.25	752.80	754.05		
356	U1462	C	141	R	2	1.40	1.40	754.05	755.45		
356	U1462	C	141	R	3	1.42	1.42	755.45	756.87		
356	U1462	C	141	R	4	1.45	1.45	756.87	758.32		
356	U1462	C	141	R	5	1.27	1.27	758.32	759.59		
356	U1462	C	142	R	1	1.36	1.36	762.50	763.86		
356	U1462	C	142	R	2	1.46	1.46	763.86	765.32		
356	U1462	C	142	R	3	1.52	1.52	765.32	766.84		
356	U1462	C	142	R	4	1.49	1.49	766.84	768.33		
356	U1462	C	142	R	5	1.51	1.51	768.33	769.84		
356	U1462	C	142	R	6	1.29	1.29	769.84	771.13		
356	U1462	C	142	R	7	0.48	0.48	771.13	771.61		
356	U1462	C	143	R	1	1.50	1.50	772.20	773.70		
356	U1462	C	143	R	2	0.99	0.99	773.70	774.69		
356	U1462	C	143	R	3	1.19	1.19	774.69	775.88		
356	U1462	C	143	R	4	1.43	1.43	775.88	777.31		
356	U1462	C	143	R	5	0.76	0.76	777.31	778.07		
356	U1462	C	144	R	1	1.24	1.24	781.90	783.14		
356	U1462	C	144	R	2	0.61	0.61	783.14	783.75		
356	U1462	C	145	R	CC	0.18	0.18	786.50	786.68		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	146	R	CC	0.29	0.29	791.30	791.59		
356	U1462	C	147	R	CC	0.45	0.45	796.10	796.55		
356	U1462	C	148	R	1	1.47	1.47	800.90	802.37		
356	U1462	C	148	R	2	0.98	0.98	802.37	803.35		
356	U1462	C	148	R	3	0.59	0.59	803.35	803.94		
356	U1462	C	149	R	1	1.48	1.48	805.70	807.18		
356	U1462	C	149	R	2	1.33	1.33	807.18	808.51		
356	U1462	C	149	R	3	0.59	0.59	808.51	809.10		
356	U1462	C	150	R	1	1.49	1.49	810.50	811.99		
356	U1462	C	150	R	2	1.41	1.41	811.99	813.40		
356	U1462	C	150	R	3	0.68	0.68	813.40	814.08		
356	U1462	C	151	R	1	1.46	1.46	815.30	816.76		
356	U1462	C	151	R	2	1.30	1.30	816.76	818.06		
356	U1462	C	151	R	CC	0.22	0.22	818.06	818.28		
356	U1462	C	152	R	1	1.37	1.37	820.10	821.47		
356	U1462	C	152	R	2	1.42	1.42	821.47	822.89		
356	U1462	C	152	R	3	1.33	1.33	822.89	824.22		
356	U1462	C	152	R	CC	0.20	0.20	824.22	824.42		
356	U1462	C	153	R	1	1.39	1.39	824.90	826.29		
356	U1462	C	153	R	2	1.17	1.17	826.29	827.46		
356	U1462	C	153	R	CC	0.19	0.19	827.46	827.65		
356	U1462	C	154	R	1	1.45	1.45	829.70	831.15		
356	U1462	C	154	R	2	1.39	1.39	831.15	832.54		
356	U1462	C	154	R	CC	0.23	0.23	832.54	832.77		
356	U1462	C	155	R	1	1.10	1.10	834.50	835.60		
356	U1462	C	155	R	2	0.91	0.91	835.60	836.51		
356	U1462	C	155	R	CC	0.30	0.30	836.51	836.81		
356	U1462	C	156	R	1	1.12	1.12	839.30	840.42		
356	U1462	C	156	R	2	0.73	0.73	840.42	841.15		
356	U1462	C	156	R	CC	0.20	0.20	841.15	841.35		
356	U1462	C	157	R	1	1.17	1.17	842.80	843.97		
356	U1462	C	157	R	2	0.67	0.67	843.97	844.64		
356	U1462	C	157	R	CC	0.25	0.25	844.64	844.89		
356	U1462	C	158	R	1	0.58	0.58	847.70	848.28		
356	U1462	C	158	R	CC	0.32	0.32	848.28	848.60		
356	U1462	C	159	R	1	1.39	1.39	852.60	853.99		
356	U1462	C	159	R	CC	0.29	0.29	853.99	854.28		
356	U1462	C	160	R	CC	0.23	0.23	857.50	857.73		
356	U1462	C	161	R	CC	0.17	0.17	862.40	862.57		
356	U1462	C	162	R	CC	0.30	0.30	867.30	867.60		

U1462 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
356	U1462	C	163	R	CC	0.10	0.10	872.20	872.30		
356	U1462	C	164	R	CC	0.13	0.13	877.10	877.23		
356	U1462	C	165	R	1	0.75	0.75	882.00	882.75		disturbed
356	U1462	C	165	R	CC	0.18	0.18	882.75	882.93		
356	U1462	C	166	R	CC	0.17	0.17	886.90	887.07		
356	U1462	C	167	R	CC	0.33	0.33	891.80	892.13		
356	U1462	C	168	R	CC	0.33	0.33	896.70	897.03		
356	U1462	C	169	R	CC	0.11	0.11	901.60	901.71		
356	U1462	C	170	R	1	0.45	0.45	906.50	906.95		
356	U1462	C	172	R	CC	0.46	0.46	916.30	916.76		
356	U1462	C	173	R	CC	0.22	0.22	921.20	921.42		
356	U1462	C	174	R	1	1.20	1.20	926.10	927.30		
356	U1462	C	175	R	1	1.27	1.27	931.00	932.27		
356	U1462	C	176	R	1	1.01	1.01	935.90	936.91		
356	U1462	C	177	R	1	0.99	0.99	940.80	941.79		
356	U1462	C	177	R	2	0.56	0.56	941.79	942.35		
356	U1462	C	178	R	CC	0.39	0.39	945.70	946.09		