

Table 4. Relative abundance of benthic foraminiferal species and overall abundance of benthic foraminifers at Hole 1082A.

[illegible]

Notes: The relative abundance of benthic foraminiferal species is given as a percentage, where + = <1% and P = present (the relative abundance was not calculated because of small sample size). Absolute abundance (per ~20 cm³ of sediment) of benthic foraminifera is given as A = abundant (>500 specimens); C = common (250–500 specimens); Lith = lithified (not possible to count or classify benthic foraminifera).

ODP Proceedings, Initial Reports, Volume 175: Chapter 10, Table 4.

Table 4. Relative abundance

Core, section, interval	Depth (mbsf)	Abundance	<i>Anomalinoidea globulosus</i>	<i>Astronion novozelandicum</i>	<i>Astronion stelligerum</i>	<i>Bolivina pseudoplicata</i>	<i>Bolivina seminuda</i>	<i>Bolivina subaenensis</i>	<i>Bolivina</i> sp. 1	<i>Bolivina</i> sp. 2	<i>Bolivina cubensis</i>	<i>Bulimina aculeata</i>	<i>Bulimina exilis</i>	<i>Bulimina marginata</i>	<i>Bulimina mexicana</i>	<i>Bulimina truncana</i>	<i>Cassidulina laevigata</i>	<i>Cassidulina minuta</i>	<i>Cassidulinoides cf. bradyi</i>	<i>Chilostomella oolina</i>	<i>Chilostomella ovoidea</i>	<i>Chrysalgonium</i> spp.	<i>Cibicides bradyi</i>	<i>Cibicides pachyderma</i>	<i>Cibicides wuellerstorfi</i>	<i>Eggerella bradyi</i>	? <i>Eggerella</i> sp. 1
175-1082A-																											
1H-CC	7.84	A										40	11	+			9	+		+	3				2		
2H-CC	17.37	A										2	22	12			+										
3H-CC	27.16	A										3	24	19	+	+	1		1		+		2				
4H-CC	36.71	A										3	23	15	2	3	3		1		+		+				
5H-CC	46.52	A					2					4	14	31	7	+	6		+		+		+				
6H-CC	55.82	A										2	2	17		+			+								
7H-CC	65.47	A										8	11	6	+	+			4		2		+	+			
8H-CC	75.27	A										11	20	3			3		25		3						
9H-CC	84.50	A										+	21	+			32		+								
10H-CC	94.34	A					+		9			47	+	6	+	+	9		9								
11H-CC	103.45	A					+					2		11	2				+					1			
12H-CC	112.84	A										4	2	11	2				+								
13H-CC	120.24	A					+					9	9	7			22		+	+	+		+	8		4	
14H-CC	128.58	A							+			5	+	3	9	32	+		+		+		7	6			3
15X-CC	135.30	A					+					18	44	4	+	+	18		+				+	+			
16X-CC	145.34	A							2			1	14	+	2	+	29	+	+				3				
17X-CC	152.80	A			+							4	4		3		12				2			+		1	
18X-CC	163.06	A							1			8	8	16	3		6							+			
19X-CC	172.74	A										+	25	3										3			
20X-CC	183.51	A			1							32	7	4			12							6			
21X-CC	193.47	A										+	55	+										+			
22X-CC	201.31	A										32	7								+		1	5			
23X-CC	213.19	C										11	11	10					13					2			
24X-CC	223.03	C										14	7					2				+		12	+		
25X-CC	231.46	C										29	12					+	+				+	11			
26X-CC	244.38	A					+					25	1			+					+		+	5			
27X-CC	252.12	A										2	18	4							+			10	+	+	
28X-CC	262.14	A								+		8	8	1									+	10	+		
29X-CC	273.16	A										32	+								+	+		4			
30X-CC	280.53	A										27	7								+	+		+			
32X-CC	299.62	A										7	4											3	+		
33X-CC	309.63	A										42	5	1										4			
34X-CC	317.67	A										5	19	11				+	+		+	+	+	12	1		
35X-CC	328.60	A										19	2	10									+	7	+	+	
36X-CC	328.55	A										2	26	2						+			6	14	7		
37X-CC	337.01	A										12	5	9									+	6			
38X-CC	349.23	A										5	12	12						+				4			2
39X-CC	356.49	A										3	5	9							+			8			
40X-CC	366.46	A										3	11										7	4	4		
41X-CC	378.29	A	+	+								+	9					+				+	4	4	+	+	
42X-CC	386.97	Lith																									
43X-CC	396.06	A							6			+	+	7	+				+			2	14	6	2	+	
44X-CC	405.07	A							5			2	5				+	+	+				+	17	3	+	
45X-CC	414.98	A							17			+	5					+	+				3	13	2	1	
46X-CC	424.11	A			+				20				1	+							2		9	4			
47X-CC	432.96	A							20				6	1				+			+		+	9	+	+	+
48X-CC	442.70	Lith																									
49X-CC	455.85	A			+				29					3	1								8	+	10	3	
50X-CC	464.01	A							16					5								+	15	6	3	3	
51X-CC	472.75	A	2			+			22				5		3				+				10	3	+	1	+
52X-CC	482.40	A			+				18					5	4							+	4	8	10	+	+
53X-CC	491.85	A			+				9					17	9			+	1			+	4	4	10		
54X-CC	503.56	A	+						7		+		+	5	1			+	+		2	3	18	+	+	+	
55X-CC	513.60	A		2					8		2			2	4							6	32	3	2	+	
56X-CC	523.15	A	+						12					6	4			+	+			1	8	+	+	1	
57X-CC	532.68	A	+											7	1			1				2	6	+		3	
58X-CC	541.98	A						2						4	+	+		+				5	23	6	2	1	
59X-CC	550.05	A	3					2			1			+	4			+	+			4	6	6	2	2	
60X-CC	561.13	A	2					5						8	5			+	+			3	9	2	3		
61X-CC	570.48	A		3		+		33						11	1							2	7				
62X-CC	579.77	A	2	3				14							4							3	16		3	+	
63X-CC	590.05	A		2				26							4	2			+			+	4	8	8		
64X-CC	599.98	A	+					28							1	3						+	4	5	+	+	

Notes: The relative abundance of benthic foraminiferal species is given as a percentage, where + = <1% and P = present (the relative abundance was not calculate foraminifers).

[illegible]

ed because of small sample size). Absolute abundance (per ~20 cm³ of sediment) of benthic foraminifers is given as A = abundant (>500 specimens); C = common (250–500 specimens); Lith = lithic.

	<i>Uvigerina aubertiana</i>	<i>Uvigerina gallowayi</i>	<i>Uvigerina hispida</i>	<i>Uvigerina hispidocostata</i>	<i>Uvigerina peregrina</i>	Unidentified	Number of specimens counted
8					+	3	348
+					+		311
12				+		3	352
9					+	1	418
12				2		7	407
4				61	2	3	512
+				20	17	4	413
				+		+	361
1				14	8		242
+						+	455
+				74	+	2	288
+				+	1	+	297
3				1		7	245
11		2		2		2	362
				+		2	325
2				5	1	5	458
8		4		11	6	10	275
1				37	1	+	293
1				8	9	2	319
1				+	+	2	268
32						3	248
13				+		10	367
7						7	329
						3	260
17				+		6	361
4				+	+	6	273
13						12	392
18				6	3	8	340
24				+		5	202
						8	278
20		2		+		7	420
15		4				6	361
14		3				7	317
17		8				3	405
3		2		+		8	350
13						9	451
10				6	+	4	398
18				4	2	6	326
10				+	+	13	313
15			+	3	+	4	323
							0
17				7	3	2	419
30	8				+	4	386
5	2					6	365
12						6	352
12		2		+		7	423
							0
7				+		9	377
17						7	369
17						3	376
14						6	353
15						3	384
16				4		7	305
7		4		3		6	324
7		+				14	353
13						11	282
12		2		7	2	6	380
12		1		13	+	8	309
2		+		2		17	243
4				6		2	211
						17	185
9				+		4	338
15		2		1	+	8	250

fied (not possible to count or classify benthic