

**U1339 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1339	B	1	H	1	1.50	1.50	0.00	1.50	0.23	1.73	0.23	accommodates splice	
323	U1339	B	1	H	2	1.50	1.50	1.50	3.00	1.73	3.23	0.00	accommodates splice	
323	U1339	B	1	H	3	0.81	0.81	3.00	3.81	3.23	4.04	0.00	accommodates splice	
323	U1339	B	1	H	CC	0.20	0.20	3.81	4.01	4.04	4.24	0.00	accommodates splice	
323	U1339	B	2	H	1	1.50	1.50	4.00	5.50	4.38	5.88	0.14	accommodates splice	
323	U1339	B	2	H	2	1.50	1.50	5.50	7.00	5.88	7.38	0.00	accommodates splice	
323	U1339	B	2	H	3	1.50	1.50	7.00	8.50	7.38	8.88	0.00	accommodates splice	
323	U1339	B	2	H	4	1.50	1.50	8.50	10.00	8.88	10.38	0.00	accommodates splice	
323	U1339	B	2	H	5	1.50	1.50	10.00	11.50	10.38	11.88	0.00	accommodates splice	
323	U1339	B	2	H	6	1.50	1.50	11.50	13.00	11.88	13.38	0.00	accommodates splice	
323	U1339	B	2	H	7	0.58	0.58	13.00	13.58	13.38	13.96	0.00	accommodates splice	
323	U1339	B	2	H	CC	0.00	0.17	13.58	13.75	13.96	14.13	0.00	accommodates splice	
323	U1339	B	3	H	1	1.50	1.50	13.50	15.00	14.82	16.32	0.69	accommodates splice	Microsphere bag did not rupture.
323	U1339	B	3	H	2	1.50	1.50	15.00	16.50	16.32	17.82	0.00	accommodates splice	
323	U1339	B	3	H	3	1.50	1.50	16.50	18.00	17.82	19.32	0.00	accommodates splice	
323	U1339	B	3	H	4	1.50	1.50	18.00	19.50	19.32	20.82	0.00	accommodates splice	
323	U1339	B	3	H	5	1.50	1.50	19.50	21.00	20.82	22.32	0.00	accommodates splice	
323	U1339	B	3	H	6	1.50	1.50	21.00	22.50	22.32	23.82	0.00	accommodates splice	
323	U1339	B	3	H	7	0.49	0.49	22.50	22.99	23.82	24.31	0.00	accommodates splice	
323	U1339	B	3	H	CC	0.00	0.00	22.99	22.99	24.31	24.31	0.00	accommodates splice	
323	U1339	B	4	H	1	1.50	1.50	23.00	24.50	24.55	26.05	0.24	accommodates splice	
323	U1339	B	4	H	2	1.50	1.50	24.50	26.00	26.05	27.55	0.00	accommodates splice	
323	U1339	B	4	H	3	1.50	1.50	26.00	27.50	27.55	29.05	0.00	accommodates splice	
323	U1339	B	4	H	4	1.50	1.50	27.50	29.00	29.05	30.55	0.00	accommodates splice	
323	U1339	B	4	H	5	1.50	1.50	29.00	30.50	30.55	32.05	0.00	accommodates splice	
323	U1339	B	4	H	6	1.50	1.50	30.50	32.00	32.05	33.55	0.00	accommodates splice	
323	U1339	B	4	H	7	0.73	0.73	32.00	32.73	33.55	34.28	0.00	accommodates splice	
323	U1339	B	4	H	CC	0.00	0.00	32.73	32.73	34.28	34.28	0.00	accommodates splice	
323	U1339	B	5	H	1	1.50	1.50	32.50	34.00	34.80	36.30	0.52	accommodates splice	
323	U1339	B	5	H	2	1.50	1.50	34.00	35.50	36.30	37.80	0.00	accommodates splice	
323	U1339	B	5	H	3	1.50	1.50	35.50	37.00	37.80	39.30	0.00	accommodates splice	
323	U1339	B	5	H	4	1.50	1.50	37.00	38.50	39.30	40.80	0.00	accommodates splice	
323	U1339	B	5	H	5	1.50	1.50	38.50	40.00	40.80	42.30	0.00	accommodates splice	
323	U1339	B	5	H	6	1.50	1.50	40.00	41.50	42.30	43.80	0.00	accommodates splice	
323	U1339	B	5	H	7	0.53	0.53	41.50	42.03	43.80	44.33	0.00	accommodates splice	
323	U1339	B	5	H	CC	0.24	0.24	42.03	42.27	44.33	44.57	0.00	accommodates splice	
323	U1339	B	6	H	1	1.50	1.50	42.00	43.50	44.85	46.35	0.28	accommodates splice	
323	U1339	B	6	H	2	1.50	1.50	43.50	45.00	46.35	47.85	0.00	accommodates splice	
323	U1339	B	6	H	3	1.50	1.50	45.00	46.50	47.85	49.35	0.00	accommodates splice	
323	U1339	B	6	H	4	1.50	1.50	46.50	48.00	49.35	50.85	0.00	accommodates splice	
323	U1339	B	6	H	5	1.50	1.50	48.00	49.50	50.85	52.35	0.00	accommodates splice	
323	U1339	B	6	H	6	1.50	1.50	49.50	51.00	52.35	53.85	0.00	accommodates splice	
323	U1339	B	6	H	7	0.90	0.90	51.00	51.90	53.85	54.75	0.00	accommodates splice	
323	U1339	B	6	H	CC	0.00	0.43	51.90	52.33	54.75	55.18	0.00	accommodates splice	
323	U1339	B	7	H	1	1.50	1.50	51.50	53.00	55.46	56.96	0.28	accommodates splice	
323	U1339	B	7	H	2	1.50	1.50	53.00	54.50	56.96	58.46	0.00	accommodates splice	
323	U1339	B	7	H	3	1.50	1.50	54.50	56.00	58.46	59.96	0.00	accommodates splice	
323	U1339	B	7	H	4	1.50	1.50	56.00	57.50	59.96	61.46	0.00	accommodates splice	
323	U1339	B	7	H	5	1.50	1.50	57.50	59.00	61.46	62.96	0.00	accommodates splice	
323	U1339	B	7	H	6	1.50	1.50	59.00	60.50	62.96	64.46	0.00	accommodates splice	
323	U1339	B	7	H	7	0.57	0.57	60.50	61.07	64.46	65.03	0.00	accommodates splice	
323	U1339	B	7	H	CC	0.53	0.53	61.07	61.60	65.03	65.56	0.00	accommodates splice	
323	U1339	B	8	H	1	1.50	1.50	61.00	62.50	66.52	68.02	0.96	accommodates splice	
323	U1339	B	8	H	2	1.50	1.50	62.50	64.00	68.02	69.52	0.00	accommodates splice	
323	U1339	B	8	H	3	1.50	1.50	64.00	65.50	69.52	71.02	0.00	accommodates splice	
323	U1339	B	8	H	4	1.50	1.50	65.50	67.00	71.02	72.52	0.00	accommodates splice	
323	U1339	B	8	H	5	1.50	1.50	67.00	68.50	72.52	74.02	0.00	accommodates splice	
323	U1339	B	8	H	6	1.50	1.50	68.50	70.00	74.02	75.52	0.00	accommodates splice	
323	U1339	B	8	H	7	0.35	0.35	70.00	70.35	75.52	75.87	0.00	accommodates splice	
323	U1339	B	8	H	CC	0.60	0.60	70.35	70.95	75.87	76.47	0.00	accommodates splice	
323	U1339	B	9	H	1	0.63	0.63	70.50	71.13	75.82	76.45	-0.65	accommodates splice	Disturbed, extruded on drill floor.
323	U1339	B	9	H	2	1.46	1.46	71.13	72.59	76.45	77.91	0.00	accommodates splice	
323	U1339	B	9	H	3	1.50	1.50	72.59	74.09	77.91	79.41	0.00	accommodates splice	
323	U1339	B	9	H	4	1.46	1.46	74.09	75.55	79.41	80.87	0.00	accommodates splice	
323	U1339	B	9	H	5	1.50	1.50	75.55	77.05	80.87	82.37	0.00	accommodates splice	
323	U1339	B	9	H	6	1.46	1.46	77.05	78.51	82.37	83.83	0.00	accommodates splice	
323	U1339	B	9	H	7	1.43	1.43	78.51	79.94	83.83	85.26	0.00	accommodates splice	

**U1339 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1339	B	9	H	CC	0.53	0.53	79.94	80.47	85.26	85.79	0.00	accommodates splice	
323	U1339	B	10	H	1	1.00	1.00	80.00	81.00	88.06	89.06	2.27	accommodates splice	Extruded on drill floor.
323	U1339	B	10	H	2	1.50	1.50	81.00	82.50	89.06	90.56	0.00	accommodates splice	
323	U1339	B	10	H	3	1.45	1.45	82.50	83.95	90.56	92.01	0.00	accommodates splice	
323	U1339	B	10	H	4	1.45	1.45	83.95	85.40	92.01	93.46	0.00	accommodates splice	
323	U1339	B	10	H	5	1.50	1.50	85.40	86.90	93.46	94.96	0.00	accommodates splice	
323	U1339	B	10	H	6	1.45	1.45	86.90	88.35	94.96	96.41	0.00	accommodates splice	
323	U1339	B	10	H	7	1.02	1.02	88.35	89.37	96.41	97.43	0.00	accommodates splice	
323	U1339	B	10	H	CC	0.61	0.61	89.37	89.98	97.43	98.04	0.00	accommodates splice	
323	U1339	B	11	H	1	0.47	0.47	89.97	89.97	97.31	97.78	-0.73	accommodates splice	Extruded on drill clore.
323	U1339	B	11	H	2	1.50	1.50	89.97	91.47	97.78	99.28	0.00	accommodates splice	
323	U1339	B	11	H	3	1.45	1.45	91.47	92.92	99.28	100.73	0.00	accommodates splice	
323	U1339	B	11	H	4	1.50	1.50	92.92	94.42	100.73	102.23	0.00	accommodates splice	
323	U1339	B	11	H	5	1.50	1.50	94.42	95.92	102.23	103.73	0.00	accommodates splice	
323	U1339	B	11	H	6	1.50	1.50	95.92	97.42	103.73	105.23	0.00	accommodates splice	
323	U1339	B	11	H	7	1.50	1.50	97.42	98.92	105.23	106.73	0.00	accommodates splice	
323	U1339	B	11	H	CC	0.43	0.43	98.92	99.35	106.73	107.16	0.00	accommodates splice	
323	U1339	B	12	H	1	0.59	0.59	99.35	99.59	107.16	107.17	-0.58	accommodates splice	
323	U1339	B	12	H	2	1.50	1.50	99.59	101.09	107.17	108.67	0.00	accommodates splice	
323	U1339	B	12	H	3	1.45	1.45	101.09	102.54	108.67	110.12	0.00	accommodates splice	
323	U1339	B	12	H	4	1.50	1.50	102.54	104.04	110.12	111.62	0.00	accommodates splice	
323	U1339	B	12	H	5	1.50	1.50	104.04	105.54	111.62	113.12	0.00	accommodates splice	
323	U1339	B	12	H	6	1.46	1.46	105.54	107.00	113.12	114.58	0.00	accommodates splice	
323	U1339	B	12	H	7	0.78	0.78	107.00	107.78	114.58	115.36	0.00	accommodates splice	
323	U1339	B	12	H	CC	0.00	0.70	107.78	108.48	115.36	116.06	0.00	accommodates splice	
323	U1339	D	12	H	7	1.50	1.50	107.78	109.28	116.06	118.12	0.56	accommodates splice	
323	U1339	D	12	H	8	0.57	0.57	109.28	109.85	118.12	118.69	0.00	accommodates splice	
323	U1339	D	12	H	CC	0.57	0.57	109.85	110.42	118.69	119.26	0.00	accommodates splice	
323	U1339	B	13	X	CC	0.49	0.49	108.50	108.99	122.02	122.51	2.76	accommodates splice	
323	U1339	C	12	H	6	1.50	1.50	112.22	113.72	122.05	123.55	-0.46	accommodates splice	
323	U1339	C	12	H	7	0.39	0.39	113.72	114.11	123.55	123.94	0.00	accommodates splice	
323	U1339	B	14	H	1	1.30	1.30	110.50	111.80	124.02	125.32	0.08	accommodates splice	Extruded on drill floor.
323	U1339	B	14	H	2	1.50	1.50	111.80	113.30	125.32	126.82	0.00	accommodates splice	
323	U1339	B	14	H	3	1.47	1.47	113.30	114.77	126.82	128.29	0.00	accommodates splice	
323	U1339	B	14	H	4	1.50	1.50	114.77	116.27	128.29	129.79	0.00	accommodates splice	
323	U1339	B	14	H	5	1.36	1.36	116.27	117.63	129.79	131.15	0.00	accommodates splice	
323	U1339	B	14	H	6	1.40	1.40	117.63	119.03	131.15	132.55	0.00	accommodates splice	
323	U1339	B	15	H	1	0.81	0.81	120.00	120.81	132.55	133.31	-1.05	accommodates splice	Extruded on rig floor
323	U1339	B	15	H	2	1.42	1.42	120.83	122.25	133.31	133.75	0.02	accommodates splice	
323	U1339	B	15	H	3	1.50	1.50	122.25	123.75	133.75	135.25	0.00	accommodates splice	
323	U1339	B	15	H	4	1.42	1.42	123.75	125.17	135.25	136.67	0.00	accommodates splice	
323	U1339	B	15	H	5	1.50	1.50	125.17	126.67	136.67	138.17	0.00	accommodates splice	
323	U1339	B	15	H	6	1.54	1.54	126.67	128.21	138.17	139.71	0.00	accommodates splice	
323	U1339	B	15	H	7	1.50	1.50	128.21	129.71	139.71	141.21	0.00	accommodates splice	
323	U1339	B	15	H	CC	0.41	0.39	129.69	130.08	141.19	141.58	-0.02	accommodates splice	
323	U1339	B	16	H	1	0.82	0.82	129.50	130.32	142.51	143.33	0.93	accommodates splice	Disturbed
323	U1339	C	14	H	7	1.00	1.00	132.10	133.10	144.51	145.51	1.18	accommodates splice	
323	U1339	D	15	H	1	1.50	1.50	128.50	130.00	145.39	146.89	-0.12	accommodates splice	
323	U1339	D	15	H	2	1.50	1.50	130.00	131.50	146.89	148.39	0.00	accommodates splice	
323	U1339	D	15	H	3	1.50	1.50	131.50	133.00	148.39	149.89	0.00	accommodates splice	
323	U1339	D	15	H	4	1.50	1.50	133.00	134.50	149.89	151.39	0.00	accommodates splice	
323	U1339	B	16	H	7	1.44	1.44	137.59	139.03	150.60	152.04	-0.79	accommodates splice	
323	U1339	B	16	H	CC	0.48	0.48	139.03	139.51	152.04	152.52	0.00	accommodates splice	
323	U1339	B	17	H	1	0.40	0.40	139.00	139.40	153.63	154.03	1.11	accommodates splice	Disturbed
323	U1339	B	17	H	2	1.50	1.50	139.40	140.90	154.03	155.53	0.00	accommodates splice	
323	U1339	C	15	H	7	0.62	0.62	141.76	142.38	156.17	156.79	0.64	accommodates splice	
323	U1339	C	15	H	CC	0.00	0.64	142.38	143.02	156.79	157.43	0.00	accommodates splice	
323	U1339	C	16	H	1	1.43	1.43	142.80	144.23	158.37	159.80	0.94	accommodates splice	
323	U1339	C	16	H	2	1.43	1.43	144.23	145.66	159.80	161.23	0.00	accommodates splice	
323	U1339	C	16	H	3	0.63	0.63	145.66	146.29	161.23	161.86	0.00	accommodates splice	
323	U1339	B	17	H	7	1.39	1.39	146.90	148.29	161.53	162.92	-0.33	accommodates splice	
323	U1339	B	17	H	CC	0.38	0.38	148.29	148.67	162.92	163.30	0.00	accommodates splice	
323	U1339	B	18	H	1	0.64	0.64	148.50	149.14	165.01	165.65	1.71	accommodates splice	Disturbed
323	U1339	B	18	H	2	1.43	1.43	149.14	150.57	165.65	167.08	0.00	accommodates splice	
323	U1339	B	18	H	3	1.45	1.45	150.57	152.02	167.08	168.53	0.00	accommodates splice	
323	U1339	B	18	H	4	1.38	1.38	152.02	153.40	168.53	169.91	0.00	accommodates splice	
323	U1339	B	18	H	5	1.50	1.50	153.40	154.90	169.91	171.41	0.00	accommodates splice	

<b>U1339 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
323	U1339	B	18	H	6	1.50	1.50	154.90	156.40	171.41	172.91	0.00	accommodates splice	
323	U1339	B	18	H	7	0.69	0.69	156.40	157.09	172.91	173.60	0.00	accommodates splice	
323	U1339	B	18	H	8	0.99	0.99	157.09	158.08	173.60	174.59	0.00	accommodates splice	
323	U1339	B	18	H	CC	0.81	0.81	158.08	158.89	174.59	175.40	0.00	accommodates splice	
323	U1339	B	19	H	1	0.96	0.96	158.00	158.96	176.07	177.03	0.67	accommodates splice	Disturbed
323	U1339	B	19	H	2	1.50	1.50	158.96	160.46	177.03	178.53	0.00	accommodates splice	
323	U1339	B	19	H	3	1.50	1.50	160.46	161.96	178.53	180.03	0.00	accommodates splice	
323	U1339	B	19	H	4	1.50	1.50	161.96	163.46	180.03	181.53	0.00	accommodates splice	
323	U1339	B	19	H	5	1.50	1.50	163.46	164.96	181.53	183.03	0.00	accommodates splice	
323	U1339	B	19	H	6	1.50	1.50	164.96	166.46	183.03	184.53	0.00	accommodates splice	
323	U1339	B	19	H	7	1.18	1.18	166.46	167.64	184.53	185.71	0.00	accommodates splice	
323	U1339	B	19	H	CC	0.32	0.32	167.64	167.96	185.71	186.03	0.00	accommodates splice	
323	U1339	B	20	H	1	1.43	1.43	167.50	168.93	187.82	189.25	1.79	accommodates splice	Disturbed
323	U1339	B	20	H	2	1.50	1.50	168.93	170.43	189.25	190.75	0.00	accommodates splice	
323	U1339	B	20	H	3	1.50	1.50	170.43	171.93	190.75	192.25	0.00	accommodates splice	
323	U1339	B	20	H	4	1.50	1.50	171.93	173.43	192.25	193.75	0.00	accommodates splice	
323	U1339	B	20	H	5	1.50	1.50	173.43	174.93	193.75	195.25	0.00	accommodates splice	
323	U1339	B	20	H	6	1.50	1.50	174.93	176.43	195.25	196.75	0.00	accommodates splice	
323	U1339	B	20	H	7	0.88	0.88	176.43	177.31	196.75	197.63	0.00	accommodates splice	
323	U1339	B	20	H	CC	0.43	0.43	177.31	177.74	197.63	198.06	0.00	accommodates splice	
323	U1339	B	21	H	1	0.49	0.49	177.00	177.49	198.89	199.38	0.83	accommodates splice	Disturbed
323	U1339	B	21	H	2	1.50	1.50	177.49	178.99	199.38	200.88	0.00	accommodates splice	
323	U1339	B	21	H	3	1.50	1.50	178.99	180.49	200.88	202.38	0.00	accommodates splice	
323	U1339	B	21	H	4	1.50	1.50	180.49	181.99	202.38	203.88	0.00	accommodates splice	
323	U1339	B	21	H	5	1.50	1.50	181.99	183.49	203.88	205.38	0.00	accommodates splice	
323	U1339	B	21	H	6	1.50	1.50	183.49	184.99	205.38	206.88	0.00	accommodates splice	
323	U1339	B	21	H	7	1.50	1.50	184.99	186.49	206.88	208.38	0.00	accommodates splice	
323	U1339	B	21	H	8	0.79	0.79	186.49	187.28	208.38	209.17	0.00	accommodates splice	
323	U1339	B	21	H	CC	0.42	0.42	187.28	187.70	209.17	209.59	0.00	accommodates splice	
323	U1339	B	22	H	1	0.90	0.90	186.50	187.40	209.08	209.98	-0.51	accommodates splice	Disturbed
323	U1339	B	22	H	2	1.29	1.29	187.40	188.69	209.98	211.27	0.00	accommodates splice	
323	U1339	B	22	H	3	1.50	1.50	188.69	190.19	211.27	212.77	0.00	accommodates splice	Shattered Liner
323	U1339	B	22	H	4	0.67	0.67	190.19	190.86	212.77	213.44	0.00	accommodates splice	Highly Disturbed
323	U1339	B	22	H	5	1.50	1.50	190.86	192.36	213.44	214.94	0.00	accommodates splice	
323	U1339	B	22	H	6	1.50	1.50	192.36	193.86	214.94	216.44	0.00	accommodates splice	
323	U1339	B	22	H	7	1.50	1.50	193.86	195.36	216.44	217.94	0.00	accommodates splice	
323	U1339	B	22	H	8	1.20	1.20	195.36	196.56	217.94	219.14	0.00	accommodates splice	
323	U1339	B	22	H	CC	0.37	0.37	196.56	196.93	219.14	219.51	0.00	single cored, below splice	
323	U1339	D	21	H	CC	0.58	0.58	193.63	194.21	219.04	219.62	-0.47	single cored, below splice	
323	U1339	D	22	H	1	1.43	1.43	195.00	196.43	222.03	223.46	2.41	single cored, below splice	
323	U1339	D	22	H	2	1.50	1.50	196.43	197.93	223.46	224.96	0.00	single cored, below splice	
323	U1339	D	22	H	3	1.43	1.43	197.93	199.36	224.96	226.39	0.00	single cored, below splice	
323	U1339	D	22	H	4	1.09	1.09	199.36	200.45	226.39	227.48	0.00	single cored, below splice	
323	U1339	D	22	H	CC	0.38	0.38	200.45	200.83	227.48	227.86	0.00	single cored, below splice	