

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	A	1	H	2	1.50	1.50	1.50	3.00	1.50	3.00	1.50	accommodates splice	
339	U1386	A	1	H	3	0.65	0.65	3.00	3.65	3.00	3.65	0.00	accommodates splice	
339	U1386	A	1	H	CC	0.21	0.15	3.65	3.80	3.65	3.80	0.00	accommodates splice	
339	U1386	B	1	H	4	1.50	1.50	4.50	6.00	4.60	6.10	0.80	accommodates splice	
339	U1386	B	1	H	5	1.05	1.05	6.00	7.05	6.10	7.15	0.00	accommodates splice	
339	U1386	B	1	H	CC	0.27	0.27	7.05	7.32	7.15	7.42	0.00	accommodates splice	
339	U1386	A	2	H	5	1.50	1.50	9.81	11.31	10.17	11.67	2.75	accommodates splice	
339	U1386	A	2	H	6	1.20	1.16	11.31	12.47	11.67	12.83	0.00	accommodates splice	
339	U1386	A	2	H	7	0.63	0.62	12.47	13.09	12.83	13.45	0.00	accommodates splice	
339	U1386	A	2	H	CC	0.44	0.45	13.09	13.54	13.45	13.90	0.00	accommodates splice	
339	U1386	A	3	H	1	1.50	1.50	13.30	14.80	14.21	15.71	0.31	accommodates splice	
339	U1386	B	2	H	7	0.68	0.68	16.12	16.80	17.15	17.83	1.44	accommodates splice	
339	U1386	B	2	H	CC	0.48	0.48	16.80	17.28	17.83	18.31	0.00	accommodates splice	
339	U1386	B	3	H	1	1.50	1.50	16.80	18.30	18.50	20.00	0.19	accommodates splice	
339	U1386	A	3	H	6	1.50	1.50	20.82	22.32	21.73	23.23	1.73	accommodates splice	
339	U1386	A	3	H	7	0.61	0.61	22.32	22.93	23.23	23.84	0.00	accommodates splice	
339	U1386	A	4	H	1	1.50	1.50	22.80	24.30	23.62	25.12	-0.22	accommodates splice	
339	U1386	A	3	H	CC	0.34	0.34	22.93	23.27	23.84	24.18	-1.28	accommodates splice	
339	U1386	B	3	H	7	0.66	0.66	25.84	26.50	27.54	28.20	3.36	accommodates splice	
339	U1386	B	3	H	CC	0.28	0.28	26.50	26.78	28.20	28.48	0.00	accommodates splice	
339	U1386	A	4	H	6	1.50	1.51	30.34	31.85	31.16	32.67	2.68	accommodates splice	
339	U1386	A	4	H	7	0.68	0.68	31.85	32.53	32.67	33.35	0.00	accommodates splice	
339	U1386	A	4	H	CC	0.63	0.64	32.53	33.17	33.35	33.99	0.00	accommodates splice	
339	U1386	B	4	H	5	1.50	1.53	32.38	33.91	35.45	36.98	1.46	accommodates splice	
339	U1386	B	4	H	6	1.01	1.04	33.91	34.95	36.98	38.02	0.00	accommodates splice	
339	U1386	B	4	H	7	0.57	0.57	34.95	35.52	38.02	38.59	0.00	accommodates splice	
339	U1386	B	4	H	CC	0.54	0.55	35.52	36.07	38.59	39.14	0.00	accommodates splice	
339	U1386	A	5	H	6	1.50	1.51	39.84	41.35	41.23	42.74	2.09	accommodates splice	
339	U1386	A	5	H	7	0.56	0.58	41.35	41.93	42.74	43.32	0.00	accommodates splice	
339	U1386	A	5	H	CC	0.30	0.30	41.93	42.23	43.32	43.62	0.00	accommodates splice	
339	U1386	A	6	H	1	1.45	1.45	41.80	43.25	44.21	45.66	0.59	accommodates splice	
339	U1386	A	6	H	2	1.50	1.52	43.25	44.77	45.66	47.18	0.00	accommodates splice	
339	U1386	B	5	H	7	0.73	0.73	44.85	45.58	48.06	48.79	0.88	accommodates splice	
339	U1386	B	6	H	1	1.50	1.50	45.30	46.80	48.67	50.17	-0.12	accommodates splice	
339	U1386	B	5	H	CC	0.31	0.31	45.58	45.89	48.79	49.10	-1.38	accommodates splice	
339	U1386	A	6	H	6	0.60	0.62	49.32	49.94	51.73	52.35	2.63	accommodates splice	
339	U1386	A	6	H	CC	0.42	0.42	49.94	50.36	52.35	52.77	0.00	accommodates splice	
339	U1386	B	6	H	5	1.50	1.52	51.33	52.85	54.70	56.22	1.93	accommodates splice	
339	U1386	B	6	H	6	1.15	1.15	52.85	54.00	56.22	57.37	0.00	accommodates splice	
339	U1386	B	6	H	CC	0.25	0.25	54.00	54.25	57.37	57.62	0.00	accommodates splice	
339	U1386	A	7	H	6	1.50	1.50	58.81	60.31	61.20	62.70	3.58	accommodates splice	
339	U1386	A	7	H	7	0.56	0.56	60.31	60.87	62.70	63.26	0.00	accommodates splice	
339	U1386	A	8	H	1	1.50	1.50	60.80	62.30	63.03	64.53	-0.23	accommodates splice	
339	U1386	A	7	H	CC	0.40	0.38	60.87	61.25	63.26	63.64	-1.27	accommodates splice	
339	U1386	B	7	H	6	1.50	1.52	62.49	64.01	67.07	68.59	3.43	accommodates splice	
339	U1386	B	7	H	7	0.71	0.71	64.01	64.72	68.59	69.30	0.00	accommodates splice	
339	U1386	B	7	H	CC	0.38	0.38	64.72	65.10	69.30	69.68	0.00	accommodates splice	
339	U1386	A	8	H	6	1.30	1.30	68.40	69.70	70.63	71.93	0.95	accommodates splice	
339	U1386	A	8	H	7	0.71	0.72	69.70	70.42	71.93	72.65	0.00	accommodates splice	
339	U1386	A	8	H	CC	0.25	0.25	70.42	70.67	72.65	72.90	0.00	accommodates splice	
339	U1386	A	9	H	1	1.50	1.50	70.30	71.80	73.29	74.79	0.39	accommodates splice	
339	U1386	B	8	H	6	1.32	1.32	71.87	73.19	77.11	78.43	2.32	accommodates splice	
339	U1386	B	8	H	7	0.60	0.60	73.19	73.79	78.43	79.03	0.00	accommodates splice	
339	U1386	B	8	H	CC	0.43	0.43	73.79	74.22	79.03	79.46	0.00	accommodates splice	
339	U1386	B	9	H	1	0.81	0.81	73.80	74.61	79.43	80.24	-0.03	accommodates splice	
339	U1386	B	9	H	2	1.46	1.45	74.61	76.06	80.24	81.69	0.00	accommodates splice	
339	U1386	A	9	H	7	0.54	0.54	79.37	79.91	82.36	82.90	0.67	accommodates splice	
339	U1386	A	9	H	CC	0.27	0.27	79.91	80.18	82.90	83.17	0.00	accommodates splice	
339	U1386	B	9	H	5	1.55	1.54	79.01	80.55	84.64	86.18	1.47	accommodates splice	
339	U1386	B	9	H	6	1.52	1.53	80.55	82.08	86.18	87.71	0.00	accommodates splice	
339	U1386	B	9	H	7	1.15	1.14	82.08	83.22	87.71	88.85	0.00	accommodates splice	
339	U1386	B	9	H	8	0.60	0.60	83.22	83.82	88.85	89.45	0.00	accommodates splice	
339	U1386	B	9	H	CC	0.23	0.23	83.82	84.05	89.45	89.68	0.00	accommodates splice	
339	U1386	A	10	H	6	1.50	1.58	87.40	88.98	90.85	92.43	1.17	accommodates splice	
339	U1386	A	10	H	7	0.77	0.77	88.98	89.75	92.43	93.20	0.00	accommodates splice	
339	U1386	A	10	H	CC	0.53	0.53	89.75	90.28	93.20	93.73	0.00	accommodates splice	
339	U1386	A	11	H	1	0.72	0.71	89.30	90.01	94.27	94.98	0.54	accommodates splice	shattered liner
339	U1386	A	11	H	2	0.89	0.88	90.01	90.89	94.98	95.86	0.00	accommodates splice	shattered liner

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	A	11	H	3	1.08	1.07	90.89	91.96	95.86	96.93	0.00	accommodates splice	shattered liner
339	U1386	B	10	H	7	0.86	0.83	92.19	93.02	98.53	99.36	1.60	accommodates splice	
339	U1386	B	10	H	CC	0.34	0.34	93.02	93.36	99.36	99.70	0.00	accommodates splice	
339	U1386	A	11	H	CC	0.18	0.18	97.00	97.18	101.97	102.15	2.27	accommodates splice	
339	U1386	B	11	H	5	1.54	1.54	98.82	100.36	107.73	109.27	5.58	accommodates splice	
339	U1386	B	11	H	6	1.36	1.36	100.36	101.72	109.27	110.63	0.00	accommodates splice	
339	U1386	B	11	H	7	0.65	0.65	101.72	102.37	110.63	111.28	0.00	accommodates splice	
339	U1386	B	11	H	CC	0.51	0.51	102.37	102.88	111.28	111.79	0.00	accommodates splice	
339	U1386	A	12	H	6	1.52	1.53	106.34	107.87	113.85	115.38	2.06	accommodates splice	
339	U1386	A	12	H	7	0.54	0.54	107.87	108.41	115.38	115.92	0.00	accommodates splice	
339	U1386	A	12	H	CC	0.33	0.33	108.41	108.74	115.92	116.25	0.00	accommodates splice	
339	U1386	B	12	H	6	0.96	0.96	109.47	110.43	120.07	121.03	3.82	accommodates splice	
339	U1386	B	12	H	CC	0.33	0.33	110.43	110.76	121.03	121.36	0.00	accommodates splice	
339	U1386	B	13	H	1	1.41	1.41	111.80	113.21	123.56	124.97	2.20	accommodates splice	
339	U1386	B	13	H	2	1.42	1.42	113.21	114.63	124.97	126.39	0.00	accommodates splice	
339	U1386	A	13	H	7	0.71	0.70	117.30	118.00	127.72	128.42	1.33	accommodates splice	
339	U1386	A	13	H	CC	0.35	0.36	118.00	118.36	128.42	128.78	0.00	accommodates splice	
339	U1386	B	13	H	CC	0.34	0.34	119.59	119.93	131.35	131.69	2.57	accommodates splice	
339	U1386	B	14	H	1	1.40	1.40	121.30	122.70	135.56	136.96	3.87	accommodates splice	
339	U1386	A	14	H	CC	0.35	0.35	126.57	126.92	138.76	139.11	1.80	accommodates splice	
339	U1386	A	15	H	1	1.50	1.50	127.30	128.80	141.84	143.34	2.73	accommodates splice	
339	U1386	B	15	H	1	1.50	1.50	130.80	132.30	144.80	146.30	1.46	accommodates splice	
339	U1386	B	15	H	2	1.50	1.50	133.30	133.80	146.30	147.80	0.00	accommodates splice	
339	U1386	A	15	H	6	1.30	1.30	134.85	136.15	149.39	150.69	1.59	accommodates splice	
339	U1386	A	15	H	7	0.59	0.60	136.15	136.75	150.69	151.29	0.00	accommodates splice	
339	U1386	A	15	H	CC	0.26	0.26	136.75	137.01	151.29	151.55	0.00	accommodates splice	
339	U1386	B	15	H	CC	0.35	0.35	140.98	141.33	154.98	155.33	3.43	accommodates splice	
339	U1386	A	16	H	3	1.50	1.50	139.80	141.30	157.21	158.71	1.88	accommodates splice	
339	U1386	A	16	H	4	1.45	1.45	141.30	142.75	158.71	160.16	0.00	accommodates splice	
339	U1386	A	16	H	5	1.10	1.10	142.75	143.85	160.16	161.26	0.00	accommodates splice	
339	U1386	A	16	H	CC	0.10	0.10	143.85	143.95	161.26	161.36	0.00	accommodates splice	
339	U1386	B	16	H	5	1.11	1.11	146.11	147.22	161.54	162.65	0.18	accommodates splice	
339	U1386	B	16	H	6	0.57	0.57	147.22	147.79	162.65	163.22	0.00	accommodates splice	
339	U1386	B	16	H	CC	0.31	0.31	147.79	148.10	163.22	163.53	0.00	accommodates splice	
339	U1386	A	17	H	4	1.50	1.50	148.46	149.96	164.88	166.38	1.35	accommodates splice	
339	U1386	A	17	H	5	1.38	1.38	149.96	151.34	166.38	167.76	0.00	accommodates splice	
339	U1386	A	17	H	CC	0.30	0.30	151.34	151.64	167.76	168.06	0.00	accommodates splice	
339	U1386	B	17	H	5	1.46	1.46	153.69	155.15	170.29	171.75	2.23	accommodates splice	
339	U1386	B	17	H	6	1.47	1.47	155.15	156.62	171.75	173.22	0.00	accommodates splice	
339	U1386	B	17	H	7	1.48	1.48	156.62	158.10	173.22	174.70	0.00	accommodates splice	
339	U1386	B	17	H	CC	0.17	0.17	158.10	158.27	174.70	174.87	0.00	accommodates splice	
339	U1386	A	18	H	6	1.23	1.23	159.09	160.32	176.34	177.57	1.47	accommodates splice	
339	U1386	A	18	H	CC	0.25	0.25	160.32	160.57	177.57	177.82	0.00	accommodates splice	
339	U1386	B	18	H	4	0.34	0.34	161.72	162.06	179.61	179.95	1.79	accommodates splice	
339	U1386	B	18	H	CC	0.27	0.27	162.06	162.33	179.95	180.22	0.00	accommodates splice	
339	U1386	B	19	X	1	1.50	1.50	162.30	163.80	180.56	182.06	0.34	accommodates splice	
339	U1386	A	19	H	4	1.50	1.50	165.00	166.50	182.72	184.22	0.66	accommodates splice	
339	U1386	C	2	R	1	1.50	1.50	165.00	166.50	183.95	185.45	-0.27	accommodates splice	
339	U1386	A	19	H	5	0.55	0.55	166.50	167.05	184.22	184.77	-1.23	accommodates splice	
339	U1386	A	19	H	CC	0.23	0.23	167.05	167.28	184.77	185.00	0.00	accommodates splice	
339	U1386	C	2	R	2	1.50	1.50	166.50	168.00	185.45	186.95	0.45	accommodates splice	
339	U1386	A	20	H	1	0.73	0.73	167.20	167.93	186.89	187.62	-0.06	accommodates splice	Squirted out of top
339	U1386	C	2	R	3	0.66	0.66	168.00	168.66	186.95	187.61	-0.67	accommodates splice	
339	U1386	C	2	R	CC	0.15	0.15	168.66	168.81	187.61	187.76	0.00	accommodates splice	
339	U1386	B	19	X	CC	0.38	0.38	170.22	170.66	188.48	188.86	0.72	accommodates splice	
339	U1386	C	3	W	1	0.37	0.37	174.60	174.97	193.81	194.18	4.95	accommodates splice	
339	U1386	A	20	H	CC	0.50	0.50	177.55	178.05	197.24	197.74	3.06	accommodates splice	
339	U1386	B	21	X	1	1.50	1.50	177.50	179.00	201.63	203.13	3.89	accommodates splice	
339	U1386	A	21	H	CC	0.26	0.26	182.86	183.12	203.90	204.16	0.77	accommodates splice	
339	U1386	A	22	X	1	1.50	1.50	183.10	184.60	204.16	205.66	0.00	accommodates splice	
339	U1386	A	22	X	2	1.50	1.50	184.60	186.10	205.66	207.16	0.00	accommodates splice	
339	U1386	A	22	X	3	1.50	1.50	186.10	187.60	207.16	208.66	0.00	accommodates splice	
339	U1386	A	22	X	4	0.65	0.65	187.60	188.25	208.66	209.31	0.00	accommodates splice	
339	U1386	A	22	X	CC	0.37	0.37	188.25	188.62	209.31	209.68	0.00	accommodates splice	
339	U1386	A	23	X	1	0.31	0.31	186.50	186.81	209.59	209.90	-0.09	accommodates splice	Disturbance, Core material extruded from liner into the core barrel
339	U1386	B	21	X	CC	0.38	0.38	186.01	186.39	210.14	210.52	0.24	accommodates splice	

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	A	23	X	3	1.50	1.51	188.31	189.82	211.40	212.91	0.88	accommodates splice	Void spaces, holes drilled in liner and pushed up.
339	U1386	A	23	X	4	1.50	1.50	189.82	191.32	212.91	214.41	0.00	accommodates splice	Void spaces, holes drilled in liner and pushed up.
339	U1386	A	23	X	5	1.50	1.50	191.32	192.82	214.41	215.91	0.00	accommodates splice	Void spaces, holes drilled in liner and pushed up.
339	U1386	A	23	X	6	1.50	1.50	192.82	194.32	215.91	217.41	0.00	accommodates splice	Void spaces, holes drilled in liner and pushed up.
339	U1386	A	23	X	7	1.07	1.08	194.32	195.40	217.41	218.49	0.00	accommodates splice	Void spaces, holes drilled in liner and pushed up.
339	U1386	A	23	X	CC	0.87	0.87	195.40	196.27	218.49	219.36	0.00	accommodates splice	
339	U1386	B	22	X	CC	0.31	0.31	196.44	196.75	219.80	220.11	0.44	accommodates splice	
339	U1386	A	24	X	1	1.50	1.49	196.00	197.49	221.61	223.10	1.50	accommodates splice	
339	U1386	A	24	X	2	1.50	1.50	197.49	198.99	223.10	224.60	0.00	accommodates splice	
339	U1386	A	24	X	3	1.50	1.50	198.99	200.49	224.60	226.10	0.00	accommodates splice	
339	U1386	C	4	R	1	1.50	1.50	206.50	206.50	227.05	228.55	0.95	accommodates splice	
339	U1386	B	23	X	6	0.54	0.54	203.86	204.40	227.37	227.91	-1.18	accommodates splice	
339	U1386	B	23	X	CC	0.48	0.48	204.40	204.88	227.91	228.39	0.00	accommodates splice	
339	U1386	C	4	R	2	1.50	1.50	206.50	208.00	228.55	230.05	0.16	accommodates splice	
339	U1386	C	4	R	3	1.50	1.50	208.00	209.50	230.05	231.55	0.00	accommodates splice	
339	U1386	A	24	X	CC	0.25	0.25	205.13	205.38	230.74	230.99	-0.81	accommodates splice	
339	U1386	C	4	R	4	1.50	1.50	209.50	211.00	231.55	233.05	0.56	accommodates splice	
339	U1386	C	4	R	5	1.50	1.50	211.00	212.50	233.05	234.55	0.00	accommodates splice	
339	U1386	C	4	R	6	1.20	1.20	212.50	213.70	234.55	235.75	0.00	accommodates splice	
339	U1386	C	4	R	CC	0.21	0.21	213.70	213.91	235.75	235.96	0.00	accommodates splice	
339	U1386	B	24	X	CC	0.53	0.53	214.07	214.60	238.10	238.63	2.14	accommodates splice	
339	U1386	C	5	W	1	1.50	1.50	214.60	216.10	238.21	239.71	-0.42	accommodates splice	
339	U1386	C	5	W	2	1.50	1.50	216.10	217.60	239.71	241.21	0.00	accommodates splice	
339	U1386	B	25	X	1	1.50	1.50	215.90	217.40	240.20	241.70	-1.01	accommodates splice	
339	U1386	C	5	W	3	0.59	0.59	217.60	218.19	241.21	241.80	-0.49	accommodates splice	
339	U1386	B	25	X	2	1.50	1.50	217.40	218.90	241.70	243.20	-0.10	accommodates splice	
339	U1386	C	5	W	CC	0.23	0.23	218.19	218.42	241.80	242.03	-1.40	accommodates splice	
339	U1386	B	25	X	3	1.50	1.50	220.40	220.40	243.20	244.70	1.17	accommodates splice	
339	U1386	A	26	X	7	0.60	0.60	223.93	224.53	246.82	247.42	2.12	accommodates splice	
339	U1386	A	26	X	CC	0.28	0.28	224.53	224.81	247.42	247.70	0.00	accommodates splice	
339	U1386	B	25	X	CC	0.36	0.36	223.81	224.17	248.11	248.47	0.41	accommodates splice	
339	U1386	B	26	X	1	1.50	1.50	225.50	227.00	249.90	251.40	1.43	accommodates splice	
339	U1386	B	26	X	2	1.50	1.50	227.00	228.50	251.40	252.90	0.00	accommodates splice	
339	U1386	B	26	X	3	1.49	1.49	228.50	229.99	252.90	254.39	0.00	accommodates splice	
339	U1386	B	26	X	4	1.40	1.40	229.99	231.39	254.39	255.79	0.00	accommodates splice	
339	U1386	B	26	X	5	0.59	0.59	231.39	231.98	255.79	256.38	0.00	accommodates splice	
339	U1386	B	26	X	6	1.50	1.50	231.98	233.48	256.38	257.88	0.00	accommodates splice	Disturbed and out of sequence - ! Core materiel ejected from core barrel due to gas pressure.
339	U1386	A	27	X	CC	0.39	0.39	234.29	234.68	257.57	257.96	-0.31	accommodates splice	
339	U1386	B	26	X	7	1.50	1.50	233.48	234.98	257.88	259.38	-0.08	accommodates splice	Disturbed and out of sequence - ! Core materiel ejected from core barrel due to gas pressure.
339	U1386	B	26	X	CC	0.33	0.33	234.98	235.31	259.38	259.71	0.00	accommodates splice	
339	U1386	B	27	X	1	1.11	1.11	235.10	236.21	260.81	261.92	1.10	accommodates splice	
339	U1386	A	28	X	5	1.50	1.50	239.53	241.03	263.80	265.30	1.88	accommodates splice	
339	U1386	A	28	X	6	1.50	1.50	242.53	242.53	265.30	266.80	0.00	accommodates splice	
339	U1386	A	28	X	7	1.52	1.52	242.53	244.05	266.80	268.32	0.00	accommodates splice	
339	U1386	A	28	X	CC	0.37	0.37	244.05	244.42	268.32	268.69	0.00	accommodates splice	
339	U1386	B	27	X	CC	0.48	0.48	244.42	244.88	270.11	270.59	1.42	accommodates splice	
339	U1386	B	28	X	1	0.48	0.48	244.70	245.18	272.33	272.81	1.74	accommodates splice	Section 1 material extruded from the core barrel.

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	B	28	X	2	1.50	1.50	245.18	246.68	272.81	274.31	0.00	accommodates splice	
339	U1386	B	28	X	3	1.50	1.50	246.68	248.18	274.31	275.81	0.00	accommodates splice	
339	U1386	A	29	X	6	1.50	1.50	250.69	252.19	276.78	278.28	0.97	accommodates splice	
339	U1386	A	29	X	7	0.94	0.94	252.19	253.13	278.28	279.22	0.00	accommodates splice	
339	U1386	A	29	X	CC	0.64	0.64	253.13		279.22	279.86	0.00	accommodates splice	
339	U1386	B	28	X	CC	0.30	0.30	254.16	254.46	281.79	282.09	1.93	accommodates splice	
339	U1386	B	29	X	1	1.50	1.50	254.30	255.80	283.42	284.92	1.33	accommodates splice	
339	U1386	B	29	X	2	1.50	1.50	255.80	257.30	284.92	286.42	0.00	accommodates splice	
339	U1386	B	29	X	3	1.50	1.50	257.30	258.80	286.42	287.92	0.00	accommodates splice	
339	U1386	A	30	X	7	0.81	0.81	262.27	262.27	289.64	290.45	1.72	accommodates splice	
339	U1386	A	30	X	8	0.78	0.78	262.27	263.05	290.45	291.23	0.00	accommodates splice	
339	U1386	A	30	X	CC	0.50	0.50	263.05	263.55	291.23	291.73	0.00	accommodates splice	
339	U1386	B	29	X	CC	0.53	0.53	262.55	263.08	291.67	292.20	-0.06	accommodates splice	
339	U1386	B	30	X	1	1.50	1.50	263.90	265.40	295.33	296.83	3.13	accommodates splice	
339	U1386	B	30	X	2	1.50	1.50	266.90	266.90	296.83	298.33	0.00	accommodates splice	
339	U1386	B	30	X	3	1.28	1.28	266.90	268.18	298.33	299.61	0.00	accommodates splice	
339	U1386	A	31	X	8	0.63	0.63	272.42	273.05	300.95	301.58	1.34	accommodates splice	
339	U1386	A	31	X	CC	0.41	0.41	273.05	273.46	301.58	301.99	0.00	accommodates splice	
339	U1386	A	32	X	1	0.91	0.91	272.80	273.71	302.96	303.87	0.97	accommodates splice	
339	U1386	B	30	X	CC	0.33	0.33	273.34	273.67	304.77	305.10	0.90	accommodates splice	
339	U1386	B	31	X	1	1.04	1.04	273.50	274.54	305.58	306.62	0.48	accommodates splice	
339	U1386	A	32	X	5	1.50	1.50	278.21	279.71	308.37	309.87	1.75	accommodates splice	
339	U1386	A	32	X	6	1.50	1.50	279.71	281.21	309.87	311.37	0.00	accommodates splice	
339	U1386	A	32	X	7	1.00	1.00	281.21	282.21	311.37	312.37	0.00	accommodates splice	
339	U1386	A	32	X	CC	0.45	0.45	282.21	282.66	312.37	312.82	0.00	accommodates splice	
339	U1386	A	33	X	1	1.50	1.50	282.40	283.90	313.81	315.31	0.99	accommodates splice	
339	U1386	B	31	X	CC	0.46	0.46	282.97	283.43	315.05	315.51	-0.26	accommodates splice	
339	U1386	B	32	X	1	0.98	0.98	283.10	284.08	315.51	316.49	0.00	accommodates splice	
339	U1386	B	32	X	2	1.50	1.50	284.08	285.58	316.49	317.99	0.00	accommodates splice	
339	U1386	B	32	X	3	1.50	1.50	285.58	287.08	317.99	319.49	0.00	accommodates splice	
339	U1386	B	32	X	4	1.50	1.50	287.08	288.58	319.49	320.99	0.00	accommodates splice	
339	U1386	B	32	X	5	1.50	1.50	288.58	290.08	320.99	322.49	0.00	accommodates splice	
339	U1386	A	33	X	CC	0.51	0.51	291.71	292.22	323.12	323.63	0.63	accommodates splice	
339	U1386	A	34	X	1	1.25	1.25	292.00	293.25	324.12	325.37	0.49	accommodates splice	
339	U1386	B	32	X	CC	0.50	0.50	292.58	293.08	324.99	325.49	-0.38	accommodates splice	
339	U1386	B	33	X	1	1.50	1.50	292.70	294.20	325.49	326.99	0.00	accommodates splice	
339	U1386	B	33	X	2	1.50	1.50	294.20	295.70	326.99	328.49	0.00	accommodates splice	
339	U1386	B	33	X	3	1.50	1.50	295.70	297.20	328.49	329.99	0.00	accommodates splice	
339	U1386	B	33	X	4	1.50	1.50	297.20	298.70	329.99	331.49	0.00	accommodates splice	
339	U1386	B	33	X	5	0.79	0.79	299.49	299.49	331.49	332.28	0.00	accommodates splice	
339	U1386	B	33	X	CC	0.34	0.34	299.49	299.83	332.28	332.62	0.00	accommodates splice	
339	U1386	A	34	X	CC	0.45	0.45	301.27	301.72	333.39	333.84	0.77	accommodates splice	
339	U1386	A	35	X	1	1.50	1.50	301.60	303.10	334.78	336.28	0.94	accommodates splice	
339	U1386	A	35	X	2	1.50	1.50	303.10	304.60	336.28	337.78	0.00	accommodates splice	
339	U1386	A	35	X	3	1.50	1.50	304.60	306.10	337.78	339.28	0.00	accommodates splice	
339	U1386	A	35	X	4	1.50	1.50	306.10	307.60	339.28	340.78	0.00	accommodates splice	
339	U1386	A	35	X	5	1.40	1.40	307.60	309.00	340.78	342.18	0.00	accommodates splice	
339	U1386	A	35	X	6	0.55	0.55	309.00	309.55	342.18	342.73	0.00	accommodates splice	
339	U1386	A	35	X	7	0.60	0.60	309.55	310.15	342.73	343.33	0.00	accommodates splice	
339	U1386	A	35	X	CC	0.49	0.49	310.15	310.64	343.33	343.82	0.00	accommodates splice	
339	U1386	A	36	X	1	0.52	0.52	310.90	311.42	343.82	344.34	0.00	accommodates splice	
339	U1386	B	34	X	CC	0.44	0.44	311.64	312.08	344.19	344.63	-0.15	accommodates splice	
339	U1386	B	35	X	1	1.50	1.50	311.90	313.40	346.21	347.71	1.58	accommodates splice	
339	U1386	A	36	X	5	1.50	1.50	315.92	317.42	348.84	350.34	1.13	accommodates splice	
339	U1386	A	36	X	6	1.36	1.36	317.42	318.78	350.34	351.70	0.00	accommodates splice	
339	U1386	A	36	X	7	1.20	1.20	318.78	319.98	351.70	352.90	0.00	accommodates splice	
339	U1386	A	36	X	8	0.53	0.53	320.51	319.98	352.90	353.43	0.00	accommodates splice	
339	U1386	A	36	X	CC	0.46	0.46	320.51	320.97	353.43	353.89	0.00	accommodates splice	
339	U1386	B	35	X	CC	0.75	0.75	321.09	321.84	355.40	356.15	1.51	accommodates splice	
339	U1386	B	36	X	1	1.50	1.50	323.00	323.50	358.37	358.37	0.72	accommodates splice	
339	U1386	A	37	X	5	1.50	1.50	326.50	328.00	359.90	361.40	1.53	accommodates splice	
339	U1386	A	37	X	6	1.01	1.01	328.00	329.01	361.40	362.41	0.00	accommodates splice	
339	U1386	A	37	X	7	0.54	0.54	329.01	329.55	362.41	362.95	0.00	accommodates splice	
339	U1386	A	37	X	CC	0.60	0.60	329.55	330.15	362.95	363.55	0.00	accommodates splice	
339	U1386	B	36	X	7	0.57	0.57	330.09	330.66	363.55	366.03	1.91	accommodates splice	
339	U1386	B	36	X	CC	0.36	0.36	330.66	331.02	366.03	366.39	0.00	accommodates splice	
339	U1386	B	37	X	1	0.78	0.78	331.10	331.88	367.52	368.30	1.13	accommodates splice	
339	U1386	B	37	X	2	1.50	1.50	331.88	333.38	368.30	369.80	0.00	accommodates splice	

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	B	37	X	3	1.00	1.00	333.38	334.38	369.80	370.80	0.00	accommodates splice	
339	U1386	B	37	X	4	1.50	1.50	334.38	335.88	370.80	372.30	0.00	accommodates splice	
339	U1386	A	38	X	6	0.67	0.67	337.60	338.27	372.91	373.58	0.61	accommodates splice	
339	U1386	A	38	X	CC	0.38	0.38	338.27	338.65	373.58	373.96	0.00	accommodates splice	
339	U1386	B	37	X	CC	0.14	0.14	340.77	340.91	377.19	377.33	3.23	accommodates splice	
339	U1386	A	39	X	4	1.50	1.50	344.20	345.70	381.57	383.07	4.24	accommodates splice	
339	U1386	A	39	X	5	1.46	1.46	345.70	347.16	383.07	384.53	0.00	accommodates splice	
339	U1386	A	39	X	6	1.29	1.29	347.16	348.45	384.53	385.82	0.00	accommodates splice	
339	U1386	A	39	X	7	0.54	0.54	348.45	348.99	385.82	386.36	0.00	accommodates splice	
339	U1386	A	39	X	CC	0.48	0.48	349.47	349.99	386.36	386.84	0.00	accommodates splice	
339	U1386	B	38	X	CC	0.36	0.36	349.99	350.35	388.91	389.27	2.07	below splice, poor recovery	
339	U1386	B	39	X	1	0.50	0.50	350.10	350.60	389.61	390.11	0.34	below splice, poor recovery	
339	U1386	B	39	X	2	1.50	1.50	350.60	352.10	390.11	391.61	0.00	below splice, poor recovery	
339	U1386	B	39	X	3	1.50	1.50	352.10	353.60	391.61	393.11	0.00	below splice, poor recovery	
339	U1386	B	39	X	4	1.50	1.50	353.60	355.10	393.11	394.61	0.00	below splice, poor recovery	
339	U1386	B	39	X	5	1.50	1.50	355.10	356.60	394.61	396.11	0.00	below splice, poor recovery	
339	U1386	B	39	X	6	1.50	1.50	356.60	358.10	396.11	397.61	0.00	below splice, poor recovery	
339	U1386	B	39	X	7	1.15	1.15	358.10	359.25	397.61	398.76	0.00	below splice, poor recovery	
339	U1386	B	39	X	CC	0.55	0.55	359.25	359.80	398.76	399.31	0.00	below splice, poor recovery	
339	U1386	B	40	X	1	1.50	1.50	359.80	361.10	399.16	400.66	-0.15	below splice, poor recovery	TOP 50CM DISTURBED
339	U1386	B	40	X	2	1.50	1.50	361.10	362.60	400.66	402.16	0.00	below splice, poor recovery	
339	U1386	B	40	X	3	1.50	1.50	362.60	364.10	402.16	403.66	0.00	below splice, poor recovery	
339	U1386	B	40	X	4	1.50	1.50	364.10	365.60	403.66	405.16	0.00	below splice, poor recovery	
339	U1386	B	40	X	5	1.50	1.50	365.60	367.10	405.16	406.66	0.00	below splice, poor recovery	
339	U1386	B	40	X	6	1.21	1.21	367.10	368.31	406.66	407.87	0.00	below splice, poor recovery	
339	U1386	B	40	X	7	0.62	0.62	368.31	368.93	407.87	408.49	0.00	below splice, poor recovery	
339	U1386	B	40	X	CC	0.39	0.39	368.93	369.32	408.49	408.88	0.00	below splice, poor recovery	
339	U1386	B	41	X	1	0.84	0.84	369.20	370.04	409.81	410.65	0.93	below splice, poor recovery	DISTURBED-DROPPED ON DECK
339	U1386	B	41	X	2	1.50	1.50	370.04	371.54	412.15	412.15	0.00	below splice, poor recovery	
339	U1386	B	41	X	3	1.50	1.50	371.54	373.04	412.15	413.65	0.00	below splice, poor recovery	
339	U1386	B	41	X	4	1.50	1.50	373.04	374.54	413.65	415.15	0.00	below splice, poor recovery	
339	U1386	B	41	X	5	1.50	1.50	374.54	376.04	415.15	416.65	0.00	below splice, poor recovery	
339	U1386	B	41	X	6	1.50	1.50	376.04	377.54	416.65	418.15	0.00	below splice, poor recovery	
339	U1386	B	41	X	7	1.19	1.19	377.54	378.73	418.15	419.34	0.00	below splice, poor recovery	
339	U1386	B	41	X	CC	0.61	0.61	378.73	379.34	419.34	419.95	0.00	below splice, poor recovery	
339	U1386	B	42	X	1	0.97	0.97	378.80	379.77	420.47	421.44	0.52	below splice, poor recovery	Disturbed, Out of Sequence - Section 1 ejected from the core barrel
339	U1386	B	42	X	2	1.50	1.50	379.77	381.27	421.44	422.94	0.00	below splice, poor recovery	
339	U1386	B	42	X	3	1.50	1.50	381.27	382.77	422.94	424.44	0.00	below splice, poor recovery	
339	U1386	B	42	X	4	1.50	1.50	382.77	384.27	424.44	425.94	0.00	below splice, poor recovery	
339	U1386	B	42	X	5	1.50	1.50	384.27	385.77	425.94	427.44	0.00	below splice, poor recovery	
339	U1386	B	42	X	6	1.50	1.50	385.77	387.27	427.44	428.94	0.00	below splice, poor recovery	
339	U1386	B	42	X	7	0.82	0.82	387.27	388.09	428.94	429.76	0.00	below splice, poor recovery	
339	U1386	B	42	X	CC	0.48	0.48	388.09	388.57	429.76	430.24	0.00	below splice, poor recovery	
339	U1386	B	43	X	1	1.10	1.10	388.40	389.50	431.12	432.22	0.88	below splice, poor recovery	Disturbed - Out of sequence.
339	U1386	B	43	X	2	1.50	1.50	389.50	391.00	432.22	433.72	0.00	below splice, poor recovery	
339	U1386	B	43	X	3	1.50	1.50	391.00	392.50	433.72	435.22	0.00	below splice, poor recovery	
339	U1386	B	43	X	4	1.50	1.50	392.50	394.00	435.22	436.72	0.00	below splice, poor recovery	
339	U1386	B	43	X	5	1.50	1.50	394.00	395.50	436.72	438.22	0.00	below splice, poor recovery	
339	U1386	B	43	X	6	1.50	1.50	395.50	397.00	438.22	439.72	0.00	below splice, poor recovery	
339	U1386	B	43	X	7	0.69	0.69	397.00	397.69	439.72	440.41	0.00	below splice, poor recovery	
339	U1386	B	43	X	CC	0.39	0.39	397.69	398.08	440.41	440.80	0.00	below splice, poor recovery	
339	U1386	B	44	X	1	1.50	1.50	398.00	399.50	441.78	443.28	0.98	below splice, poor recovery	
339	U1386	B	44	X	2	1.50	1.50	399.50	401.00	443.28	444.78	0.00	below splice, poor recovery	
339	U1386	B	44	X	3	1.50	1.50	401.00	402.50	444.78	446.28	0.00	below splice, poor recovery	
339	U1386	B	44	X	4	1.45	1.45	403.95	403.95	446.28	447.73	0.00	below splice, poor recovery	
339	U1386	B	44	X	5	1.37	1.37	403.95	405.32	447.73	449.10	0.00	below splice, poor recovery	
339	U1386	C	6	R	1	1.19	1.19	405.00	406.19	449.05	450.24	-0.05	below splice, poor recovery	
339	U1386	B	44	X	CC	0.34	0.34	405.32	405.66	449.10	449.44	-1.14	below splice, poor recovery	
339	U1386	C	6	R	CC	0.24	0.24	406.19	406.43	450.24	450.48	0.80	below splice, poor recovery	
339	U1386	B	45	X	CC	0.33	0.33	407.60	407.98	452.44	452.82	1.96	below splice, poor recovery	
339	U1386	C	7	R	1	1.50	1.50	414.60	416.10	460.21	461.71	7.39	below splice, poor recovery	
339	U1386	C	7	R	2	1.50	1.50	416.10	417.60	461.71	463.21	0.00	below splice, poor recovery	
339	U1386	C	7	R	3	1.50	1.50	417.60	419.10	463.21	464.71	0.00	below splice, poor recovery	

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sept	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	C	7	R	4	1.50	1.50	419.10	420.60	464.71	466.21	0.00	below splice, poor recovery	
339	U1386	C	7	R	5	1.10	1.10	420.60	421.70	466.21	467.31	0.00	below splice, poor recovery	
339	U1386	B	46	X	5	0.62	0.62	423.70	423.32	468.60	469.22	1.29	below splice, poor recovery	
339	U1386	B	46	X	CC	0.34	0.34	423.32	423.66	469.22	469.56	0.00	below splice, poor recovery	
339	U1386	C	8	R	1	1.01	1.01	424.20	425.21	470.86	471.87	1.30	below splice, poor recovery	
339	U1386	C	8	R	2	0.69	0.69	425.21	425.90	471.87	472.56	0.00	below splice, poor recovery	
339	U1386	C	8	R	CC	0.18	0.18	425.90	426.08	472.56	472.74	0.00	below splice, poor recovery	
339	U1386	B	47	X	1	1.20	1.20	426.80	428.00	473.75	474.95	1.01	below splice, poor recovery	
339	U1386	B	47	X	2	0.73	0.73	428.00	428.73	474.95	475.68	0.00	below splice, poor recovery	
339	U1386	B	47	X	CC	0.21	0.21	428.73	428.94	475.68	475.89	0.00	below splice, poor recovery	
339	U1386	C	9	R	1	1.50	1.50	433.80	435.30	480.53	482.03	4.64	below splice, poor recovery	
339	U1386	C	9	R	2	1.50	1.50	435.30	436.80	482.03	483.53	0.00	below splice, poor recovery	
339	U1386	B	48	X	1	0.49	0.49	436.40	436.89	484.40	484.89	0.87	below splice, poor recovery	
339	U1386	B	48	X	2	1.50	1.50	436.89	438.39	484.89	486.39	0.00	below splice, poor recovery	
339	U1386	C	9	R	CC	0.10	0.10	438.45	438.55	485.18	485.28	-1.21	below splice, poor recovery	
339	U1386	B	48	X	3	1.50	1.50	438.39	439.89	486.39	487.89	1.11	below splice, poor recovery	
339	U1386	B	48	X	4	1.36	1.36	439.89	441.25	487.89	489.25	0.00	below splice, poor recovery	
339	U1386	B	48	X	5	1.51	1.51	441.25	442.76	489.25	490.76	0.00	below splice, poor recovery	
339	U1386	B	48	X	6	1.21	1.21	442.76	443.97	490.76	491.97	0.00	below splice, poor recovery	
339	U1386	B	48	X	7	0.55	0.55	443.97	444.52	491.97	492.52	0.00	below splice, poor recovery	Highly disturbed - core ejected from the core barrel due to gas pressure
339	U1386	C	10	R	1	1.50	1.50	443.40	444.90	492.17	493.67	-0.35	below splice, poor recovery	
339	U1386	B	48	X	8	1.50	1.50	444.52	446.02	492.52	494.02	-1.15	below splice, poor recovery	Highly disturbed - core ejected from the core barrel due to gas pressure
339	U1386	B	48	X	CC	0.65	0.65	446.02	446.67	494.02	494.67	0.00	below splice, poor recovery	
339	U1386	B	49	X	1	1.50	1.50	445.90	447.40	494.95	496.45	0.28	below splice, poor recovery	
339	U1386	B	49	X	2	1.50	1.50	447.40	448.90	496.45	497.95	0.00	below splice, poor recovery	
339	U1386	B	49	X	3	1.31	1.31	448.90	450.21	497.95	499.26	0.00	below splice, poor recovery	
339	U1386	B	49	X	4	0.69	0.69	450.21	450.90	499.26	499.95	0.00	below splice, poor recovery	
339	U1386	B	49	X	CC	0.26	0.26	450.90	451.16	499.95	500.21	0.00	below splice, poor recovery	
339	U1386	C	10	R	CC	0.14	0.14	451.50	451.64	500.27	500.41	0.06	below splice, poor recovery	
339	U1386	C	11	R	1	1.13	1.13	452.90	454.03	502.72	503.85	2.31	below splice, poor recovery	
339	U1386	B	50	X	CC	0.38	0.38	455.40	455.78	505.49	505.87	1.64	below splice, poor recovery	
339	U1386	C	12	R	1	1.50	1.50	463.90	463.90	513.26	514.76	7.39	below splice, poor recovery	
339	U1386	C	12	R	2	1.50	1.50	463.90	465.40	514.76	516.26	0.00	below splice, poor recovery	
339	U1386	C	12	R	3	1.50	1.50	465.40	466.90	516.26	517.76	0.00	below splice, poor recovery	
339	U1386	C	12	R	4	0.82	0.82	466.90	467.72	517.76	518.58	0.00	below splice, poor recovery	
339	U1386	C	12	R	CC	0.19	0.19	467.72	467.91	518.58	518.77	0.00	below splice, poor recovery	
339	U1386	C	13	R	1	1.50	1.50	472.00	473.50	523.92	525.42	5.15	below splice, poor recovery	
339	U1386	C	13	R	2	1.50	1.50	473.50	475.00	525.42	526.92	0.00	below splice, poor recovery	
339	U1386	C	13	R	3	1.50	1.50	475.00	476.50	526.92	528.42	0.00	below splice, poor recovery	
339	U1386	C	13	R	4	1.45	1.45	476.50	477.95	528.42	529.87	0.00	below splice, poor recovery	
339	U1386	C	13	R	CC	0.14	0.14	477.95	478.09	529.87	530.01	0.00	below splice, poor recovery	
339	U1386	C	14	R	1	1.50	1.50	481.60	483.10	534.58	536.08	4.57	below splice, poor recovery	
339	U1386	C	14	R	2	1.50	1.50	483.10	484.60	536.08	537.58	0.00	below splice, poor recovery	
339	U1386	C	14	R	3	1.30	1.30	484.60	485.90	537.58	538.88	0.00	below splice, poor recovery	
339	U1386	C	14	R	4	0.64	0.64	485.90	486.54	538.88	539.52	0.00	below splice, poor recovery	
339	U1386	C	15	R	1	1.50	1.50	490.90	492.40	544.90	546.40	5.38	below splice, poor recovery	
339	U1386	C	15	R	2	1.50	1.50	492.40	493.90	546.40	547.90	0.00	below splice, poor recovery	
339	U1386	C	15	R	3	1.50	1.50	493.90	495.40	547.90	549.40	0.00	below splice, poor recovery	
339	U1386	C	15	R	4	1.50	1.50	495.40	496.90	549.40	550.90	0.00	below splice, poor recovery	
339	U1386	C	15	R	5	1.17	1.17	496.90	498.07	550.90	552.07	0.00	below splice, poor recovery	
339	U1386	C	15	R	CC	0.34	0.34	498.07	498.41	552.07	552.41	0.00	below splice, poor recovery	
339	U1386	C	16	R	1	1.50	1.50	502.00	502.00	555.55	557.05	3.14	below splice, poor recovery	
339	U1386	C	16	R	2	1.50	1.50	502.00	503.50	557.05	558.55	0.00	below splice, poor recovery	
339	U1386	C	16	R	3	1.50	1.50	503.50	505.00	558.55	560.05	0.00	below splice, poor recovery	
339	U1386	C	16	R	4	1.50	1.50	505.00	506.50	560.05	561.55	0.00	below splice, poor recovery	
339	U1386	C	16	R	5	1.00	1.00	506.50	507.50	561.55	562.55	0.00	below splice, poor recovery	
339	U1386	C	16	R	6	0.73	0.73	507.50	508.23	562.55	563.28	0.00	below splice, poor recovery	
339	U1386	C	17	R	1	1.50	1.50	510.10	511.60	566.21	567.71	2.93	below splice, poor recovery	
339	U1386	C	17	R	2	1.50	1.50	511.60	513.10	567.71	569.21	0.00	below splice, poor recovery	
339	U1386	C	17	R	3	1.50	1.50	513.10	514.60	569.21	570.71	0.00	below splice, poor recovery	
339	U1386	C	17	R	4	1.50	1.50	514.60	516.10	570.71	572.21	0.00	below splice, poor recovery	
339	U1386	C	17	R	5	1.00	1.00	516.10	517.10	572.21	573.21	0.00	below splice, poor recovery	

U1386 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1386	C	17	R	CC	0.23	0.23	517.10	517.33	573.21	573.44	0.00	below splice, poor recovery	
339	U1386	C	18	R	1	1.50	1.50	519.70	521.20	576.87	578.37	3.43	below splice, poor recovery	
339	U1386	C	18	R	2	1.50	1.50	521.20	522.70	578.37	579.87	0.00	below splice, poor recovery	
339	U1386	C	18	R	3	1.50	1.50	522.70	524.20	579.87	581.37	0.00	below splice, poor recovery	
339	U1386	C	18	R	4	0.86	0.86	524.20	525.06	581.37	582.23	0.00	below splice, poor recovery	
339	U1386	C	18	R	CC	0.13	0.13	525.06	525.19	582.23	582.36	0.00	below splice, poor recovery	