

U1407 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1407	C	1	H	1	1.50	1.50	0.00	1.50	0.10	1.60	0.10	accommodates splice	
342	U1407	C	1	H	2	1.50	1.50	1.50	3.00	1.60	3.10	0.00	accommodates splice	
342	U1407	C	1	H	3	1.50	1.50	3.00	4.50	3.10	4.60	0.00	accommodates splice	
342	U1407	C	1	H	4	1.50	1.50	4.50	6.00	4.60	6.10	0.00	accommodates splice	
342	U1407	C	1	H	5	1.00	1.00	6.00	7.00	6.10	7.10	0.00	accommodates splice	
342	U1407	C	1	H	6	0.59	0.59	7.00	7.59	7.10	7.69	0.00	accommodates splice	
342	U1407	C	1	H	CC	0.19	0.19	7.59	7.78	7.69	7.88	0.00	accommodates splice	
342	U1407	A	2	H	3	1.30	1.30	9.80	11.10	10.35	11.65	2.47	accommodates splice	
342	U1407	A	2	H	4	0.57	0.57	11.10	11.67	11.65	12.22	0.00	accommodates splice	
342	U1407	A	2	H	5	1.50	1.50	11.67	13.17	12.22	13.72	0.00	accommodates splice	
342	U1407	A	2	H	6	1.50	1.50	13.17	14.67	13.72	15.22	0.00	accommodates splice	
342	U1407	A	2	H	7	1.05	1.05	14.67	15.72	15.22	16.27	0.00	accommodates splice	
342	U1407	A	2	H	CC	0.25	0.25	15.72	15.97	16.27	16.52	0.00	accommodates splice	
342	U1407	B	2	H	6	1.32	1.32	15.90	17.22	16.35	17.67	-0.17	accommodates splice	
342	U1407	B	2	H	7	0.68	0.68	17.22	17.90	17.67	18.35	0.00	accommodates splice	
342	U1407	B	2	H	CC	0.14	0.14	17.90	18.04	18.35	18.49	0.00	accommodates splice	
342	U1407	A	3	H	1	1.50	1.50	16.30	17.80	18.85	20.35	0.36	accommodates splice	
342	U1407	A	3	H	2	1.50	1.50	17.80	19.30	20.35	21.85	0.00	accommodates splice	
342	U1407	A	3	H	3	1.50	1.50	19.30	20.80	21.85	23.35	0.00	accommodates splice	
342	U1407	A	3	H	4	1.50	1.50	20.80	22.30	23.35	24.85	0.00	accommodates splice	
342	U1407	A	3	H	5	1.50	1.50	22.30	23.80	24.85	26.35	0.00	accommodates splice	
342	U1407	A	3	H	6	1.00	1.00	23.80	24.80	26.35	27.35	0.00	accommodates splice	
342	U1407	A	3	H	7	0.55	0.55	24.80	25.35	27.35	27.90	0.00	accommodates splice	
342	U1407	A	3	H	CC	0.20	0.20	25.35	25.55	27.90	28.10	0.00	accommodates splice	
342	U1407	B	3	H	7	0.73	0.73	26.41	27.14	27.36	28.09	-0.74	accommodates splice	
342	U1407	B	5	H	1	1.50	1.50	30.40	31.90	29.85	31.35	1.76	accommodates splice	
342	U1407	B	5	H	2	1.50	1.50	31.90	33.40	31.35	32.85	0.00	accommodates splice	
342	U1407	A	4	H	4	1.50	1.50	30.30	31.80	32.85	34.35	0.00	accommodates splice	
342	U1407	A	4	H	5	1.50	1.50	31.80	33.30	34.35	35.85	0.00	accommodates splice	
342	U1407	A	4	H	6	1.20	1.20	33.30	34.50	35.85	37.05	0.00	accommodates splice	
342	U1407	A	4	H	7	0.56	0.56	34.50	35.06	37.05	37.61	0.00	accommodates splice	
342	U1407	A	4	H	CC	0.24	0.24	35.06	35.30	37.61	37.85	0.00	accommodates splice	
342	U1407	B	5	H	6	1.01	1.01	37.90	38.91	37.35	38.36	-0.50	accommodates splice	
342	U1407	B	5	H	7	0.92	0.92	38.91	39.83	38.36	39.28	0.00	accommodates splice	
342	U1407	C	5	H	7	0.60	0.60	38.70	39.30	40.35	40.95	1.07	accommodates splice	
342	U1407	C	5	H	CC	0.30	0.30	39.30	39.60	40.95	41.25	0.00	accommodates splice	
342	U1407	B	6	H	1	1.50	1.50	39.90	41.40	44.13	45.63	2.88	accommodates splice	
342	U1407	B	6	H	2	1.50	1.50	41.40	42.90	45.63	47.13	0.00	accommodates splice	
342	U1407	B	6	H	3	1.50	1.50	42.90	44.40	47.13	48.63	0.00	accommodates splice	
342	U1407	B	6	H	4	1.50	1.50	44.40	45.90	48.63	50.13	0.00	accommodates splice	
342	U1407	B	6	H	5	1.50	1.50	45.90	47.40	50.13	51.63	0.00	accommodates splice	
342	U1407	B	6	H	6	0.95	0.95	47.40	48.35	51.63	52.58	0.00	accommodates splice	
342	U1407	C	6	H	CC	0.25	0.25	48.25	48.50	54.13	54.38	1.55	accommodates splice	
342	U1407	B	7	H	1	1.50	1.50	49.40	50.90	54.97	56.47	0.59	accommodates splice	
342	U1407	B	7	H	2	1.50	1.50	50.90	52.40	56.47	57.97	0.00	accommodates splice	
342	U1407	B	7	H	3	1.50	1.50	52.40	53.90	57.97	59.47	0.00	accommodates splice	
342	U1407	A	6	H	6	1.50	1.50	52.30	53.80	60.69	62.19	1.22	accommodates splice	
342	U1407	A	6	H	7	0.64	0.64	53.80	54.44	62.19	62.83	0.00	accommodates splice	
342	U1407	A	6	H	CC	0.28	0.28	54.44	54.72	62.83	63.11	0.00	accommodates splice	
342	U1407	B	7	H	7	0.70	0.70	58.40	59.10	63.97	64.67	0.86	accommodates splice	
342	U1407	B	7	H	CC	0.26	0.26	59.10	59.36	64.67	64.93	0.00	accommodates splice	
342	U1407	B	8	H	1	1.50	1.50	58.90	60.40	65.72	67.22	0.79	accommodates splice	
342	U1407	C	7	H	1	1.50	1.50	48.70	50.20	66.97	68.47	-0.25	accommodates splice	
342	U1407	C	7	H	2	1.50	1.50	50.20	51.70	68.47	69.97	0.00	accommodates splice	
342	U1407	A	7	H	5	1.50	1.50	60.30	61.80	69.04	70.54	-0.93	accommodates splice	
342	U1407	A	7	H	6	1.50	1.50	61.80	63.30	70.54	72.04	0.00	accommodates splice	
342	U1407	A	7	H	7	0.63	0.63	63.30	63.93	72.04	72.67	0.00	accommodates splice	
342	U1407	A	7	H	CC	0.26	0.26	63.93	64.19	72.67	72.93	0.00	accommodates splice	
342	U1407	C	7	H	6	1.50	1.50	56.20	57.70	74.47	75.97	1.54	accommodates splice	
342	U1407	C	7	H	7	0.60	0.60	57.70	58.30	75.97	76.57	0.00	accommodates splice	
342	U1407	A	8	H	4	1.50	1.50	68.30	69.80	77.73	79.23	1.16	accommodates splice	
342	U1407	A	8	H	5	1.50	1.50	69.80	71.30	79.23	80.73	0.00	accommodates splice	
342	U1407	A	8	H	6	1.50	1.50	71.30	72.80	80.73	82.23	0.00	accommodates splice	

U1407 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1407	A	8	H	7	0.57	0.57	72.80	73.37	82.23	82.80	0.00	accommodates splice	
342	U1407	A	8	H	CC	0.28	0.28	73.37	73.65	82.80	83.08	0.00	accommodates splice	
342	U1407	B	9	H	7	0.80	0.80	77.11	77.91	85.18	85.98	2.10	accommodates splice	
342	U1407	C	8	H	7	0.58	0.58	67.20	67.78	86.78	87.36	0.80	accommodates splice	
342	U1407	C	8	H	CC	0.27	0.27	67.78	68.05	87.36	87.63	0.00	accommodates splice	
342	U1407	C	9	H	1	1.50	1.50	67.70	69.20	86.83	88.33	-0.80	accommodates splice	
342	U1407	C	9	H	2	1.50	1.50	69.20	70.70	88.33	89.83	0.00	accommodates splice	
342	U1407	C	9	H	3	1.50	1.50	70.70	72.20	89.83	91.33	0.00	accommodates splice	
342	U1407	C	9	H	4	1.50	1.50	72.20	73.70	91.33	92.83	0.00	accommodates splice	
342	U1407	C	9	H	5	1.50	1.50	73.70	75.20	92.83	94.33	0.00	accommodates splice	
342	U1407	A	9	H	CC	0.25	0.25	82.93	83.18	94.73	94.98	0.40	accommodates splice	
342	U1407	C	9	H	6	1.50	1.50	75.20	76.70	94.33	95.83	-0.65	accommodates splice	
342	U1407	C	9	H	7	0.61	0.61	76.70	77.31	95.83	96.44	0.00	accommodates splice	
342	U1407	B	10	H	7	0.58	0.58	86.80	87.38	96.20	96.78	-0.24	accommodates splice	
342	U1407	A	10	H	3	1.50	1.50	85.80	87.30	97.99	99.49	1.21	accommodates splice	
342	U1407	A	10	H	4	1.50	1.50	87.30	88.80	99.49	100.99	0.00	accommodates splice	
342	U1407	A	10	H	5	1.50	1.50	88.80	90.30	100.99	102.49	0.00	accommodates splice	
342	U1407	A	10	H	6	1.20	1.20	90.30	91.50	102.49	103.69	0.00	accommodates splice	
342	U1407	A	10	H	7	0.77	0.77	91.50	92.27	103.69	104.46	0.00	accommodates splice	
342	U1407	C	10	H	6	1.20	1.20	84.70	85.90	104.08	105.28	-0.38	accommodates splice	
342	U1407	C	10	H	7	0.52	0.52	85.90	86.42	105.28	105.80	0.00	accommodates splice	
342	U1407	C	10	H	CC	0.14	0.14	86.42	86.56	105.80	105.94	0.00	accommodates splice	
342	U1407	A	11	H	1	1.50	1.50	92.30	93.80	106.42	107.92	0.48	accommodates splice	
342	U1407	A	11	H	2	1.50	1.50	93.80	95.30	107.92	109.42	0.00	accommodates splice	
342	U1407	A	11	H	3	1.50	1.50	95.30	96.80	109.42	110.92	0.00	accommodates splice	
342	U1407	A	11	H	4	1.50	1.50	96.80	98.30	110.92	112.42	0.00	accommodates splice	
342	U1407	A	11	H	5	1.50	1.50	98.30	99.80	112.42	113.92	0.00	accommodates splice	
342	U1407	A	11	H	6	1.50	1.50	99.80	101.30	113.92	115.42	0.00	accommodates splice	
342	U1407	A	11	H	7	0.64	0.64	101.30	101.94	115.42	116.06	0.00	accommodates splice	
342	U1407	A	11	H	CC	0.15	0.15	101.94	102.09	116.06	116.21	0.00	accommodates splice	
342	U1407	A	12	H	1	1.00	1.00	101.80	102.80	116.11	117.11	-0.10	accommodates splice	
													accommodates splice	almost no core in all 3 holes; science splice has large gap too
342	U1407	A	16	X	1	1.50	1.50	121.90	123.40	137.40	138.90	20.29		
342	U1407	A	16	X	2	0.90	0.90	123.40	124.30	138.90	139.80	0.00	accommodates splice	
342	U1407	A	16	X	CC	0.36	0.36	124.30	124.66	139.80	140.16	0.00	accommodates splice	
342	U1407	A	17	X	1	1.10	1.10	126.30	127.40	141.80	142.90	1.64	accommodates splice	
342	U1407	A	17	X	CC	0.22	0.22	127.40	127.62	142.90	143.12	0.00	accommodates splice	
342	U1407	C	13	X	5	1.5	1.5	123	124.5	142.70	144.20	-0.42	Single Cored Interval	
342	U1407	C	13	X	6	1.49	1.49	124.5	125.99	144.20	145.69	0.00	Single Cored Interval	
342	U1407	C	13	X	CC	0.07	0.07	125.99	126.06	145.69	145.76	0.00	Single Cored Interval	
342	U1407	C	14	X	1	1.5	1.5	122	123.5	145.77	147.27	0.01	Single Cored Interval	
342	U1407	C	14	X	2	1.5	1.5	123.5	125	147.27	148.77	0.00	Single Cored Interval	
342	U1407	C	14	X	3	1.5	1.5	125	126.5	148.77	150.27	0.00	Single Cored Interval	
342	U1407	C	14	X	4	1.5	1.5	126.5	128	150.27	151.77	0.00	Single Cored Interval	
342	U1407	C	14	X	5	1.5	1.5	128	129.5	151.77	153.27	0.00	Single Cored Interval	
342	U1407	C	14	X	6	1.5	1.5	129.5	131	153.27	154.77	0.00	Single Cored Interval	
342	U1407	B	13	X	1	1.50	1.50	127.00	128.50	154.57	156.07	-0.20	accommodates splice	
342	U1407	B	13	X	2	1.50	1.50	128.50	130.00	156.07	157.57	0.00	accommodates splice	
342	U1407	B	13	X	3	1.50	1.50	130.00	131.50	157.57	159.07	0.00	accommodates splice	
342	U1407	A	18	X	1	1.50	1.50	135.90	137.40	158.43	159.93	-0.64	accommodates splice	
342	U1407	A	18	X	2	1.50	1.50	137.40	138.90	159.93	161.43	0.00	accommodates splice	
342	U1407	A	18	X	3	1.50	1.50	138.90	140.40	161.43	162.93	0.00	accommodates splice	
342	U1407	A	18	X	4	1.50	1.50	140.40	141.90	162.93	164.43	0.00	accommodates splice	
342	U1407	A	18	X	5	0.84	0.84	141.90	142.74	164.43	165.27	0.00	accommodates splice	
342	U1407	A	18	X	CC	0.21	0.21	142.74	142.95	165.27	165.48	0.00	accommodates splice	
342	U1407	C	15	X	CC	0.29	0.29	141.19	141.48	165.17	165.46	-0.31	accommodates splice	
342	U1407	C	16	X	1	1.50	1.50	141.20	142.70	165.98	167.48	0.52	accommodates splice	
342	U1407	A	19	X	1	1.50	1.50	145.50	147.00	166.98	168.48	-0.50	accommodates splice	
342	U1407	A	19	X	2	1.31	1.31	147.00	148.31	168.48	169.79	0.00	accommodates splice	
342	U1407	A	19	X	3	0.67	0.67	148.31	148.98	169.79	170.46	0.00	accommodates splice	
342	U1407	A	19	X	CC	0.32	0.32	148.98	149.30	170.46	170.78	0.00	accommodates splice	

U1407 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1407	B	14	X	5	1.50	1.50	142.60	144.10	170.28	171.78	-0.50	accommodates splice	
342	U1407	B	14	X	6	1.30	1.30	144.10	145.40	171.78	173.08	0.00	accommodates splice	
342	U1407	B	14	X	7	0.58	0.58	145.40	145.98	173.08	173.66	0.00	accommodates splice	
342	U1407	B	14	X	CC	0.30	0.30	145.98	146.28	173.66	173.96	0.00	accommodates splice	
342	U1407	C	16	X	7	0.57	0.57	150.11	150.68	174.89	175.46	0.93	accommodates splice	
342	U1407	C	16	X	CC	0.27	0.27	150.68	150.95	175.46	175.73	0.00	accommodates splice	
342	U1407	C	17	X	1	1.50	1.50	150.80	152.30	176.74	178.24	1.01	accommodates splice	
342	U1407	B	15	X	5	1.50	1.50	152.20	153.70	180.08	181.58	1.84	accommodates splice	
342	U1407	B	15	X	6	1.40	1.40	153.70	155.10	181.58	182.98	0.00	accommodates splice	
342	U1407	B	15	X	7	0.52	0.52	155.10	155.62	182.98	183.50	0.00	accommodates splice	
342	U1407	B	15	X	CC	0.36	0.36	155.62	155.98	183.50	183.86	0.00	accommodates splice	
342	U1407	A	20	X	1	1.50	1.50	155.10	156.60	185.60	187.10	1.74	accommodates splice	
342	U1407	A	20	X	2	1.50	1.50	156.60	158.10	187.10	188.60	0.00	accommodates splice	
342	U1407	A	20	X	3	1.50	1.50	158.10	159.60	188.60	190.10	0.00	accommodates splice	
342	U1407	A	20	X	4	1.50	1.50	159.60	161.10	190.10	191.60	0.00	accommodates splice	
342	U1407	A	20	X	5	1.50	1.50	161.10	162.60	191.60	193.10	0.00	accommodates splice	
342	U1407	A	20	X	6	1.30	1.30	162.60	163.90	193.10	194.40	0.00	accommodates splice	
342	U1407	A	20	X	7	0.63	0.63	163.90	164.53	194.40	195.03	0.00	accommodates splice	
342	U1407	A	20	X	CC	0.34	0.34	164.53	164.87	195.03	195.37	0.00	accommodates splice	
342	U1407	B	17	X	1	1.50	1.50	165.40	166.90	195.30	196.80	-0.07	accommodates splice	
342	U1407	B	17	X	2	1.50	1.50	166.90	168.40	196.80	198.30	0.00	accommodates splice	
342	U1407	B	17	X	3	1.50	1.50	168.40	169.90	198.30	199.80	0.00	accommodates splice	
342	U1407	C	19	X	2	1.50	1.50	171.50	173.00	199.87	201.37	0.07	accommodates splice	
342	U1407	A	21	X	5	1.21	1.21	170.70	171.91	201.12	202.33	-0.25	accommodates splice	
342	U1407	A	21	X	CC	0.35	0.35	171.91	172.26	202.33	202.68	0.00	accommodates splice	
342	U1407	C	19	X	4	1.30	1.30	174.50	175.80	202.87	204.17	0.19	accommodates splice	
342	U1407	C	19	X	CC	0.29	0.29	175.80	176.09	204.17	204.46	0.00	accommodates splice	
342	U1407	B	17	X	CC	0.29	0.29	174.82	175.11	204.72	205.01	0.26	accommodates splice	
342	U1407	B	18	X	1	1.50	1.50	175.00	176.50	205.32	206.82	0.31	accommodates splice	
342	U1407	B	18	X	2	1.50	1.50	176.50	178.00	206.82	208.32	0.00	accommodates splice	
342	U1407	B	18	X	3	1.50	1.50	178.00	179.50	208.32	209.82	0.00	accommodates splice	
342	U1407	B	18	X	4	1.50	1.50	179.50	181.00	209.82	211.32	0.00	accommodates splice	
342	U1407	B	18	X	5	0.53	0.53	181.00	181.53	211.32	211.85	0.00	accommodates splice	
342	U1407	B	18	X	CC	0.54	0.54	181.53	182.07	211.85	212.39	0.00	accommodates splice	
342	U1407	B	19	X	1	1.50	1.50	184.60	186.10	212.50	214.00	0.11	accommodates splice	
342	U1407	B	19	X	2	1.50	1.50	186.10	187.60	214.00	215.50	0.00	accommodates splice	
342	U1407	A	23	X	2	1.50	1.50	185.40	186.90	214.43	215.93	-1.07	accommodates splice	
342	U1407	A	23	X	3	1.50	1.50	186.90	188.40	215.93	217.43	0.00	accommodates splice	
342	U1407	A	23	X	4	1.50	1.50	188.40	189.90	217.43	218.93	0.00	accommodates splice	
342	U1407	A	23	X	5	1.50	1.50	189.90	191.40	218.93	220.43	0.00	accommodates splice	
342	U1407	A	23	X	6	1.53	1.53	191.40	192.93	220.43	221.96	0.00	accommodates splice	
342	U1407	A	23	X	CC	0.22	0.22	192.93	193.15	221.96	222.18	0.00	accommodates splice	
342	U1407	B	20	X	1	1.50	1.50	192.60	194.10	224.04	225.54	1.86	accommodates splice	
342	U1407	C	21	X	5	1.50	1.50	190.60	192.10	225.92	227.42	0.38	accommodates splice	
342	U1407	A	24	X	1	1.50	1.50	193.50	195.00	227.12	228.62	-0.30	accommodates splice	
342	U1407	A	24	X	2	1.50	1.50	195.00	196.50	228.62	230.12	0.00	accommodates splice	
342	U1407	A	24	X	3	1.50	1.50	196.50	198.00	230.12	231.62	0.00	accommodates splice	
342	U1407	A	24	X	4	1.25	1.25	198.00	199.25	231.62	232.87	0.00	accommodates splice	
342	U1407	A	24	X	CC	0.18	0.18	199.25	199.43	232.87	233.05	0.00	accommodates splice	
342	U1407	B	21	X	1	1.60	1.60	200.60	202.20	233.22	234.82	0.17	accommodates splice	
342	U1407	C	22	X	CC	0.29	0.29	199.96	200.25	235.76	236.05	0.94	accommodates splice	
342	U1407	A	25	X	1	1.25	1.25	203.10	204.35	238.78	240.03	2.73	accommodates splice	
342	U1407	A	25	X	2	1.31	1.31	204.35	205.66	240.03	241.34	0.00	accommodates splice	
342	U1407	A	25	X	3	0.78	0.78	205.66	206.44	241.34	242.12	0.00	accommodates splice	
342	U1407	A	25	X	CC	0.21	0.21	206.44	206.65	242.12	242.33	0.00	accommodates splice	
342	U1407	B	21	X	CC	0.17	0.17	210.14	210.31	242.76	242.93	0.43	accommodates splice	
342	U1407	B	22	X	1	1.50	1.50	209.10	210.60	244.37	245.87	1.44	accommodates splice	
342	U1407	B	22	X	2	1.50	1.50	210.60	212.10	245.87	247.37	0.00	accommodates splice	
342	U1407	C	23	X	CC	0.18	0.18	210.58	210.76	248.29	248.47	0.92	accommodates splice	
342	U1407	C	24	X	1	1.50	1.50	209.20	210.70	248.34	249.84	-0.13	accommodates splice	
342	U1407	C	24	X	2	1.50	1.50	210.70	212.20	249.84	251.34	0.00	accommodates splice	
342	U1407	B	22	X	7	0.92	0.92	217.61	218.53	252.88	253.80	1.54	accommodates splice	
342	U1407	B	22	X	CC	0.19	0.19	218.53	218.72	253.80	253.99	0.00	accommodates splice	

U1407 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1407	C	24	X	5	1.10	1.10	215.20	216.30	254.34	255.44	0.35	accommodates splice	
342	U1407	C	24	X	CC	0.28	0.28	216.30	216.58	255.44	255.72	0.00	accommodates splice	
342	U1407	B	23	X	4	1.50	1.50	223.20	224.70	258.31	259.81	2.59	accommodates splice	
342	U1407	B	23	H	5	1.50	1.50	224.70	226.20	224.69	226.19	35.12	accommodates splice	
342	U1407	B	23	H	6	1.31	1.31	226.20	227.51	226.19	227.50	0.00	accommodates splice	
342	U1407	B	23	H	7	0.61	0.61	227.51	228.12	227.50	228.11	0.00	accommodates splice	
342	U1407	B	24	H	1	1.50	1.50	228.30	229.80	228.30	229.80	0.19	accommodates splice	
342	U1407	B	24	H	2	1.50	1.50	229.80	231.30	229.80	231.30	0.00	accommodates splice	
342	U1407	B	24	X	3	0.81	0.81	231.30	232.11	268.24	269.05	36.94	accommodates splice	
342	U1407	B	24	X	4	1.50	1.50	232.11	233.61	269.05	270.55	0.00	accommodates splice	
342	U1407	B	24	X	5	1.50	1.50	233.61	235.11	270.55	272.05	0.00	accommodates splice	
342	U1407	B	24	X	6	1.11	1.11	235.11	236.22	272.05	273.16	0.00	accommodates splice	
342	U1407	B	24	X	7	0.56	0.56	236.22	236.78	273.16	273.72	0.00	accommodates splice	
342	U1407	A	28	X	4	1.50	1.50	236.40	237.90	273.35	274.85	-0.37	accommodates splice	
342	U1407	A	28	X	5	1.10	1.10	237.90	239.00	274.85	275.95	0.00	accommodates splice	
342	U1407	A	28	X	6	0.53	0.53	239.00	239.53	275.95	276.48	0.00	accommodates splice	
342	U1407	A	28	X	CC	0.33	0.33	239.53	239.86	276.48	276.81	0.00	accommodates splice	
342	U1407	C	27	X	7	0.61	0.61	241.61	242.22	279.88	280.49	3.07	accommodates splice	
342	U1407	C	27	X	CC	0.29	0.29	242.22	242.51	280.49	280.78	0.00	accommodates splice	
342	U1407	B	25	X	CC	0.31	0.31	247.37	247.68	287.85	288.16	7.07	accommodates splice	
342	U1407	B	26	X	1	1.50	1.50	247.50	249.00	289.74	291.24	1.58	accommodates splice	
342	U1407	C	28	X	1	1.50	1.50	242.40	243.90	291.10	292.60	-0.14	accommodates splice	
342	U1407	C	28	X	2	1.50	1.50	243.90	245.40	292.60	294.10	0.00	accommodates splice	
342	U1407	A	29	X	6	0.90	0.90	249.00	249.90	294.23	295.13	0.13	accommodates splice	
342	U1407	A	29	X	CC	0.38	0.38	249.90	250.28	295.13	295.51	0.00	accommodates splice	
342	U1407	B	26	X	6	1.50	1.50	255.00	256.50	297.24	298.74	1.73	accommodates splice	
342	U1407	B	26	X	7	0.53	0.53	256.50	257.03	298.74	299.27	0.00	accommodates splice	
342	U1407	B	26	X	CC	0.41	0.41	257.03	257.44	299.27	299.68	0.00	accommodates splice	
342	U1407	C	28	X	CC	0.36	0.36	251.91	252.27	300.61	300.97	0.93	accommodates splice	
342	U1407	C	29	X	1	1.50	1.50	252.00	253.50	300.45	301.95	-0.52	accommodates splice	
342	U1407	A	30	X	4	1.30	1.30	255.60	256.90	303.11	304.41	1.16	accommodates splice	
342	U1407	A	30	X	5	1.19	1.19	256.90	258.09	304.41	305.60	0.00	accommodates splice	
342	U1407	A	30	X	6	1.03	1.03	258.09	259.12	305.60	306.63	0.00	accommodates splice	
342	U1407	A	30	X	CC	0.25	0.25	259.12	259.37	306.63	306.88	0.00	accommodates splice	
342	U1407	C	29	X	6	1.31	1.31	259.50	260.81	307.95	309.26	1.07	accommodates splice	
342	U1407	C	29	X	7	0.63	0.63	260.81	261.44	309.26	309.89	0.00	accommodates splice	
342	U1407	C	29	X	CC	0.41	0.41	261.44	261.85	309.89	310.30	0.00	accommodates splice	
342	U1407	B	27	X	6	0.62	0.62	264.41	265.03	311.84	312.46	1.54	accommodates splice	
342	U1407	B	27	X	CC	0.45	0.45	265.03	265.48	312.46	312.91	0.00	accommodates splice	
342	U1407	A	31	X	CC	0.18	0.18	268.48	268.66	315.44	315.62	2.53	accommodates splice	
342	U1407	A	32	X	CC	0.06	0.06	270.30	270.36	317.26	317.32	1.64	single cored deepest hole	
342	U1407	A	33	X	CC	0.17	0.17	279.90	280.07	326.86	327.03	9.54	single cored deepest hole	
342	U1407	A	34	X	CC	0.09	0.09	289.50	289.59	336.46	336.55	9.43	single cored deepest hole	
342	U1407	A	35	X	CC	0.11	0.11	299.10	299.21	346.06	346.17	9.51	single cored deepest hole	