

**U1408 Permanent Archive List**

Exp	Site	Hole	Core	Type	Sept	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1408	A	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50		accommodates science splice	
342	U1408	A	1	H	2	1.50	1.50	1.50	3.00	1.50	3.00	0.00	accommodates science splice	
342	U1408	A	1	H	3	1.13	1.13	3.00	4.13	3.00	4.13	0.00	accommodates science splice	
342	U1408	A	1	H	CC	0.25	0.25	4.13	4.38	4.13	4.38	0.00	accommodates science splice	
342	U1408	B	1	H	4	1.50	1.50	4.50	6.00	4.50	6.00	0.12	accommodates science splice	
342	U1408	A	2	H	1	1.50	1.50	4.30	5.80	5.40	6.90	-0.60	accommodates science splice	
342	U1408	B	2	H	1	1.50	1.50	6.70	8.20	7.45	8.95	0.55	accommodates science splice	
342	U1408	A	2	H	4	1.50	1.50	8.80	10.30	9.90	11.40	0.95	accommodates science splice	
342	U1408	A	2	H	5	1.50	1.50	10.30	11.80	11.40	12.90	0.00	accommodates science splice	
342	U1408	A	2	H	6	1.01	1.01	11.80	12.81	12.90	13.91	0.00	accommodates science splice	
342	U1408	A	2	H	7	0.76	0.76	12.81	13.57	13.91	14.67	0.00	accommodates science splice	
342	U1408	A	2	H	CC	0.35	0.35	13.57	13.92	14.67	15.02	0.00	accommodates science splice	
342	U1408	B	2	H	6	1.41	1.41	14.20	15.61	14.95	16.36	-0.07	accommodates science splice	
342	U1408	B	2	H	7	0.55	0.55	15.61	16.16	16.36	16.91	0.00	accommodates science splice	
342	U1408	B	2	H	CC	0.26	0.26	16.16	16.42	16.91	17.17	0.00	accommodates science splice	
342	U1408	A	3	H	1	1.50	1.50	13.80	15.30	17.30	18.80	0.13	accommodates science splice	
342	U1408	A	3	H	2	1.50	1.50	15.30	16.80	18.80	20.30	0.00	accommodates science splice	
342	U1408	A	3	H	3	1.50	1.50	16.80	18.30	20.30	21.80	0.00	accommodates science splice	
342	U1408	A	3	H	4	1.50	1.50	18.30	19.80	21.80	23.30	0.00	accommodates science splice	
342	U1408	A	3	H	5	1.50	1.50	19.80	21.30	23.30	24.80	0.00	accommodates science splice	
342	U1408	A	3	H	6	1.00	1.00	21.30	22.30	24.80	25.80	0.00	accommodates science splice	
342	U1408	A	3	H	7	0.81	0.81	22.30	23.11	25.80	26.61	0.00	accommodates science splice	
342	U1408	A	3	H	CC	0.31	0.31	23.11	23.42	26.61	26.92	0.00	accommodates science splice	
342	U1408	A	4	H	1	1.50	1.50	23.30	24.80	27.35	28.85	0.43	accommodates science splice	
342	U1408	A	4	H	2	1.50	1.50	24.80	26.30	28.85	30.35	0.00	accommodates science splice	
342	U1408	A	4	H	3	1.50	1.50	26.30	27.80	30.35	31.85	0.00	accommodates science splice	
342	U1408	A	4	H	4	1.50	1.50	27.80	29.30	31.85	33.35	0.00	accommodates science splice	
342	U1408	A	4	H	5	1.51	1.51	29.30	30.81	33.35	34.86	0.00	accommodates science splice	
342	U1408	A	4	H	6	0.63	0.63	30.81	31.44	34.86	35.49	0.00	accommodates science splice	
342	U1408	A	4	H	CC	0.39	0.39	31.44	31.83	35.49	35.88	0.00	accommodates science splice	
342	U1408	A	5	H	1	1.50	1.50	32.80	34.30	35.65	37.15	-0.23	accommodates science splice	
342	U1408	C	5	H	4	1.50	1.50	35.30	36.80	36.40	37.90	-0.75	accommodates science splice	
342	U1408	C	5	H	5	1.50	1.50	36.80	38.30	37.90	39.40	0.00	accommodates science splice	
342	U1408	C	5	H	6	1.50	1.50	38.30	39.80	39.40	40.90	0.00	accommodates science splice	
342	U1408	B	6	H	3	1.50	1.50	41.20	42.70	40.70	42.20	-0.20	accommodates science splice	
342	U1408	B	6	H	4	1.50	1.50	42.70	44.20	42.20	43.70	0.00	accommodates science splice	
342	U1408	B	6	H	5	1.50	1.50	44.20	45.70	43.70	45.20	0.00	accommodates science splice	
342	U1408	A	6	H	1	1.50	1.50	42.30	43.80	45.65	47.15	0.45	accommodates science splice	
342	U1408	A	6	H	2	1.50	1.50	43.80	45.30	47.15	48.65	0.00	accommodates science splice	
342	U1408	A	6	H	3	1.50	1.50	45.30	46.80	48.65	50.15	0.00	accommodates science splice	
342	U1408	A	6	H	4	1.50	1.50	46.80	48.30	50.15	51.65	0.00	accommodates science splice	
342	U1408	A	6	H	5	1.50	1.50	48.30	49.80	51.65	53.15	0.00	accommodates science splice	
342	U1408	A	6	H	6	1.00	1.00	49.80	50.80	53.15	54.15	0.00	accommodates science splice	
342	U1408	A	6	H	7	0.66	0.66	50.80	51.46	54.15	54.81	0.00	accommodates science splice	
342	U1408	A	6	H	CC	0.34	0.34	51.46	51.80	54.81	55.15	0.00	accommodates science splice	
342	U1408	B	7	H	6	1.50	1.50	55.20	56.70	55.60	57.10	0.45	accommodates science splice	
342	U1408	B	7	H	7	0.61	0.61	56.70	57.31	57.10	57.71	0.00	accommodates science splice	
342	U1408	B	7	H	CC	0.26	0.26	57.31	57.57	57.71	57.97	0.00	accommodates science splice	
342	U1408	A	7	H	1	1.50	1.50	51.80	53.30	58.65	60.15	0.68	accommodates science splice	
342	U1408	A	7	H	2	1.50	1.50	53.30	54.80	60.15	61.65	0.00	accommodates science splice	
342	U1408	A	7	H	3	1.50	1.50	54.80	56.30	61.65	63.15	0.00	accommodates science splice	
342	U1408	A	7	H	4	1.50	1.50	56.30	57.80	63.15	64.65	0.00	accommodates science splice	
342	U1408	A	7	H	5	1.50	1.50	57.80	59.30	64.65	66.15	0.00	accommodates science splice	
342	U1408	A	7	H	6	1.50	1.50	59.30	60.80	66.15	67.65	0.00	accommodates science splice	
342	U1408	A	7	H	7	0.76	0.76	60.80	61.56	67.65	68.41	0.00	accommodates science splice	
342	U1408	A	7	H	CC	0.43	0.43	61.56	61.99	68.41	68.84	0.00	accommodates science splice	
342	U1408	A	8	H	1	1.50	1.50	61.30	62.80	68.94	70.44	0.10	accommodates science splice	
342	U1408	B	9	H	3	1.52	1.52	68.39	69.91	70.28	71.80	-0.16	accommodates science splice	
342	U1408	B	9	H	4	0.58	0.58	69.91	70.49	71.80	72.38	0.00	accommodates science splice	
342	U1408	B	9	H	5	1.48	1.48	70.49	71.97	72.38	73.86	0.00	accommodates science splice	
342	U1408	B	9	H	6	1.49	1.49	71.97	73.46	73.86	75.35	0.00	accommodates science splice	
342	U1408	B	9	H	7	1.49	1.49	73.46	74.95	75.35	76.84	0.00	accommodates science splice	
342	U1408	B	9	H	8	0.67	0.67	74.95	75.62	76.84	77.51	0.00	accommodates science splice	
342	U1408	B	9	H	CC	0.56	0.56	75.62	76.18	77.51	78.07	0.00	accommodates science splice	
342	U1408	A	8	H	7	0.56	0.56	69.92	70.48	77.56	78.12	-0.51	accommodates science splice	
342	U1408	A	8	H	CC	0.38	0.38	70.48	70.86	78.12	78.50	0.00	accommodates science splice	

<b>U1408 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1408	B	10	H	1	1.50	1.50	76.20	77.70	79.44	80.94	0.94	accommodates science splice	
342	U1408	B	10	H	2	1.50	1.50	77.70	79.20	80.94	82.44	0.00	accommodates science splice	
342	U1408	B	10	H	3	1.50	1.50	79.20	80.70	82.44	83.94	0.00	accommodates science splice	
342	U1408	A	9	H	4	1.50	1.50	75.30	76.80	83.92	85.42	-0.02	accommodates science splice	
342	U1408	A	9	H	5	1.31	1.31	76.80	78.11	85.42	86.73	0.00	accommodates science splice	
342	U1408	A	9	H	6	0.61	0.61	78.11	78.72	86.73	87.34	0.00	accommodates science splice	
342	U1408	B	11	H	2	1.50	1.50	82.70	84.20	86.47	87.97	-0.87	accommodates science splice	
342	U1408	B	11	H	3	1.50	1.50	84.20	85.70	87.97	89.47	0.00	accommodates science splice	
342	U1408	A	10	H	1	1.50	1.50	80.30	81.80	89.47	90.97	0.00	accommodates science splice	
342	U1408	A	10	H	2	1.50	1.50	81.80	83.30	90.97	92.47	0.00	accommodates science splice	
342	U1408	C	11	H	1	1.50	1.50	87.80	89.30	92.12	93.62	-0.35	accommodates science splice	
342	U1408	C	11	H	2	1.50	1.50	89.30	90.80	93.62	95.12	0.00	accommodates science splice	
342	U1408	C	11	H	3	1.50	1.50	90.80	92.30	95.12	96.62	0.00	accommodates science splice	
342	U1408	C	11	H	4	1.50	1.50	92.30	93.80	96.62	98.12	0.00	accommodates science splice	
342	U1408	C	11	H	5	1.50	1.50	93.80	95.30	98.12	99.62	0.00	accommodates science splice	
342	U1408	C	11	H	6	1.50	1.50	95.30	96.80	99.62	101.12	0.00	accommodates science splice	
342	U1408	C	11	H	7	0.70	0.70	96.80	97.50	101.12	101.82	0.00	accommodates science splice	
342	U1408	A	11	H	1	1.50	1.50	89.80	91.30	102.07	103.57	0.25	accommodates science splice	
342	U1408	A	11	H	2	1.50	1.50	91.30	92.80	103.57	105.07	0.00	accommodates science splice	
342	U1408	B	13	H	2	1.50	1.50	101.70	103.20	105.37	106.87	0.30	accommodates science splice	
342	U1408	B	13	H	3	1.48	1.48	103.20	104.68	106.87	108.35	0.00	accommodates science splice	
342	U1408	B	13	H	4	1.31	1.31	104.68	105.99	108.35	109.66	0.00	accommodates science splice	
342	U1408	B	13	H	5	1.50	1.50	105.99	107.49	109.66	111.16	0.00	accommodates science splice	
342	U1408	A	11	H	7	0.61	0.61	98.61	99.22	110.88	111.49	-0.28	accommodates science splice	
342	U1408	A	11	H	CC	0.10	0.10	99.22	99.32	111.49	111.59	0.00	accommodates science splice	
342	U1408	B	13	H	6	1.31	1.31	107.49	108.80	111.16	112.47	-0.43	accommodates science splice	
342	U1408	B	13	H	7	0.69	0.69	108.80	109.49	112.47	113.16	0.00	accommodates science splice	
342	U1408	A	12	H	2	1.50	1.50	99.71	101.21	113.08	114.58	-0.08	accommodates science splice	
342	U1408	A	12	H	3	1.50	1.50	101.21	102.71	114.58	116.08	0.00	accommodates science splice	
342	U1408	A	12	H	4	1.50	1.50	102.71	104.21	116.08	117.58	0.00	accommodates science splice	
342	U1408	A	12	H	5	1.50	1.50	104.21	105.71	117.58	119.08	0.00	accommodates science splice	
342	U1408	A	12	H	6	1.50	1.50	105.71	107.21	119.08	120.58	0.00	accommodates science splice	
342	U1408	A	12	H	7	1.08	1.08	107.21	108.29	120.58	121.66	0.00	accommodates science splice	
342	U1408	A	12	H	CC	0.29	0.29	108.29	108.58	121.66	121.95	0.00	accommodates science splice	
342	U1408	B	14	H	6	1.11	1.11	117.20	118.31	121.67	122.78	-0.28	accommodates science splice	
342	U1408	B	14	H	7	0.59	0.59	118.31	118.90	122.78	123.37	0.00	accommodates science splice	
342	U1408	B	14	H	CC	0.52	0.52	118.90	119.42	123.37	123.89	0.00	accommodates science splice	
342	U1408	B	15	H	1	1.50	1.50	119.20	120.70	124.17	125.67	0.28	accommodates science splice	
342	U1408	B	15	H	2	1.50	1.50	120.70	122.20	125.67	127.17	0.00	accommodates science splice	
342	U1408	B	15	H	3	1.50	1.50	122.20	123.70	127.17	128.67	0.00	accommodates science splice	
342	U1408	B	15	H	4	1.50	1.50	123.70	125.20	128.67	130.17	0.00	accommodates science splice	
342	U1408	A	13	H	6	1.50	1.50	116.30	117.80	130.72	132.22	0.55	accommodates science splice	
342	U1408	A	13	H	7	0.66	0.66	117.80	118.46	132.22	132.88	0.00	accommodates science splice	
342	U1408	A	13	H	CC	0.41	0.41	118.46	118.87	132.88	133.29	0.00	accommodates science splice	
342	U1408	A	14	H	1	1.50	1.50	118.30	119.80	133.82	135.32	0.53	accommodates science splice	
342	U1408	B	16	H	1	1.50	1.50	128.70	130.20	135.02	136.52	-0.30	accommodates science splice	
342	U1408	B	16	H	2	1.50	1.50	130.20	131.70	136.52	138.02	0.00	accommodates science splice	
342	U1408	B	16	H	3	1.51	1.51	131.70	133.21	138.02	139.53	0.00	accommodates science splice	
342	U1408	B	16	H	4	1.26	1.26	133.21	134.47	139.53	140.79	0.00	accommodates science splice	
342	U1408	B	16	H	5	0.83	0.83	134.47	135.30	140.79	141.62	0.00	accommodates science splice	
342	U1408	B	16	H	CC	0.36	0.36	135.30	135.66	141.62	141.98	0.00	accommodates science splice	
342	U1408	B	17	H	1	1.50	1.50	135.60	137.10	142.42	143.92	0.44	accommodates science splice	
342	U1408	A	14	H	CC	0.38	0.38	127.84	128.22	143.36	143.74	-0.56	accommodates science splice	
342	U1408	A	15	H	1	1.50	1.50	127.80	129.30	144.92	146.42	1.18	accommodates science splice	
342	U1408	A	15	H	2	1.50	1.50	129.30	130.80	146.42	147.92	0.00	accommodates science splice	
342	U1408	A	15	H	3	1.50	1.50	130.80	132.30	147.92	149.42	0.00	accommodates science splice	
342	U1408	A	15	H	4	1.50	1.50	132.30	133.80	149.42	150.92	0.00	accommodates science splice	
342	U1408	A	15	H	5	1.50	1.50	133.80	135.30	150.92	152.42	0.00	accommodates science splice	
342	U1408	A	15	H	6	1.50	1.50	135.30	136.80	152.42	153.92	0.00	accommodates science splice	
342	U1408	A	15	H	7	0.57	0.57	136.80	137.37	153.92	154.49	0.00	accommodates science splice	
342	U1408	A	15	H	CC	0.27	0.27	137.37	137.64	154.49	154.76	0.00	accommodates science splice	
342	U1408	A	16	H	1	0.21	0.21	137.30	137.51	156.17	156.38	1.41	accommodates science splice	
342	U1408	C	18	H	1	1.50	1.50	146.50	148.00	157.42	158.92	1.04	accommodates science splice	
342	U1408	C	18	H	2	1.50	1.50	148.00	149.50	158.92	160.42	0.00	accommodates science splice	
342	U1408	C	18	H	3	1.50	1.50	149.50	151.00	160.42	161.92	0.00	accommodates science splice	
342	U1408	C	18	H	4	1.50	1.50	151.00	152.50	161.92	163.42	0.00	accommodates science splice	

<b>U1408 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1408	C	18	H	5	1.50	1.50	152.50	154.00	163.42	164.92	0.00	accommodates science splice	
342	U1408	C	18	H	6	1.41	1.41	154.00	155.41	164.92	166.33	0.00	accommodates science splice	
342	U1408	C	18	H	7	0.63	0.63	155.41	156.04	166.33	166.96	0.00	accommodates science splice	
342	U1408	C	19	H	1	1.50	1.50	156.00	157.50	167.90	169.40	0.94	accommodates science splice	
342	U1408	C	19	H	2	1.50	1.50	157.50	159.00	169.40	170.90	0.00	accommodates science splice	
342	U1408	C	19	H	3	1.50	1.50	159.00	160.50	170.90	172.40	0.00	accommodates science splice	
342	U1408	C	19	H	4	1.50	1.50	160.50	162.00	172.40	173.90	0.00	accommodates science splice	
342	U1408	C	19	H	5	1.50	1.50	162.00	163.50	173.90	175.40	0.00	accommodates science splice	
342	U1408	C	19	H	6	1.42	1.42	163.50	164.92	175.40	176.82	0.00	accommodates science splice	
342	U1408	A	17	H	7	0.75	0.75	155.31	156.06	176.56	177.31	-0.26	accommodates science splice	
342	U1408	A	18	H	1	1.21	1.21	156.30	157.51	177.85	179.06	0.54	accommodates science splice	
342	U1408	A	18	H	2	0.62	0.62	157.51	158.13	179.06	179.68	0.00	accommodates science splice	
342	U1408	A	18	H	3	1.34	1.34	158.13	159.47	179.68	181.02	0.00	accommodates science splice	
342	U1408	A	18	H	4	1.44	1.44	159.47	160.91	181.02	182.46	0.00	accommodates science splice	
342	U1408	A	18	H	5	1.42	1.42	160.91	162.33	182.46	183.88	0.00	accommodates science splice	
342	U1408	A	18	H	6	1.43	1.43	162.33	163.76	183.88	185.31	0.00	accommodates science splice	
342	U1408	A	18	H	7	1.38	1.38	163.76	165.14	185.31	186.69	0.00	accommodates science splice	
342	U1408	A	18	H	CC	0.71	0.71	165.14	165.85	186.69	187.40	0.00	accommodates science splice	
342	U1408	A	19	H	1	1.50	1.50	165.80	167.30	187.21	188.71	-0.19	accommodates science splice	
342	U1408	C	21	X	2	1.11	1.11	173.60	174.71	188.96	190.07	0.25	accommodates science splice	
342	U1408	C	21	X	CC	0.39	0.39	174.71	175.10	190.07	190.46	0.00	accommodates science splice	
342	U1408	B	21	X	CC	0.32	0.32	180.71	181.03	190.62	190.94	0.16	accommodates science splice	
342	U1408	B	22	X	1	1.50	1.50	179.10	180.60	191.47	192.97	0.53	accommodates science splice	
342	U1408	C	22	X	1	1.50	1.50	176.90	178.40	192.31	193.81	-0.66	accommodates science splice	
342	U1408	C	22	X	2	1.05	1.05	178.40	179.45	193.81	194.86	0.00	accommodates science splice	
342	U1408	A	19	H	6	1.40	1.40	173.30	174.70	194.71	196.11	-0.15	accommodates science splice	
342	U1408	A	19	H	7	0.57	0.57	174.70	175.27	196.11	196.68	0.00	accommodates science splice	
342	U1408	B	22	X	7	0.59	0.59	188.10	188.69	200.47	201.06	3.79	accommodates science splice	
342	U1408	B	23	X	1	1.50	1.50	187.10	188.60	199.97	201.47	-1.09	accommodates science splice	
342	U1408	A	20	H	4	1.50	1.50	179.80	181.30	203.07	204.57	1.60	accommodates science splice	
342	U1408	A	20	H	5	1.22	1.22	181.30	182.52	204.57	205.79	0.00	accommodates science splice	
342	U1408	B	23	X	6	0.54	0.54	194.41	194.95	207.28	207.82	1.49	accommodates science splice	
342	U1408	B	23	X	CC	0.50	0.50	194.95	195.45	207.82	208.32	0.00	accommodates science splice	
342	U1408	B	24	X	1	1.50	1.50	192.60	194.10	207.42	208.92	-0.90	accommodates science splice	
342	U1408	B	24	X	2	1.50	1.50	194.10	195.60	208.92	210.42	0.00	accommodates science splice	
342	U1408	B	24	X	3	1.50	1.50	195.60	197.10	210.42	211.92	0.00	accommodates science splice	
342	U1408	A	21	X	6	1.40	1.40	190.40	191.80	213.62	215.02	1.70	accommodates science splice	
342	U1408	A	21	X	7	0.57	0.57	191.80	192.37	215.02	215.59	0.00	accommodates science splice	
342	U1408	A	21	X	CC	0.38	0.38	192.37	192.75	215.59	215.97	0.00	accommodates science splice	
342	U1408	A	22	X	4	1.50	1.50	193.30	194.80	220.05	221.55	4.08	accommodates science splice	
342	U1408	A	22	X	5	1.52	1.52	194.80	196.32	221.55	223.07	0.00	accommodates science splice	
342	U1408	A	22	X	6	1.50	1.50	196.32	197.82	223.07	224.57	0.00	accommodates science splice	
342	U1408	A	22	X	7	0.64	0.64	197.82	198.46	224.57	225.21	0.00	accommodates science splice	
342	U1408	A	22	X	CC	0.35	0.35	198.46	198.81	225.21	225.56	0.00	accommodates science splice	
342	U1408	A	23	X	2	1.50	1.50	200.00	201.50	226.55	228.05	0.99	single cored, below splice	
342	U1408	A	23	X	3	1.50	1.50	201.50	203.00	228.05	229.55	0.00	single cored, below splice	
342	U1408	A	23	X	4	1.50	1.50	203.00	204.50	229.55	231.05	0.00	single cored, below splice	
342	U1408	A	23	X	5	1.50	1.50	204.50	206.00	231.05	232.55	0.00	single cored, below splice	
342	U1408	A	23	X	6	1.41	1.41	206.00	207.41	232.55	233.96	0.00	single cored, below splice	
342	U1408	A	23	X	CC	0.41	0.41	207.41	207.82	233.96	234.37	0.00	single cored, below splice	
342	U1408	A	24	X	1	1.50	1.50	208.10	209.60	234.85	236.35	0.48	single cored, below splice	
342	U1408	A	24	X	2	1.50	1.50	209.60	211.10	236.35	237.85	0.00	single cored, below splice	
342	U1408	A	24	X	3	1.50	1.50	211.10	212.60	237.85	239.35	0.00	single cored, below splice	
342	U1408	A	24	X	4	1.50	1.50	212.60	214.10	239.35	240.85	0.00	single cored, below splice	
342	U1408	A	24	X	5	1.30	1.30	214.10	215.40	240.85	242.15	0.00	single cored, below splice	
342	U1408	A	24	X	CC	0.54	0.54	215.40	215.94	242.15	242.69	0.00	single cored, below splice	
342	U1408	A	25	X	1	1.50	1.50	217.70	219.20	244.65	246.15	1.96	single cored, below splice	
342	U1408	A	25	X	2	1.50	1.50	219.20	220.70	246.15	247.65	0.00	single cored, below splice	
342	U1408	A	25	X	3	1.50	1.50	220.70	222.20	247.65	249.15	0.00	single cored, below splice	
342	U1408	A	25	X	4	1.50	1.50	222.20	223.70	249.15	250.65	0.00	single cored, below splice	
342	U1408	A	25	X	5	1.50	1.50	223.70	225.20	250.65	252.15	0.00	single cored, below splice	
342	U1408	A	25	X	6	1.00	1.00	225.20	226.20	252.15	253.15	0.00	single cored, below splice	
342	U1408	A	25	X	7	0.73	0.73	226.20	226.93	253.15	253.88	0.00	single cored, below splice	
342	U1408	A	25	X	CC	0.41	0.41	226.93	227.34	253.88	254.29	0.00	single cored, below splice	
342	U1408	A	26	X	1	0.69	0.69	227.30	227.99	254.45	255.14	0.16	single cored, below splice	
342	U1408	A	26	X	2	1.50	1.50	227.99	229.49	255.14	256.64	0.00	single cored, below splice	

<b>U1408 Permanent Archive List</b>
-------------------------------------

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
342	U1408	A	26	X	3	1.50	1.50	229.49	230.99	256.64	258.14	0.00	single cored, below splice	
342	U1408	A	26	X	4	1.05	1.05	230.99	232.04	258.14	259.19	0.00	single cored, below splice	
342	U1408	A	26	X	CC	0.38	0.38	232.04	232.42	259.19	259.57	0.00	single cored, below splice	
342	U1408	A	27	X	1	1.50	1.50	236.90	238.40	264.25	265.75	4.68	single cored, below splice	
342	U1408	A	27	X	2	1.50	1.50	238.40	239.90	265.75	267.25	0.00	single cored, below splice	
342	U1408	A	27	X	3	1.50	1.50	239.90	241.40	267.25	268.75	0.00	single cored, below splice	
342	U1408	A	27	X	4	1.50	1.50	241.40	242.90	268.75	270.25	0.00	single cored, below splice	
342	U1408	A	27	X	5	1.50	1.50	242.90	244.40	270.25	271.75	0.00	single cored, below splice	
342	U1408	A	27	X	6	1.31	1.31	244.40	245.71	271.75	273.06	0.00	single cored, below splice	
342	U1408	A	27	X	7	0.68	0.68	245.71	246.39	273.06	273.74	0.00	single cored, below splice	
342	U1408	A	27	X	CC	0.25	0.25	246.39	246.64	273.74	273.99	0.00	single cored, below splice	