

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	2	R	1	0.76	1.37	9.5	10.87	single hole	
360	U1473	A	2	R	2	1.49	1.08	10.87	11.95	single hole	
360	U1473	A	3	R	1	1	1.35	12.8	14.15	single hole	
360	U1473	A	3	R	2	1	1.4	14.15	15.55	single hole	
360	U1473	A	3	R	3	1	1.48	15.55	17.03	single hole	
360	U1473	A	3	R	4	1.24	0.87	17.03	17.9	single hole	
360	U1473	A	4	R	1	1.5	1.5	22.4	23.9	single hole	
360	U1473	A	4	R	2	1.5	1.51	23.9	25.41	single hole	
360	U1473	A	4	R	3	1.5	1.5	25.41	26.91	single hole	
360	U1473	A	4	R	4	1.5	1.41	26.91	28.32	single hole	
360	U1473	A	4	R	5	0.27	1.42	28.32	29.74	single hole	
360	U1473	A	4	R	6	0	1.07	29.74	30.81	single hole	
360	U1473	A	5	R	1	1.39	1.49	32	33.49	single hole	
360	U1473	A	5	R	2	0.68	0.56	33.49	34.05	single hole	
360	U1473	A	6	R	1	1.5	1.5	41.6	43.1	single hole	
360	U1473	A	6	R	2	1.28	1.5	43.1	44.6	single hole	
360	U1473	A	6	R	3	0.3	1.08	44.6	45.68	single hole	
360	U1473	A	7	R	1	1	1.46	51.3	52.76	single hole	
360	U1473	A	7	R	2	0.92	0.81	52.76	53.57	single hole	
360	U1473	A	8	R	1	0.42	1.35	61	62.35	single hole	
360	U1473	A	8	R	2	1.5	1.49	62.35	63.84	single hole	
360	U1473	A	8	R	3	1.5	1.49	63.84	65.33	single hole	
360	U1473	A	8	R	4	1.5	1.49	65.33	66.82	single hole	
360	U1473	A	9	R	1	0.12	1.43	70.7	72.13	single hole	
360	U1473	A	9	R	2	1.3	1.5	72.13	73.63	single hole	
360	U1473	A	9	R	3	1.5	1.49	73.63	75.12	single hole	
360	U1473	A	9	R	4	1.5	1.44	75.12	76.56	single hole	
360	U1473	A	9	R	5	1.5	1.28	76.56	77.84	single hole	
360	U1473	A	10	R	1	1	1.38	80.4	81.78	single hole	
360	U1473	A	10	R	2	1	1.09	81.78	82.87	single hole	
360	U1473	A	10	R	3	1.07	0.96	82.87	83.83	single hole	
360	U1473	A	11	R	1	1.5	1.49	90.1	91.59	single hole	
360	U1473	A	11	R	2	1.5	1.45	91.59	93.04	single hole	
360	U1473	A	11	R	3	1.5	1.5	93.04	94.54	single hole	
360	U1473	A	11	R	4	1.5	1.49	94.54	96.03	single hole	
360	U1473	A	11	R	5	0.19	1.08	96.03	97.11	single hole	
360	U1473	A	12	R	1	0.85	1.47	99.8	101.27	single hole	
360	U1473	A	12	R	2	1.4	1.45	101.27	102.72	single hole	
360	U1473	A	12	R	3	1.36	1.5	102.72	104.22	single hole	
360	U1473	A	12	R	4	1.2	1.49	104.22	105.71	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	12	R	5	1.49	0.77	105.71	106.48	single hole	
360	U1473	A	13	R	1	0.55	1.31	109.5	110.81	single hole	continue to next section
360	U1473	A	13	R	2	1.5	1.37	110.81	112.18	single hole	
360	U1473	A	13	R	3	1.5	1.13	112.18	113.31	single hole	
360	U1473	A	13	R	4	1.5	1.5	113.31	114.81	single hole	
360	U1473	A	13	R	5	0.37	0.54	114.81	115.35	single hole	
360	U1473	A	14	R	1	1.32	1.5	119.2	120.7	single hole	
360	U1473	A	14	R	2	1.5	1.45	120.7	122.15	single hole	
360	U1473	A	14	R	3	1.5	1.38	122.15	123.53	single hole	
360	U1473	A	14	R	4	1.5	1.5	123.53	125.03	single hole	
360	U1473	A	14	R	5	0.27	1.33	125.03	126.36	single hole	
360	U1473	A	15	R	1	0.95	1.5	128.9	130.4	single hole	
360	U1473	A	15	R	2	1.5	1.2	130.4	131.6	single hole	
360	U1473	A	15	R	3	1.5	1.29	131.6	132.89	single hole	
360	U1473	A	15	R	4	1.5	1.5	132.89	134.39	single hole	
360	U1473	A	15	R	5	1.5	1.47	134.39	135.86	single hole	
360	U1473	A	15	R	6	0.26	1.5	135.86	137.36	single hole	
360	U1473	A	15	R	7	0	0.24	137.36	137.6	single hole	
360	U1473	A	16	R	1	0.34	1.5	138.6	140.1	single hole	
360	U1473	A	16	R	2	1.5	1.46	140.1	141.56	single hole	
360	U1473	A	16	R	3	1.5	1.5	141.56	143.06	single hole	
360	U1473	A	16	R	4	1.5	1.45	143.06	144.51	single hole	
360	U1473	A	16	R	5	1.5	1.42	144.51	145.93	single hole	
360	U1473	A	16	R	6	1.5	1.5	145.93	147.43	single hole	
360	U1473	A	17	R	1	0.96	1.46	148.3	149.76	single hole	
360	U1473	A	17	R	2	1.5	1.45	149.76	151.21	single hole	
360	U1473	A	17	R	3	1.5	1.36	151.21	152.57	single hole	
360	U1473	A	17	R	4	1.5	1.47	152.57	154.04	single hole	
360	U1473	A	17	R	5	0.48	1.32	154.04	155.36	single hole	
360	U1473	A	18	R	1	0.96	1.34	158	159.34	single hole	
360	U1473	A	18	R	2	1.42	1.34	159.34	160.68	single hole	
360	U1473	A	18	R	3	1.28	1.5	160.68	162.18	single hole	
360	U1473	A	18	R	4	0.98	1.3	162.18	163.48	single hole	
360	U1473	A	19	R	1	0.8	1.51	167.7	169.21	single hole	
360	U1473	A	19	R	2	1.5	1.5	169.21	170.71	single hole	
360	U1473	A	20	R	1	0.65	1.46	177.4	178.86	single hole	
360	U1473	A	20	R	2	1.5	0.98	178.86	179.84	single hole	
360	U1473	A	21	R	1	1	1.38	180.1	181.48	single hole	
360	U1473	A	21	R	2	1.5	1.29	181.48	182.77	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	21	R	3	1.5	1.5	182.77	184.27	single hole	
360	U1473	A	21	R	4	0	0.43	184.27	184.7	single hole	
360	U1473	A	22	R	1	1.3	1.43	187.1	188.53	single hole	
360	U1473	A	22	R	2	0.26	0.52	188.53	189.05	single hole	
360	U1473	A	23	R	1	0.92	1.5	196.8	198.3	single hole	
360	U1473	A	23	R	2	1.5	1.47	198.3	199.77	single hole	
360	U1473	A	23	R	3	1.5	1.5	199.77	201.27	single hole	
360	U1473	A	23	R	4	0.2	1.22	201.27	202.49	single hole	
360	U1473	A	24	R	1	1.5	1.5	206.5	208	single hole	
360	U1473	A	24	R	2	1.5	1.39	208	209.39	single hole	
360	U1473	A	24	R	3	0.67	1.5	209.39	210.89	single hole	
360	U1473	A	24	R	4	0	0.44	210.89	211.33	single hole	
360	U1473	A	25	R	1	1.15	1.5	216.2	217.7	single hole	
360	U1473	A	25	R	2	1	1.5	217.7	219.2	single hole	
360	U1473	A	25	R	3	0.5	0.33	219.2	219.53	single hole	
360	U1473	A	26	R	1	1.5	1.49	225.9	227.39	single hole	
360	U1473	A	26	R	2	1.5	1.5	227.39	228.89	single hole	
360	U1473	A	26	R	3	0.28	1.25	228.89	230.14	single hole	
360	U1473	A	27	R	1	1.27	1.2	235.6	236.8	single hole	
360	U1473	A	27	R	2	1.5	1.4	236.8	238.2	single hole	
360	U1473	A	27	R	3	1.5	1.5	238.2	239.7	single hole	
360	U1473	A	27	R	4	1.5	1.39	239.7	241.09	single hole	
360	U1473	A	27	R	5	1.5	1.4	241.09	242.49	single hole	
360	U1473	A	27	R	6	0.21	1.34	242.49	243.83	single hole	
360	U1473	A	28	R	1	1.22	1.44	245.3	246.74	single hole	
360	U1473	A	28	R	2	1.5	1.5	246.74	248.24	single hole	
360	U1473	A	28	R	3	1.5	1.43	248.24	249.67	single hole	
360	U1473	A	28	R	4	1.5	1.48	249.67	251.15	single hole	
360	U1473	A	28	R	5	1.5	1.5	251.15	252.65	single hole	
360	U1473	A	29	R	1	0.82	1.5	255	256.5	single hole	
360	U1473	A	29	R	2	1.5	1.41	256.5	257.91	single hole	
360	U1473	A	29	R	3	1.5	1.43	257.91	259.34	single hole	
360	U1473	A	29	R	4	1.5	1.5	259.34	260.84	single hole	
360	U1473	A	29	R	5	1.5	1.5	260.84	262.34	single hole	
360	U1473	A	30	R	1	1.25	1.5	264.7	266.2	single hole	
360	U1473	A	30	R	2	1.25	1.35	266.2	267.55	single hole	
360	U1473	A	30	R	3	1.5	1.5	267.55	269.05	single hole	
360	U1473	A	30	R	4	1.5	1.5	269.05	270.55	single hole	
360	U1473	A	30	R	5	0.29	0.79	270.55	271.34	single hole	
360	U1473	A	31	R	1	1	1.5	274.4	275.9	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	31	R	2	1.5	1.5	275.9	277.4	single hole	
360	U1473	A	31	R	3	0.2	0.65	277.4	278.05	single hole	
360	U1473	A	32	R	1	1.15	1.27	284.1	285.37	single hole	
360	U1473	A	32	R	2	1.5	1.5	285.37	286.87	single hole	
360	U1473	A	32	R	3	1.5	1.45	286.87	288.32	single hole	
360	U1473	A	32	R	4	1.5	1.5	288.32	289.82	single hole	
360	U1473	A	32	R	5	1.5	1.5	289.82	291.32	single hole	
360	U1473	A	32	R	6	0.28	1.5	291.32	292.82	single hole	
360	U1473	A	33	R	1	1.14	1.3	293.8	295.1	single hole	
360	U1473	A	33	R	2	1.5	1.32	295.1	296.42	single hole	
360	U1473	A	33	R	3	1.5	1.14	296.42	297.56	single hole	
360	U1473	A	33	R	4	1.5	1.39	297.56	298.95	single hole	
360	U1473	A	33	R	5	0.39	1.5	298.95	300.45	single hole	
360	U1473	A	34	R	1	0.54	0.97	303.5	304.47	single hole	
360	U1473	A	34	R	2	1.5	1.08	304.47	305.55	single hole	
360	U1473	A	34	R	3	1.5	1.21	305.55	306.76	single hole	
360	U1473	A	34	R	4	1.5	1.42	306.76	308.18	single hole	
360	U1473	A	34	R	5	1.5	1.5	308.18	309.68	single hole	
360	U1473	A	34	R	6	0.23	1.35	309.68	311.03	single hole	
360	U1473	A	35	R	1	0.9	1.5	313.2	314.7	single hole	
360	U1473	A	35	R	2	1.5	1.39	314.7	316.09	single hole	
360	U1473	A	36	R	1	1.36	1.41	322.9	324.31	single hole	
360	U1473	A	36	R	2	1.5	1.5	324.31	325.81	single hole	
360	U1473	A	36	R	3	0.16	1.01	325.81	326.82	single hole	
360	U1473	A	37	R	1	1.26	1.5	332.6	334.1	single hole	
360	U1473	A	37	R	2	1.5	1.5	334.1	335.6	single hole	
360	U1473	A	37	R	3	1.5	1.4	335.6	337	single hole	
360	U1473	A	37	R	4	0.31	1.5	337	338.5	single hole	
360	U1473	A	38	R	1	1.02	1.03	342.3	343.33	single hole	
360	U1473	A	38	R	2	1.5	1.36	343.33	344.69	single hole	
360	U1473	A	38	R	3	1.5	1.41	344.69	346.1	single hole	
360	U1473	A	38	R	4	0.34	1.26	346.1	347.36	single hole	
360	U1473	A	39	R	1	0.93	1.08	352	353.08	single hole	
360	U1473	A	39	R	2	1.5	1.5	353.08	354.58	single hole	
360	U1473	A	39	R	3	1.5	1.37	354.58	355.95	single hole	
360	U1473	A	39	R	4	1.5	1.42	355.95	357.37	single hole	
360	U1473	A	39	R	5	1.5	1.5	357.37	358.87	single hole	
360	U1473	A	39	R	6	0.13	1.5	358.87	360.37	single hole	
360	U1473	A	40	R	1	0.67	1.36	361.7	363.06	single hole	
360	U1473	A	40	R	2	1.5	1.05	363.06	364.11	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	41	R	1	1.09	1.45	371.4	372.85	single hole	
360	U1473	A	41	R	2	1.5	1.42	372.85	374.27	single hole	
360	U1473	A	41	R	3	1.5	1.36	374.27	375.63	single hole	
360	U1473	A	41	R	4	1.5	1.39	375.63	377.02	single hole	
360	U1473	A	41	R	5	1.5	1.5	377.02	378.52	single hole	
360	U1473	A	41	R	6	0	0.87	378.52	379.39	single hole	
360	U1473	A	42	R	1	0.67	1.5	381.1	382.6	single hole	
360	U1473	A	42	R	2	1.5	1.34	382.6	383.94	single hole	
360	U1473	A	42	R	3	1.5	1.38	383.94	385.32	single hole	
360	U1473	A	42	R	4	0.39	0.7	385.32	386.02	single hole	
360	U1473	A	43	R	1	0.15	1.28	390.8	392.08	single hole	
360	U1473	A	43	R	2	1.5	1.5	392.08	393.58	single hole	
360	U1473	A	43	R	3	1.5	1.18	393.58	394.76	single hole	
360	U1473	A	43	R	4	1.5	1.04	394.76	395.8	single hole	
360	U1473	A	43	R	5	1.5	1.29	395.8	397.09	single hole	
360	U1473	A	43	R	6	1.5	1.32	397.09	398.41	single hole	
360	U1473	A	43	R	7	1.5	1.43	398.41	399.84	single hole	
360	U1473	A	43	R	8	0.1	0.98	399.84	400.82	single hole	
360	U1473	A	44	R	1	0.94	1.46	400.5	401.96	single hole	
360	U1473	A	44	R	2	1.5	1.41	401.96	403.37	single hole	
360	U1473	A	44	R	3	1.5	1.5	403.37	404.87	single hole	
360	U1473	A	44	R	4	1.5	1.5	404.87	406.37	single hole	
360	U1473	A	44	R	5	0	0.55	406.37	406.92	single hole	
360	U1473	A	45	M	1	0.5	1.25	410.2	411.45	single hole	advanced from RC Junk Basket
360	U1473	A	46	R	1	1.09	1.5	410.8	412.3	single hole	
360	U1473	A	46	R	2	1.5	1.5	412.3	413.8	single hole	
360	U1473	A	46	R	3	0	0.94	413.8	414.74	single hole	
360	U1473	A	47	R	1	0.83	1.5	420.5	422	single hole	
360	U1473	A	47	R	2	1.5	1.5	422	423.5	single hole	
360	U1473	A	47	R	3	1.5	1.5	423.5	425	single hole	
360	U1473	A	47	R	4	0.21	0.79	425	425.79	single hole	
360	U1473	A	48	R	1	0.98	1.5	430.2	431.7	single hole	
360	U1473	A	48	R	2	1.5	1.5	431.7	433.2	single hole	
360	U1473	A	48	R	3	0.21	0.83	433.2	434.03	single hole	
360	U1473	A	49	R	1	0.98	1.31	439.9	441.21	single hole	
360	U1473	A	50	R	1	0.52	1.5	449.6	451.1	single hole	
360	U1473	A	50	R	2	1.5	1.5	451.1	452.6	single hole	
360	U1473	A	50	R	3	1.5	1.5	452.6	454.1	single hole	
360	U1473	A	51	R	1	1	1.5	459.3	460.8	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	51	R	2	1.5	1.44	460.8	462.24	single hole	
360	U1473	A	51	R	3	1.5	1.5	462.24	463.74	single hole	
360	U1473	A	51	R	4	1.5	1.04	463.74	464.78	single hole	
360	U1473	A	51	R	5	0.22	0.92	464.78	465.7	single hole	
360	U1473	A	52	R	1	0.42	0.49	469	469.49	single hole	
360	U1473	A	57	R	1	0.4	0.4	519.2	519.6	single hole	
360	U1473	A	58	R	1	0.29	1.07	519.6	520.67	single hole	
360	U1473	A	58	R	2	1.5	1.47	520.67	522.14	single hole	
360	U1473	A	58	R	3	1.5	1.34	522.14	523.48	single hole	
360	U1473	A	58	R	4	1.5	1.5	523.48	524.98	single hole	
360	U1473	A	58	R	5	1.5	1.38	524.98	526.36	single hole	
360	U1473	A	58	R	6	1.5	1.43	526.36	527.79	single hole	
360	U1473	A	58	R	7	1.5	1.14	527.79	528.93	single hole	
360	U1473	A	58	R	8	0.19	1.02	528.93	529.95	single hole	
360	U1473	A	59	R	1	1.5	1.4	529.2	530.6	single hole	
360	U1473	A	59	R	2	1.5	1.28	530.6	531.88	single hole	
360	U1473	A	59	R	3	1.5	1.33	531.88	533.21	single hole	
360	U1473	A	59	R	4	1.52	1.41	533.21	534.62	single hole	
360	U1473	A	59	R	5	0.48	1.42	534.62	536.04	single hole	
360	U1473	A	60	R	1	0.4	1.05	538.8	539.85	single hole	
360	U1473	A	60	R	2	1.5	1.28	539.85	541.13	single hole	
360	U1473	A	60	R	3	1.5	1.4	541.13	542.53	single hole	
360	U1473	A	60	R	4	1.5	1.26	542.53	543.79	single hole	
360	U1473	A	60	R	5	0.26	1.2	543.79	544.99	single hole	
360	U1473	A	61	R	1	0.4	1.19	548.4	549.59	single hole	
360	U1473	A	61	R	2	1.5	1.3	549.59	550.89	single hole	
360	U1473	A	61	R	3	1.5	1.15	550.89	552.04	single hole	
360	U1473	A	61	R	4	1.5	1.5	552.04	553.54	single hole	
360	U1473	A	61	R	5	1.5	1.42	553.54	554.96	single hole	
360	U1473	A	61	R	6	0.32	1.05	554.96	556.01	single hole	
360	U1473	A	62	R	1	0.6	1.25	558.1	559.35	single hole	
360	U1473	A	62	R	2	1.5	1.02	559.35	560.37	single hole	
360	U1473	A	62	R	3	1.5	1.5	560.37	561.87	single hole	
360	U1473	A	62	R	4	1.5	1.5	561.87	563.37	single hole	
360	U1473	A	62	R	5	1.5	1.5	563.37	564.87	single hole	
360	U1473	A	62	R	6	0.41	0.86	564.87	565.73	single hole	
360	U1473	A	63	R	1	1.5	1.42	567.8	569.22	single hole	
360	U1473	A	63	R	2	0.72	1.3	569.22	570.52	single hole	
360	U1473	A	64	R	1	0.04	0.18	577.5	577.68	single hole	
360	U1473	A	64	R	2	1.5	1.4	577.68	579.08	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	64	R	3	1.5	0.92	579.08	580	single hole	
360	U1473	A	64	R	4	1.5	1.21	580	581.21	single hole	
360	U1473	A	64	R	5	1.5	0.84	581.21	582.05	single hole	
360	U1473	A	64	R	6	1.5	1.13	582.05	583.18	single hole	
360	U1473	A	64	R	7	1.5	1.08	583.18	584.26	single hole	
360	U1473	A	64	R	8	0.33	1.5	584.26	585.76	single hole	
360	U1473	A	64	R	9	0	1.5	585.76	587.26	single hole	
360	U1473	A	65	R	1	1.5	1.42	587.2	588.62	single hole	
360	U1473	A	65	R	2	1.5	1.39	588.62	590.01	single hole	
360	U1473	A	65	R	3	1.5	1.5	590.01	591.51	single hole	
360	U1473	A	65	R	4	1.5	1.5	591.51	593.01	single hole	
360	U1473	A	65	R	5	1.5	1.35	593.01	594.36	single hole	
360	U1473	A	65	R	6	1.5	1.46	594.36	595.82	single hole	
360	U1473	A	65	R	7	0.32	1.15	595.82	596.97	single hole	
360	U1473	A	66	R	1	0.85	1.5	596.9	598.4	single hole	
360	U1473	A	66	R	2	1.5	1.46	598.4	599.86	single hole	
360	U1473	A	66	R	3	1.5	1.5	599.86	601.36	single hole	
360	U1473	A	66	R	4	1.5	1.46	601.36	602.82	single hole	
360	U1473	A	66	R	5	1.5	1.22	602.82	604.04	single hole	
360	U1473	A	66	R	6	1.5	1.5	604.04	605.54	single hole	
360	U1473	A	66	R	7	0.39	0.42	605.54	605.96	single hole	
360	U1473	A	67	R	1	0.73	1.47	606.6	608.07	single hole	
360	U1473	A	67	R	2	1.5	1.17	608.07	609.24	single hole	
360	U1473	A	67	R	3	1.5	1.5	609.24	610.74	single hole	
360	U1473	A	67	R	4	1.5	1.14	610.74	611.88	single hole	
360	U1473	A	67	R	5	1.5	1.5	611.88	613.38	single hole	
360	U1473	A	67	R	6	1.5	1.43	613.38	614.81	single hole	
360	U1473	A	67	R	7	1.5	1.27	614.81	616.08	single hole	
360	U1473	A	67	R	8	0	0.84	616.08	616.92	single hole	
360	U1473	A	68	R	1	1.33	1.33	616.3	617.63	single hole	
360	U1473	A	68	R	2	1.5	1.48	617.63	619.11	single hole	
360	U1473	A	68	R	3	1.5	1.41	619.11	620.52	single hole	
360	U1473	A	68	R	4	1.5	1.43	620.52	621.95	single hole	
360	U1473	A	68	R	5	1.5	1.37	621.95	623.32	single hole	
360	U1473	A	68	R	6	1.5	1.32	623.32	624.64	single hole	
360	U1473	A	68	R	7	0.4	1.33	624.64	625.97	single hole	
360	U1473	A	69	R	1	0.63	1.21	626	627.21	single hole	
360	U1473	A	69	R	2	1.5	1.37	627.21	628.58	single hole	
360	U1473	A	69	R	3	1.5	1.26	628.58	629.84	single hole	
360	U1473	A	69	R	4	1.5	1.5	629.84	631.34	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	69	R	5	1.5	1.29	631.34	632.63	single hole	
360	U1473	A	69	R	6	1.5	1.39	632.63	634.02	single hole	
360	U1473	A	69	R	7	1.5	1.41	634.02	635.43	single hole	
360	U1473	A	69	R	8	0.17	0.83	635.43	636.26	single hole	
360	U1473	A	70	R	1	0.97	1.52	635.7	637.22	single hole	
360	U1473	A	70	R	2	1.5	1.34	637.22	638.56	single hole	
360	U1473	A	70	R	3	1.5	0.96	638.56	639.52	single hole	
360	U1473	A	70	R	4	1.5	1.4	639.52	640.92	single hole	
360	U1473	A	70	R	5	1.5	1.08	640.92	642	single hole	
360	U1473	A	70	R	6	1.5	1.2	642	643.2	single hole	
360	U1473	A	70	R	7	0.4	0.91	643.2	644.11	single hole	
360	U1473	A	70	R	8	0	0.68	644.11	644.79	single hole	
360	U1473	A	71	R	1	0.68	1.49	645.4	646.89	single hole	
360	U1473	A	71	R	2	1.5	1.46	646.89	648.35	single hole	
360	U1473	A	71	R	3	1.44	0.81	648.35	649.16	single hole	
360	U1473	A	72	R	1	1.41	1.26	648.4	649.66	single hole	
360	U1473	A	72	R	2	1.5	1.29	649.66	650.95	single hole	
360	U1473	A	72	R	3	0.69	1.16	650.95	652.11	single hole	
360	U1473	A	73	R	1	0.6	1.04	651.9	652.94	single hole	
360	U1473	A	73	R	2	1.25	0.99	652.94	653.93	single hole	
360	U1473	A	74	R	1	1.09	0.81	654.6	655.41	single hole	
360	U1473	A	74	R	2	1.5	1.39	655.41	656.8	single hole	
360	U1473	A	74	R	3	1.5	1.27	656.8	658.07	single hole	
360	U1473	A	74	R	4	1.5	1.28	658.07	659.35	single hole	
360	U1473	A	74	R	5	1.5	1.5	659.35	660.85	single hole	
360	U1473	A	74	R	6	1.5	1.09	660.85	661.94	single hole	
360	U1473	A	74	R	7	1.5	1.27	661.94	663.21	single hole	
360	U1473	A	74	R	8	0	1.5	663.21	664.71	single hole	
360	U1473	A	74	R	9	0	0.24	664.71	664.95	single hole	
360	U1473	A	75	R	1	0.74	1.07	664.3	665.37	single hole	
360	U1473	A	75	R	2	1.5	0.81	665.37	666.18	single hole	
360	U1473	A	75	R	3	1.5	1.54	666.18	667.72	single hole	continue to next sec
360	U1473	A	75	R	4	1.5	1.37	667.72	669.09	single hole	
360	U1473	A	75	R	5	1.5	1.32	669.09	670.41	single hole	
360	U1473	A	75	R	6	1.5	1.36	670.41	671.77	single hole	continue to next sec
360	U1473	A	75	R	7	1.5	1.51	671.77	673.28	single hole	
360	U1473	A	75	R	8	0.14	1.3	673.28	674.58	single hole	
360	U1473	A	76	R	1	1.26	1.35	674	675.35	single hole	
360	U1473	A	76	R	2	0.55	1.03	675.35	676.38	single hole	
360	U1473	A	76	R	3	1.5	1.17	676.38	677.55	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	76	R	4	1.5	0.98	677.55	678.53	single hole	
360	U1473	A	76	R	5	0.35	0.78	678.53	679.31	single hole	
360	U1473	A	77	R	1	1.19	1.24	680.7	681.94	single hole	
360	U1473	A	77	R	2	1.1	1.18	681.94	683.12	single hole	
360	U1473	A	78	R	1	0.94	1.49	683.7	685.19	single hole	
360	U1473	A	78	R	2	1.5	1.46	685.19	686.65	single hole	
360	U1473	A	78	R	3	1.5	0.7	686.65	687.35	single hole	
360	U1473	A	78	R	4	1.5	1.5	687.35	688.85	single hole	
360	U1473	A	78	R	5	1.5	1.31	688.85	690.16	single hole	
360	U1473	A	78	R	6	1.5	1.5	690.16	691.66	single hole	
360	U1473	A	78	R	7	1.5	1.45	691.66	693.11	single hole	
360	U1473	A	78	R	8	0	1.15	693.11	694.26	single hole	
360	U1473	A	79	R	1	1.34	1.46	693.4	694.86	single hole	
360	U1473	A	79	R	2	0.1	1.47	694.86	696.33	single hole	
360	U1473	A	79	R	3	1.5	1.02	696.33	697.35	single hole	
360	U1473	A	79	R	4	1.5	1.42	697.35	698.77	single hole	
360	U1473	A	79	R	5	1.5	1.34	698.77	700.11	single hole	
360	U1473	A	79	R	6	1.5	0.87	700.11	700.98	single hole	
360	U1473	A	79	R	7	1.5	1.19	700.98	702.17	single hole	
360	U1473	A	79	R	8	0	0.77	702.17	702.94	single hole	
360	U1473	A	80	R	1	1.5	0.93	703.1	704.03	single hole	
360	U1473	A	80	R	2	1.5	1.46	704.03	705.49	single hole	
360	U1473	A	80	R	3	1.5	1.19	705.49	706.68	single hole	
360	U1473	A	80	R	4	1.5	1.5	706.68	708.18	single hole	
360	U1473	A	80	R	5	1.5	1.04	708.18	709.22	single hole	
360	U1473	A	80	R	6	1.5	0.85	709.22	710.07	single hole	
360	U1473	A	80	R	7	0.79	1.42	710.07	711.49	single hole	
360	U1473	A	80	R	8	0.07	1.22	711.49	712.71	single hole	
360	U1473	A	80	R	9	0	0.65	712.71	713.36	single hole	
360	U1473	A	81	R	1	1.35	1.44	712.8	714.24	single hole	
360	U1473	A	81	R	2	1.5	1.5	714.24	715.74	single hole	
360	U1473	A	81	R	3	1.5	1.5	715.74	717.24	single hole	
360	U1473	A	81	R	4	1.5	1.46	717.24	718.7	single hole	
360	U1473	A	81	R	5	1.5	1.32	718.7	720.02	single hole	
360	U1473	A	81	R	6	0.27	1.33	720.02	721.35	single hole	
360	U1473	A	82	R	1	1.45	1.49	721.3	722.79	single hole	
360	U1473	A	82	R	2	0.73	1.4	722.79	724.19	single hole	
360	U1473	A	82	R	3	0.12	1.47	724.19	725.66	single hole	
360	U1473	A	82	R	4	1.5	0.54	725.66	726.2	single hole	
360	U1473	A	82	R	5	1.5	1.36	726.2	727.56	single hole	continue to next sect

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	82	R	6	1.5	1.37	727.56	728.93	single hole	
360	U1473	A	82	R	7	1.5	1.16	728.93	730.09	single hole	
360	U1473	A	82	R	8	1.5	1.22	730.09	731.31	single hole	
360	U1473	A	83	R	1	0.64	1.28	731	732.28	single hole	
360	U1473	A	83	R	2	1.5	0.89	732.28	733.17	single hole	
360	U1473	A	83	R	3	1.5	0.73	733.17	733.9	single hole	
360	U1473	A	83	R	4	1.5	1.38	733.9	735.28	single hole	
360	U1473	A	83	R	5	1.5	1.18	735.28	736.46	single hole	
360	U1473	A	83	R	6	1.5	0.86	736.46	737.32	single hole	
360	U1473	A	83	R	7	1.5	1.23	737.32	738.55	single hole	
360	U1473	A	83	R	8	0	1.33	738.55	739.88	single hole	
360	U1473	A	83	R	9	0	1.12	739.88	741	single hole	
360	U1473	A	84	R	1	1.5	1.48	740.7	742.18	single hole	continue to next sect
360	U1473	A	84	R	2	1.5	1.19	742.18	743.37	single hole	
360	U1473	A	84	R	3	1.5	1.52	743.37	744.89	single hole	continue to next sect
360	U1473	A	84	R	4	1.5	1.37	744.89	746.26	single hole	continue to next sec
360	U1473	A	84	R	5	1.5	1.48	746.26	747.74	single hole	
360	U1473	A	84	R	6	1.5	1.3	747.74	749.04	single hole	
360	U1473	A	84	R	7	0.52	1.41	749.04	750.45	single hole	
360	U1473	A	85	R	1	0.54	1.5	750.4	751.9	single hole	
360	U1473	A	85	R	2	1.5	1.35	751.9	753.25	single hole	
360	U1473	A	85	R	3	1.5	1.44	753.25	754.69	single hole	
360	U1473	A	85	R	4	1.5	0.98	754.69	755.67	single hole	
360	U1473	A	86	R	1	0.27	1.33	756.1	757.43	single hole	
360	U1473	A	86	R	2	1.5	0.6	757.43	758.03	single hole	
360	U1473	A	86	R	3	1.5	1.45	758.03	759.48	single hole	
360	U1473	A	87	R	1	0.64	1.16	760.1	761.26	single hole	
360	U1473	A	87	R	2	1.5	0.83	761.26	762.09	single hole	
360	U1473	A	87	R	3	1.5	1.52	762.09	763.61	single hole	
360	U1473	A	87	R	4	1.5	0.97	763.61	764.58	single hole	
360	U1473	A	87	R	5	1.5	1.21	764.58	765.79	single hole	
360	U1473	A	87	R	6	1.5	1.02	765.79	766.81	single hole	
360	U1473	A	87	R	7	1.5	1.29	766.81	768.1	single hole	
360	U1473	A	87	R	8	0	0.98	768.1	769.08	single hole	
360	U1473	A	87	R	9	0	0.9	769.08	769.98	single hole	
360	U1473	A	88	R	1	1.5	1.22	769.8	771.02	single hole	
360	U1473	A	88	R	2	1.5	0.95	771.02	771.97	single hole	
360	U1473	A	88	R	3	1.5	1.15	771.97	773.12	single hole	
360	U1473	A	88	R	4	1.5	1	773.12	774.12	single hole	
360	U1473	A	88	R	5	1.5	1.34	774.12	775.46	single hole	

U1473 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments	Curation Comments
360	U1473	A	88	R	6	1.5	1.47	775.46	776.93	single hole	
360	U1473	A	88	R	7	0.39	1.28	776.93	778.21	single hole	
360	U1473	A	88	R	8	0	1.31	778.21	779.52	single hole	
360	U1473	A	89	R	1	1.35	1.36	779.5	780.86	single hole	
360	U1473	A	89	R	2	0.63	1.44	780.86	782.3	single hole	
360	U1473	A	89	R	3	0.25	1.22	782.3	783.52	single hole	
360	U1473	A	89	R	4	1.5	1.5	783.52	785.02	single hole	
360	U1473	A	89	R	5	1.5	1.2	785.02	786.22	single hole	
360	U1473	A	89	R	6	1.5	1.42	786.22	787.64	single hole	
360	U1473	A	89	R	7	1.5	1.04	787.64	788.68	single hole	
360	U1473	A	89	R	8	1.5	0.88	788.68	789.56	single hole	
360	U1473	A	90	G	1	0.25	0.25	9.5	9.75	single hole	
360	U1473	A	91	M	1	0.5	0.5	789.2	789.7	single hole	